

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>C12N 9/00</b>	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 99/66028</b> <b>(43) International Publication Date:</b> 23 December 1999 (23.12.99)
<b>(21) International Application Number:</b> PCT/EP99/04171 <b>(22) International Filing Date:</b> 16 June 1999 (16.06.99) <b>(30) Priority Data:</b> 09/099,504 18 June 1998 (18.06.98) US 60/101,631 24 September 1998 (24.09.98) US 60/118,906 5 February 1999 (05.02.99) US <b>(71) Applicant (for all designated States except AT US):</b> NOVARTIS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH). <b>(71) Applicant (for AT only):</b> NOVARTIS-ERFINDUNGEN VERWALTUNGSGESELLSCHAFT MBH [AT/AT]; Brunner Strasse 59, A-1230 Vienna (AT). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> SCHUPP, Thomas [CH/CH]; Fröschmattweg 5, CH-4313 Möhlin (CH). LIGON, James, Madison [US/US]; 3616 South Pointe Drive, Apex, NC 27502 (US). MOLNAR, Istvan [HU/US]; 4004 Branchwood Drive, Durham, NC 27705 (US). ZIRKLE, Ross [US/US]; 6532 Wynbrook Way, Raleigh, NC 27612 (US). GÖRLACH, Jörn [DE/US]; 3907 King Charles Road, Durham, NC 27707 (US). CYR, Devon		<b>[US/US];</b> 413 Vuncannon Drive, Fuquay-Varina, NC 27526 (US). <b>(74) Agent:</b> BECKER, Konrad; Novartis AG, Corporate Intellectual Property, Patent & Trademark Dept., CH-4002 Basel (CH). <b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>
<b>(54) Title:</b> GENES FOR THE BIOSYNTHESIS OF EPOTHILONES <b>(57) Abstract</b> <p>Nucleic acid molecules are isolated from <i>Sorangium cellulosum</i> that encode polypeptides necessary for the biosynthesis of epothilone. Disclosed are methods for the production of epothilone in recombinant hosts transformed with the genes of the invention. In this manner, epothilone can be produced in quantities large enough to enable their purification and use in pharmaceutical formulations such as those for the treatment of cancer.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## GENES FOR THE BIOSYNTHESIS OF EPOTHILONES

### FIELD OF THE INVENTION

The present invention relates generally to polyketides and genes for their synthesis. In particular, the present invention relates to the isolation and characterization of novel polyketide synthase and nonribosomal peptide synthetase genes from *Sorangium cellulosum* that are necessary for the biosynthesis of epothilones A and B.

### BACKGROUND OF THE INVENTION

Polyketides are compounds synthesized from two-carbon building blocks, the  $\beta$ -carbon of which always carries a keto group, thus the name polyketide. These compounds include many important antibiotics, immunosuppressants, cancer chemotherapeutic agents, and other compounds possessing a broad range of biological properties. The tremendous structural diversity derives from the different lengths of the polyketide chain, the different side-chains introduced (either as part of the two-carbon building blocks or after the polyketide backbone is formed), and the stereochemistry of such groups. The keto groups may also be reduced to hydroxyls, enoyls, or removed altogether. Each round of two-carbon addition is carried out by a complex of enzymes called the polyketide synthase (PKS) in a manner similar to fatty acid biosynthesis.


The biosynthetic genes for an increasing number of polyketides have been isolated and sequenced. For example, see U.S. Patent Nos. 5,639,949, 5,693,774, and 5,716,849, all of which are incorporated herein by reference, which describe genes for the biosynthesis of soraphen. See also, Schupp *et al.*, *FEMS Microbiology Letters* 159: 201-207 (1998) and WO 98/07868, which describe genes for the biosynthesis of rifamycin, and U.S. Patent No. 5,876,991, which describes genes for the biosynthesis of tylactone, all of which are incorporated herein by reference. The encoded proteins generally fall into two types: type I and type II. Type I proteins are polyfunctional, with several catalytic domains carrying out different enzymatic steps covalently linked together (e.g. PKS for erythromycin, soraphen, rifamycin, and avermectin (MacNeil *et al.*, in *Industrial Microorganisms: Basic and Applied Molecular Genetics*, (ed.: Baltz *et al.*), American Society for Microbiology, Washington D. C.

pp. 245-256 (1993)); whereas type II proteins are monofunctional (Hutchinson *et al.*, in *Industrial Microorganisms: Basic and Applied Molecular Genetics*, (ed.: Baltz *et al.*), American Society for Microbiology, Washington D. C. pp. 203-216 (1993)).

For the simpler polyketides such as actinorhodin (produced by *Streptomyces coelicolor*), the several rounds of two-carbon additions are carried out iteratively on PKS enzymes encoded by one set of PKS genes. In contrast, synthesis of the more complicated compounds such as erythromycin and soraphen involves PKS enzymes that are organized into modules, whereby each module carries out one round of two-carbon addition (for review, see Hopwood *et al.*, in *Industrial Microorganisms: Basic and Applied Molecular Genetics*, (ed.: Baltz *et al.*), American Society for Microbiology, Washington D. C., pp. 267-275 (1993)).

Complex polyketides and secondary metabolites in general may contain substructures that are derived from amino acids instead of simple carboxylic acids. Incorporations of these building blocks are accomplished by non-ribosomal polypeptide synthetases (NRPSs). NRPSs are multienzymes that are organized in modules. Each module is responsible for the addition (and the additional processing, if required) of one amino acid building block. NRPSs activate amino acids by forming aminoacyl-adenylates, and capture the activated amino acids on thiol groups of phosphopantetheinyl prosthetic groups on peptidyl carrier protein domains. Further, NRPSs modify the amino acids by epimerization, N-methylation, or cyclization if necessary, and catalyse the formation of peptide bonds between the enzyme-bound amino acids. NRPSs are responsible for the biosynthesis of peptide secondary metabolites like cyclosporin, could provide polyketide chain terminator units as in rapamycin, or form mixed systems with PKSs as in yersiniabactin biosynthesis.

Epothilones A and B are 16-membered macrocyclic polyketides with an acylcysteine-derived starter unit that are produced by the bacterium *Sorangium cellulosum* strain So ce90 (Gerth *et al.*, *J. Antibiotics* 49: 560-563 (1996), incorporated herein by reference). The structure of epothilone A and B wherein R signifies hydrogen (epothilone A) or methyl (epothilone B) is:



The epothilones have a narrow antifungal spectrum and especially show a high cytotoxicity in animal cell cultures (see, Höfle *et al.*, Patent DE 4138042 (1993), incorporated herein by reference). Of significant importance, epothilones mimic the biological effects of taxol, both *in vivo* and in cultured cells (Bollag *et al.*, *Cancer Research* 55: 2325-2333 (1995), incorporated herein by reference). Taxol and taxotere, which stabilize cellular microtubules, are cancer chemotherapeutic agents with significant activity against various human solid tumors (Rowinsky *et al.*, *J. Natl. Cancer Inst.* 83: 1778-1781 (1991)). Competition studies have revealed that epothilones act as competitive inhibitors of taxol binding to microtubules, consistent with the interpretation that they share the same microtubule-binding site and possess a similar microtubule affinity as taxol. However, epothilones enjoy a significant advantage over taxol in that epothilones exhibit a much lower drop in potency compared to taxol against a multiple drug-resistant cell line (Bollag *et al.* (1995)). Furthermore, epothilones are considerably less efficiently exported from the cells by P-glycoprotein than is taxol (Gerth *et al.* (1996)). In addition, several epothilone analogs have been synthesized that have a superior cytotoxic activity as compared to epothilone A or epothilone B as demonstrated by their enhanced ability to induce the polymerization and stabilization of microtubules (WO 98/25929, incorporated herein by reference).

Despite the promise shown by the epothilones as anticancer agents, problems pertaining to the production of these compounds presently limit their commercial potential. The compounds are too complex for industrial-scale chemical synthesis and so must be produced by fermentation. Techniques for the genetic manipulation of myxobacteria such as *Sorangium cellulosum* are described in U.S. Patent No. 5,686,295, incorporated herein by reference. However, *Sorangium cellulosum* is notoriously difficult to ferment and production levels of epothilones are therefore low. Recombinant production of epothilones in heterologous hosts that are more amenable to fermentation could solve current production problems. However, the genes that encode the polypeptides responsible for epothilone bio-

synthesis have heretofore not been isolated. Furthermore, the strain that produces epothilones, i.e. So ce90, also produces at least one additional polyketide, spirangien, which would be expected to greatly complicate the isolation of the genes particularly responsible for epothilone biosynthesis.

Therefore, in view of the foregoing, one object of the present invention is to isolate the genes that are involved in the synthesis of epothilones, particularly the genes that are involved in the synthesis of epothilones A and B in myxobacteria of the *Sorangium*/-*Polyangium* group, i.e., *Sorangium cellulosum* strain So ce90. A further object of the invention is to provide a method for the recombinant production of epothilones for application in anticancer formulations.

#### SUMMARY OF THE INVENTION

In furtherance of the aforementioned and other objects, the present invention unexpectedly overcomes the difficulties set forth above to provide for the first time a nucleic acid molecule comprising a nucleotide sequence that encodes at least one polypeptide involved in the biosynthesis of epothilone. In a preferred embodiment, the nucleotide sequence is isolated from a species belonging to *Myxobacteria*, most preferably *Sorangium cellulosum*.

In another preferred embodiment, the present invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes at least one polypeptide involved in the biosynthesis of an epothilone, wherein said polypeptide comprises an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: SEQ ID NO:2, amino acids 11-437 of SEQ ID NO:2, amino acids 543-864 of SEQ ID NO:2, amino acids 974-1273 of SEQ ID NO:2, amino acids 1314-1385 of SEQ ID NO:2, SEQ ID NO:3, amino acids 72-81 of SEQ ID NO:3, amino acids 118-125 of SEQ ID NO:3, amino acids 199-212 of SEQ ID NO:3, amino acids 353-363 of SEQ ID NO:3, amino acids 549-565 of SEQ ID NO:3, amino acids 588-603 of SEQ ID NO:3, amino acids 669-684 of SEQ ID NO:3, amino acids 815-821 of SEQ ID NO:3, amino acids 868-892 of SEQ ID NO:3, amino acids 903-912 of SEQ ID NO:3, amino acids 918-940 of SEQ ID NO:3, amino acids 1268-1274 of SEQ ID NO:3, amino acids 1285-1297 of SEQ ID NO:3, amino acids 973-1256 of SEQ ID NO:3, amino acids 1344-1351 of SEQ ID NO:3, SEQ ID NO:4, amino acids 7-432 of SEQ ID NO:4, amino acids 539-859 of SEQ ID NO:4, amino acids 869-1037 of SEQ ID NO:4, amino acids 1439-1684 of SEQ ID NO:4, amino acids 1722-1792 of SEQ ID

NO:4, SEQ ID NO:5, amino acids 39-457 of SEQ ID NO:5, amino acids 563-884 of SEQ ID NO:5, amino acids 1147-1399 of SEQ ID NO:5, amino acids 1434-1506 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 3886-4048 of SEQ ID NO:5, amino acids 4433-4719 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, SEQ ID NO:6, amino acids 35-454 of SEQ ID NO:6, amino acids 561-881 of SEQ ID NO:6, amino acids 1143-1393 of SEQ ID NO:6, amino acids 1430-1503 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, amino acids 2053-2373 of SEQ ID NO:6, amino acids 2383-2551 of SEQ ID NO:6, amino acids 2671-3045 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, SEQ ID NO:7, amino acids 32-450 of SEQ ID NO:7, amino acids 556-877 of SEQ ID NO:7, amino acids 887-1051 of SEQ ID NO:7, amino acids 1478-1790 of SEQ ID NO:7, amino acids 1810-2055 of SEQ ID NO:7, amino acids 2093-2164 of SEQ ID NO:7, amino acids 2165-2439 of SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:11, and SEQ ID NO:22.

In a more preferred embodiment, the present invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes at least one polypeptide involved in the biosynthesis of an epothilone, wherein said polypeptide comprises an amino acid sequence selected from the group consisting of: SEQ ID NO:2, amino acids 11-437 of SEQ ID NO:2, amino acids 543-864 of SEQ ID NO:2, amino acids 974-1273 of SEQ ID NO:2, amino acids 1314-1385 of SEQ ID NO:2, SEQ ID NO:3, amino acids 72-81 of SEQ ID NO:3, amino acids 118-125 of SEQ ID NO:3, amino acids 199-212 of SEQ ID NO:3, amino acids 353-363 of SEQ ID NO:3, amino acids 549-565 of SEQ ID NO:3, amino acids 588-603 of SEQ ID NO:3, amino acids 669-684 of SEQ ID NO:3, amino acids 815-821 of SEQ ID NO:3, amino acids 868-892 of SEQ ID NO:3, amino acids 903-912 of SEQ ID NO:3, amino acids 918-940 of SEQ ID NO:3, amino acids 1268-1274 of SEQ ID NO:3, amino acids 1285-1297 of SEQ ID NO:3, amino acids 973-1256 of SEQ ID NO:3, amino acids 1344-1351 of SEQ ID NO:3, SEQ ID NO:4, amino acids 7-432 of SEQ ID NO:4, amino acids 539-859 of SEQ ID NO:4, amino acids 869-1037 of SEQ ID NO:4, amino acids 1439-1684

of SEQ ID NO:4, amino acids 1722-1792 of SEQ ID NO:4, SEQ ID NO:5, amino acids 39-457 of SEQ ID NO:5, amino acids 563-884 of SEQ ID NO:5, amino acids 1147-1399 of SEQ ID NO:5, amino acids 1434-1506 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 3886-4048 of SEQ ID NO:5, amino acids 4433-4719 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, SEQ ID NO:6, amino acids 35-454 of SEQ ID NO:6, amino acids 561-881 of SEQ ID NO:6, amino acids 1143-1393 of SEQ ID NO:6, amino acids 1430-1503 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, amino acids 2053-2373 of SEQ ID NO:6, amino acids 2383-2551 of SEQ ID NO:6, amino acids 2671-3045 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, SEQ ID NO:7, amino acids 32-450 of SEQ ID NO:7, amino acids 556-877 of SEQ ID NO:7, amino acids 887-1051 of SEQ ID NO:7, amino acids 1478-1790 of SEQ ID NO:7, amino acids 1810-2055 of SEQ ID NO:7, amino acids 2093-2164 of SEQ ID NO:7, amino acids 2165-2439 of SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:11, and SEQ ID NO:22.

In yet another preferred embodiment, the present invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes at least one polypeptide involved in the biosynthesis of an epothilone, wherein said nucleotide sequence is substantially similar to a nucleotide sequence selected from the group consisting of: the complement of nucleotides 1900-3171 of SEQ ID NO:1, nucleotides 3415-5556 of SEQ ID NO:1, nucleotides 7610-11875 of SEQ ID NO:1, nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 10529-11428 of SEQ ID NO:1, nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1,

nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, nucleotides 15901-15924 of SEQ ID NO:1, nucleotides 16251-21749 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 21746-43519 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 43524-54920 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, nucleotides 51534-52657 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, nucleotides 54935-62254 of SEQ ID NO:1, nucleotides 55028-56284 of SEQ ID NO:1, nucleotides 56600-57565 of SEQ ID NO:1, nucleotides 57593-58087 of SEQ ID NO:1, nucleotides 59366-60304 of SEQ ID NO:1, nucleotides 60362-61099 of SEQ ID NO:1, nucleotides 61211-61426 of SEQ ID NO:1, nucleotides 61427-62254 of SEQ ID NO:1, nucleotides 62369-63628 of SEQ ID NO:1, nucleotides 67334-68251 of SEQ ID NO:1, and nucleotides 1-68750 SEQ ID NO:1.

In an especially preferred embodiment, the present invention provides a nucleic acid molecule comprising a nucleotide sequence that encodes at least one polypeptide involved in the biosynthesis of an epothilone, wherein said nucleotide sequence is selected from the group consisting of: the complement of nucleotides 1900-3171 of SEQ ID NO:1, nucleotides 3415-5556 of SEQ ID NO:1, nucleotides 7610-11875 of SEQ ID NO:1, nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 10529-11428 of SEQ ID NO:1, nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 11872-16104 of

SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, nucleotides 15901-15924 of SEQ ID NO:1, nucleotides 16251-21749 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 21746-43519 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 43524-54920 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, nucleotides 51534-52657 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, nucleotides 54935-62254 of SEQ ID NO:1, nucleotides 55028-56284 of SEQ ID NO:1, nucleotides 56600-57565 of SEQ ID NO:1, nucleotides 57593-58087 of SEQ ID NO:1, nucleotides 59366-60304 of SEQ ID NO:1, nucleotides 60362-61099 of SEQ ID NO:1, nucleotides 61211-61426 of SEQ ID NO:1, nucleotides 61427-62254 of SEQ ID NO:1, nucleotides 62369-63628 of SEQ ID NO:1, nucleotides 67334-68251 of SEQ ID NO:1, and nucleotides 1-68750 SEQ ID NO:1.

In yet another preferred embodiment, the present invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes at least one polypeptide involved in the biosynthesis of an epothilone, wherein said nucleotide sequence comprises a consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair nucleotide portion identical in sequence to a respective consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair portion of a nucleotide sequence selected from the group consisting of: the complement of nucleotides 1900-3171 of SEQ ID NO:1, nucleotides 3415-5556 of SEQ ID NO:1, nucleotides 7610-11875 of SEQ ID NO:1, nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 10529-11428 of SEQ ID NO:1, nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, nucleotides 15901-15924 of SEQ ID NO:1, nucleotides 16251-21749 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 21746-43519 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 43524-54920 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID

NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, nucleotides 51534-52657 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, nucleotides 54935-62254 of SEQ ID NO:1, nucleotides 55028-56284 of SEQ ID NO:1, nucleotides 56600-57565 of SEQ ID NO:1, nucleotides 57593-58087 of SEQ ID NO:1, nucleotides 59366-60304 of SEQ ID NO:1, nucleotides 60362-61099 of SEQ ID NO:1, nucleotides 61211-61426 of SEQ ID NO:1, nucleotides 61427-62254 of SEQ ID NO:1, nucleotides 62369-63628 of SEQ ID NO:1, nucleotides 67334-68251 of SEQ ID NO:1, and nucleotides 1-68750 SEQ ID NO:1.

The present invention also provides a chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid molecule of the invention. Further, the present invention provides a recombinant vector comprising such a chimeric gene, wherein the vector is capable of being stably transformed into a host cell. Still further, the present invention provides a recombinant host cell comprising such a chimeric gene, wherein the host cell is capable of expressing the nucleotide sequence that encodes at least one polypeptide necessary for the biosynthesis of an epothilone. In a preferred embodiment, the recombinant host cell is a bacterium belonging to the order *Actinomycetales*, and in a more preferred embodiment the recombinant host cell is a strain of *Streptomyces*. In other embodiments, the recombinant host cell is any other bacterium amenable to fermentation, such as a pseudomonad or *E. coli*. Even further, the present invention provides a Bac clone comprising a nucleic acid molecule of the invention, preferably Bac clone pEPO15.

In another aspect, the present invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes an epothilone synthase domain.

According to one embodiment, the epothilone synthase domain is a  $\beta$ -ketoacyl-synthase (KS) domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 11-437 of SEQ ID NO:2, amino acids 7-432 of SEQ ID NO:4, amino acids 39-457 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 35-454 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, and amino acids 32-450 of SEQ ID NO:7. According to this embodiment, said KS domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 11-437 of SEQ ID NO:2, amino acids 7-432 of SEQ ID NO:4, amino acids 39-457 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids

3024-3449 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 35-454 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, and amino acids 32-450 of SEQ ID NO:7. Also, according to this embodiment, said nucleotide sequence preferably is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, and nucleotides 55028-56284 of SEQ ID NO:1. According to this embodiment, said nucleotide sequence more preferably comprises a consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair nucleotide portion identical in sequence to a respective consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, and nucleotides 55028-56284 of SEQ ID NO:1. In addition, according to this embodiment, said nucleotide sequence most preferably is selected from the group consisting of: nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, and nucleotides 55028-56284 of SEQ ID NO:1.

According to another embodiment, the epothilone synthase domain is an acyltransferase (AT) domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 543-864 of SEQ ID NO:2, amino acids 539-859 of SEQ ID NO:4, amino acids 563-884 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 561-881 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, and amino acids 556-877 of SEQ ID NO:7. According to this embodiment, said AT domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 543-864 of SEQ ID NO:2, amino acids 539-859 of SEQ ID NO:4, amino acids 563-884 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino

- 12 -

acids 3555-3876 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 561-881 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, and amino acids 556-877 of SEQ ID NO:7. Also, according to this embodiment, said nucleotide sequence preferably is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, and nucleotides 56600-57565 of SEQ ID NO:1. According to this embodiment, said nucleotide sequence more preferably comprises a consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair nucleotide portion identical in sequence to a respective consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, and nucleotides 56600-57565 of SEQ ID NO:1. In addition, according to this embodiment, said nucleotide sequence most preferably is selected from the group consisting of: nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, and nucleotides 56600-57565 of SEQ ID NO:1.

According to still another embodiment, the epothilone synthase domain is an enoyl reductase (ER) domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 974-1273 of SEQ ID NO:2, amino acids 4433-4719 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, and amino acids 1478-1790 of SEQ ID NO:7. According to this embodiment, said ER domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 974-1273 of SEQ ID NO:2, amino acids 4433-4719 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, and amino acids 1478-1790 of SEQ ID NO:7. Also, according to this embodiment, said nucleotide sequence preferably is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 10529-11428 of

SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, and nucleotides 59366-60304 of SEQ ID NO:1. According to this embodiment, said nucleotide sequence more preferably comprises a consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair nucleotide portion identical in sequence to a respective consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 10529-11428 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, and nucleotides 59366-60304 of SEQ ID NO:1. In addition, according to this embodiment, said nucleotide sequence most preferably is selected from the group consisting of: nucleotides 10529-11428 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, and nucleotides 59366-60304 of SEQ ID NO:1.

According to another embodiment, the epothilone synthase domain is an acyl carrier protein (ACP) domain, wherein said polypeptide comprises an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 1314-1385 of SEQ ID NO:2, amino acids 1722-1792 of SEQ ID NO:4, amino acids 1434-1506 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, amino acids 1430-1503 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, and amino acids 2093-2164 of SEQ ID NO:7. According to this embodiment, said ACP domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 1314-1385 of SEQ ID NO:2, amino acids 1722-1792 of SEQ ID NO:4, amino acids 1434-1506 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, amino acids 1430-1503 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, and amino acids 2093-2164 of SEQ ID NO:7. Also, according to this embodiment, said nucleotide sequence preferably is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, and nucleotides 61211-61426 of SEQ ID NO:1. According to this embodiment, said nucleotide sequence more preferably comprises a consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair nucleotide portion identical in sequence to a respective consecutive 20, 25, 30, 35, 40,

- 14 -

45, or 50 (preferably 20) base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, and nucleotides 61211-61426 of SEQ ID NO:1. In addition, according to this embodiment, said nucleotide sequence most preferably is selected from the group consisting of: nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, and nucleotides 61211-61426 of SEQ ID NO:1.

According to another embodiment, the epothilone synthase domain is a dehydratase (DH) domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 869-1037 of SEQ ID NO:4, amino acids 3886-4048 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 2383-2551 of SEQ ID NO:6, and amino acids 887-1051 of SEQ ID NO:7. According to this embodiment, said DH domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 869-1037 of SEQ ID NO:4, amino acids 3886-4048 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 2383-2551 of SEQ ID NO:6, and amino acids 887-1051 of SEQ ID NO:7. Also, according to this embodiment, said nucleotide sequence preferably is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, and nucleotides 57593-58087 of SEQ ID NO:1. According to this embodiment, said nucleotide sequence more preferably comprises a consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair nucleotide portion identical in sequence to a respective consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, and nucleotides 57593-58087 of SEQ ID NO:1. In addition, according to this embodiment, said nucleotide sequence most preferably is selected from the group consisting of: nucleotides 18855-19361 of SEQ ID NO:1,

nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, and nucleotides 57593-58087 of SEQ ID NO:1.

According to yet another embodiment, the epothilone synthase domain is a  $\beta$ -keto-reductase (KR) domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 1439-1684 of SEQ ID NO:4, amino acids 1147-1399 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 1143-1393 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, and amino acids 1810-2055 of SEQ ID NO:7. According to this embodiment, said KR domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 1439-1684 of SEQ ID NO:4, amino acids 1147-1399 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 1143-1393 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, and amino acids 1810-2055 of SEQ ID NO:7. Also, according to this embodiment, said nucleotide sequence preferably is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, and nucleotides 60362-61099 of SEQ ID NO:1. According to this embodiment, said nucleotide sequence more preferably comprises a consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair nucleotide portion identical in sequence to a respective consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, and nucleotides 60362-61099 of SEQ ID NO:1. In addition, according to this embodiment, said nucleotide sequence most preferably is selected from the group consisting of: nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, and nucleotides 60362-61099 of SEQ ID NO:1.

According to an additional embodiment, the epothilone synthase domain is a methyltransferase (MT) domain comprising an amino acid sequence substantially similar to amino acids 2671-3045 of SEQ ID NO:6. According to this embodiment, said MT domain preferably comprises amino acids 2671-3045 of SEQ ID NO:6. Also, according to this embodiment, said nucleotide sequence preferably is substantially similar to nucleotides 51534-52657 of SEQ ID NO:1. According to this embodiment, said nucleotide sequence more preferably comprises a consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair nucleotide portion identical in sequence to a respective consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair portion of nucleotides 51534-52657 of SEQ ID NO:1. In addition, according to this embodiment, said nucleotide sequence most preferably is nucleotides 51534-52657 of SEQ ID NO:1.

According to another embodiment, the epothilone synthase domain is a thioesterase (TE) domain comprising an amino acid sequence substantially similar to amino acids 2165-2439 of SEQ ID NO:7. According to this embodiment, said TE domain preferably comprises amino acids 2165-2439 of SEQ ID NO:7. Also, according to this embodiment, said nucleotide sequence preferably is substantially similar to nucleotides 61427-62254 of SEQ ID NO:1. According to this embodiment, said nucleotide sequence more preferably comprises a consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair nucleotide portion identical in sequence to a respective consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair portion of nucleotides 61427-62254 of SEQ ID NO:1. In addition, according to this embodiment, said nucleotide sequence most preferably is nucleotides 61427-62254 of SEQ ID NO:1.

In still another aspect, the present invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes a non-ribosomal peptide synthetase, wherein said non-ribosomal peptide synthetase comprises an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: SEQ ID NO:3, amino acids 72-81 of SEQ ID NO:3, amino acids 118-125 of SEQ ID NO:3, amino acids 199-212 of SEQ ID NO:3, amino acids 353-363 of SEQ ID NO:3, amino acids 549-565 of SEQ ID NO:3, amino acids 588-603 of SEQ ID NO:3, amino acids 669-684 of SEQ ID NO:3, amino acids 815-821 of SEQ ID NO:3, amino acids 868-892 of SEQ ID NO:3, amino acids 903-912 of SEQ ID NO:3, amino acids 918-940 of SEQ ID NO:3, amino acids 1268-1274 of SEQ ID NO:3, amino acids 1285-1297 of SEQ ID NO:3, amino acids 973-1256 of SEQ ID NO:3, and amino acids 1344-1351 of SEQ ID NO:3. According to this

embodiment, said non-ribosomal peptide synthetase preferably comprises an amino acid sequence selected from the group consisting of: SEQ ID NO:3, amino acids 72-81 of SEQ ID NO:3, amino acids 118-125 of SEQ ID NO:3, amino acids 199-212 of SEQ ID NO:3, amino acids 353-363 of SEQ ID NO:3, amino acids 549-565 of SEQ ID NO:3, amino acids 588-603 of SEQ ID NO:3, amino acids 669-684 of SEQ ID NO:3, amino acids 815-821 of SEQ ID NO:3, amino acids 868-892 of SEQ ID NO:3, amino acids 903-912 of SEQ ID NO:3, amino acids 918-940 of SEQ ID NO:3, amino acids 1268-1274 of SEQ ID NO:3, amino acids 1285-1297 of SEQ ID NO:3, amino acids 973-1256 of SEQ ID NO:3, and amino acids 1344-1351 of SEQ ID NO:3. Also, according to this embodiment, said nucleotide sequence preferably is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, and nucleotides 15901-15924 of SEQ ID NO:1. According to this embodiment, said nucleotide sequence more preferably comprises a consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair nucleotide portion identical in sequence to a respective consecutive 20, 25, 30, 35, 40, 45, or 50 (preferably 20) base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, and nucleotides 15901-15924 of SEQ ID NO:1. In addition, according to this embodiment, said nucleotide sequence most preferably is selected from the group consisting of: nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-

12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, and nucleotides 15901-15924 of SEQ ID NO:1.

The present invention further provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes a polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:2-23.

In accordance with another aspect, the present invention also provides methods for the recombinant production of polyketides such as epothilones in quantities large enough to enable their purification and use in pharmaceutical formulations such as those for the treatment of cancer. A specific advantage of these production methods is the chirality of the molecules produced; production in transgenic organisms avoids the generation of populations of racemic mixtures, within which some enantiomers may have reduced activity. In particular, the present invention provides a method for heterologous expression of epothilone in a recombinant host, comprising: (a) introducing into a host a chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid molecule of the invention that comprises a nucleotide sequence that encodes at least one polypeptide involved in the biosynthesis of epothilone; and (b) growing the host in conditions that allow biosynthesis of epothilone in the host. The present invention also provides a method for producing epothilone, comprising: (a) expressing epothilone in a recombinant host by the aforementioned method; and (b) extracting epothilone from the recombinant host.

According to still another aspect, the present invention provides an isolated polypeptide comprising an amino acid sequence that consists of an epothilone synthase domain.

According to one embodiment, the epothilone synthase domain is a  $\beta$ -ketoacyl-synthase (KS) domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 11-437 of SEQ ID NO:2, amino acids 7-432 of SEQ ID NO:4, amino acids 39-457 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 35-454 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, and amino acids 32-450 of SEQ ID NO:7. According to this embodiment,

said KS domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 11-437 of SEQ ID NO:2, amino acids 7-432 of SEQ ID NO:4, amino acids 39-457 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 35-454 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, and amino acids 32-450 of SEQ ID NO:7.

According to another embodiment, the epothilone synthase domain is an acyltransferase (AT) domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 543-864 of SEQ ID NO:2, amino acids 539-859 of SEQ ID NO:4, amino acids 563-884 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 561-881 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, and amino acids 556-877 of SEQ ID NO:7. According to this embodiment, said AT domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 543-864 of SEQ ID NO:2, amino acids 539-859 of SEQ ID NO:4, amino acids 563-884 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 561-881 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, and amino acids 556-877 of SEQ ID NO:7.

According to still another embodiment, the epothilone synthase domain is an enoyl reductase (ER) domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 974-1273 of SEQ ID NO:2, amino acids 4433-4719 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, and amino acids 1478-1790 of SEQ ID NO:7. According to this embodiment, said ER domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 974-1273 of SEQ ID NO:2, amino acids 4433-4719 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, and amino acids 1478-1790 of SEQ ID NO:7.

According to another embodiment, the epothilone synthase domain is an acyl carrier protein (ACP) domain, wherein said polypeptide comprises an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 1314-1385 of SEQ ID NO:2, amino acids 1722-1792 of SEQ ID NO:4, amino acids 1434-1506 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, amino acids 1430-1503 of

SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, and amino acids 2093-2164 of SEQ ID NO:7. According to this embodiment, said ACP domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 1314-1385 of SEQ ID NO:2, amino acids 1722-1792 of SEQ ID NO:4, amino acids 1434-1506 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, amino acids 1430-1503 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, and amino acids 2093-2164 of SEQ ID NO:7.

According to another embodiment, the epothilone synthase domain is a dehydratase (DH) domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 869-1037 of SEQ ID NO:4, amino acids 3886-4048 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 2383-2551 of SEQ ID NO:6, and amino acids 887-1051 of SEQ ID NO:7. According to this embodiment, said DH domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 869-1037 of SEQ ID NO:4, amino acids 3886-4048 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 2383-2551 of SEQ ID NO:6, and amino acids 887-1051 of SEQ ID NO:7.

According to yet another embodiment, the epothilone synthase domain is a  $\beta$ -keto-reductase (KR) domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 1439-1684 of SEQ ID NO:4, amino acids 1147-1399 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 1143-1393 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, and amino acids 1810-2055 of SEQ ID NO:7. According to this embodiment, said KR domain preferably comprises an amino acid sequence selected from the group consisting of: amino acids 1439-1684 of SEQ ID NO:4, amino acids 1147-1399 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 1143-1393 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, and amino acids 1810-2055 of SEQ ID NO:7.

According to an additional embodiment, the epothilone synthase domain is a methyl-transferase (MT) domain comprising an amino acid sequence substantially similar to amino acids 2671-3045 of SEQ ID NO:6. According to this embodiment, said MT domain preferably comprises amino acids 2671-3045 of SEQ ID NO:6.

- 21 -

According to another embodiment, the epothilone synthase domain is a thioesterase (TE) domain comprising an amino acid sequence substantially similar to amino acids 2165-2439 of SEQ ID NO:7. According to this embodiment, said TE domain preferably comprises amino acids 2165-2439 of SEQ ID NO:7.

Other aspects and advantages of the present invention will become apparent to those skilled in the art from a study of the following description of the invention and non-limiting examples.

### DEFINITIONS

In describing the present invention, the following terms will be employed, and are intended to be defined as indicated below.

**Associated With / Operatively Linked:** Refers to two DNA sequences that are related physically or functionally. For example, a promoter or regulatory DNA sequence is said to be "associated with" a DNA sequence that codes for an RNA or a protein if the two sequences are operatively linked, or situated such that the regulator DNA sequence will affect the expression level of the coding or structural DNA sequence.

**Chimeric Gene:** A recombinant DNA sequence in which a promoter or regulatory DNA sequence is operatively linked to, or associated with, a DNA sequence that codes for an mRNA or which is expressed as a protein, such that the regulator DNA sequence is able to regulate transcription or expression of the associated DNA sequence. The regulator DNA sequence of the chimeric gene is not normally operatively linked to the associated DNA sequence as found in nature.

**Coding DNA Sequence:** A DNA sequence that is translated in an organism to produce a protein.

**Domain:** That part of a polyketide synthase necessary for a given distinct activity. Examples include acyl carrier protein (ACP),  $\beta$ -ketosynthase (KS), acyltransferase (AT),  $\beta$ -ketoreductase (KR), dehydratase (DH), enoylreductase (ER), and thioesterase (TE) domains.

**Epothilones:** 16-membered macrocyclic polyketides naturally produced by the bacterium *Sorangium cellulosum* strain So ce90, which mimic the biological effects of taxol. In this application, "epothilone" refers to the class of polyketides that includes epothilone A and epothilone B, as well as analogs thereof such as those described in WO 98/25929.

**Epothilone Synthase:** A polyketide synthase responsible for the biosynthesis of epothilone.

**Gene:** A defined region that is located within a genome and that, besides the aforementioned coding DNA sequence, comprises other, primarily regulatory, DNA sequences responsible for the control of the expression, that is to say the transcription and translation, of the coding portion.

**Heterologous DNA Sequence:** A DNA sequence not naturally associated with a host cell into which it is introduced, including non-naturally occurring multiple copies of a naturally occurring DNA sequence.

**Homologous DNA Sequence:** A DNA sequence naturally associated with a host cell into which it is introduced.

**Homologous Recombination:** Reciprocal exchange of DNA fragments between homologous DNA molecules.

**Isolated:** In the context of the present invention, an isolated nucleic acid molecule or an isolated enzyme is a nucleic acid molecule or enzyme that, by the hand of man, exists apart from its native environment and is therefore not a product of nature. An isolated nucleic acid molecule or enzyme may exist in a purified form or may exist in a non-native environment such as, for example, a recombinant host cell.

**Module:** A genetic element encoding all of the distinct activities required in a single round of polyketide biosynthesis, i.e., one condensation step and all the  $\beta$ -carbonyl processing steps associated therewith. Each module encodes an ACP, a KS, and an AT activity to accomplish the condensation portion of the biosynthesis, and selected post-condensation activities to effect the  $\beta$ -carbonyl processing.

**NRPS:** A non-ribosomal polypeptide synthetase, which is a complex of enzymatic activities responsible for the incorporation of amino acids into secondary metabolites including, for example, amino acid adenylation, epimerization, N-methylation, cyclization, peptidyl carrier protein, and condensation domains. A functional NRPS is one that catalyzes the incorporation of an amino acid into a secondary metabolite.

**NRPS gene:** One or more genes encoding NRPSs for producing functional secondary metabolites, e.g., epothilones A and B, when under the direction of one or more compatible control elements.

**Nucleic Acid Molecule:** A linear segment of single- or double-stranded DNA or RNA that can be isolated from any source. In the context of the present invention, the nucleic acid molecule is preferably a segment of DNA.

**ORF:** Open Reading Frame.

**PKS:** A polyketide synthase, which is a complex of enzymatic activities (domains) responsible for the biosynthesis of polyketides including, for example, ketoreductase, dehydratase, acyl carrier protein, enoylreductase, ketoacyl ACP synthase, and acyltransferase. A functional PKS is one that catalyzes the synthesis of a polyketide.

**PKS Genes:** One or more genes encoding various polypeptides required for producing functional polyketides, e.g., epothilones A and B, when under the direction of one or more compatible control elements.

**Substantially Similar:** With respect to nucleic acids, a nucleic acid molecule that has at least 60 percent sequence identity with a reference nucleic acid molecule. In a preferred embodiment, a substantially similar DNA sequence is at least 80% identical to a reference DNA sequence; in a more preferred embodiment, a substantially similar DNA sequence is at least 90% identical to a reference DNA sequence; and in a most preferred embodiment, a substantially similar DNA sequence is at least 95% identical to a reference DNA sequence. A substantially similar DNA sequence preferably encodes a protein or peptide having substantially the same activity as the protein or peptide encoded by the reference DNA sequence. A substantially similar nucleotide sequence typically hybridizes to a reference nucleic acid molecule, or fragments thereof, under the following conditions: hybridization at 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO<sub>4</sub>, pH 7.0, 1 mM EDTA at 50°C; wash with 2X SSC, 1% SDS, at 50°C. With respect to proteins or peptides, a substantially similar amino acid sequence is an amino acid sequence that is at least 90% identical to the amino acid sequence of a reference protein or peptide and has substantially the same activity as the reference protein or peptide.

**Transformation:** A process for introducing heterologous nucleic acid into a host cell or organism.

**Transformed / Transgenic / Recombinant:** Refers to a host organism such as a bacterium into which a heterologous nucleic acid molecule has been introduced. The nucleic acid molecule can be stably integrated into the genome of the host or the nucleic acid molecule can also be present as an extrachromosomal molecule. Such an extrachromosomal molecule can be auto-replicating. Transformed cells, tissues, or plants are understood to

encompass not only the end product of a transformation process, but also transgenic progeny thereof. A "non-transformed", "non-transgenic", or "non-recombinant" host refers to a wild-type organism, i.e., a bacterium, which does not contain the heterologous nucleic acid molecule.

Nucleotides are indicated by their bases by the following standard abbreviations: adenine (A), cytosine (C), thymine (T), and guanine (G). Amino acids are likewise indicated by the following standard abbreviations: alanine (ala; A), arginine (Arg; R), asparagine (Asn; N), aspartic acid (Asp; D), cysteine (Cys; C), glutamine (Gln; Q), glutamic acid (Glu; E), glycine (Gly; G), histidine (His; H), isoleucine (Ile; I), leucine (Leu; L), lysine (lys; K), methionine (Met; M), phenylalanine (Phe; F), proline (Pro; P), serine (Ser; S), threonine (Thr; T), tryptophan (Trp; W), tyrosine (Tyr; Y), and valine (Val; V). Furthermore, (Xaa; X) represents any amino acid.

#### DESCRIPTION OF THE SEQUENCES IN THE SEQUENCE LISTING

SEQ ID NO:1 is the nucleotide sequence of a 68750 bp contig containing 22 open reading frames (ORFs), which comprises the epothilone biosynthesis genes.

SEQ ID NO:2 is the protein sequence of a type I polyketide synthase (EPOS A) encoded by *epoA* (nucleotides 7610-11875 of SEQ ID NO:1).

SEQ ID NO:3 is the protein sequence of a non-ribosomal peptide synthetase (EPOS P) encoded by *epoP* (nucleotides 11872-16104 of SEQ ID NO:1).

SEQ ID NO:4 is the protein sequence of a type I polyketide synthase (EPOS B) encoded by *epoB* (nucleotides 16251-21749 of SEQ ID NO:1).

SEQ ID NO:5 is the protein sequence of a type I polyketide synthase (EPOS C) encoded by *epoC* (nucleotides 21746-43519 of SEQ ID NO:1).

SEQ ID NO:6 is the protein sequence of a type I polyketide synthase (EPOS D) encoded by *epoD* (nucleotides 43524-54920 of SEQ ID NO:1).

SEQ ID NO:7 is the protein sequence of a type I polyketide synthase (EPOS E) encoded by *epoE* (nucleotides 54935-62254 of SEQ ID NO:1).

SEQ ID NO:8 is the protein sequence of a cytochrome P450 oxygenase homologue (EPOS F) encoded by *epoF* (nucleotides 62369-63628 of SEQ ID NO:1).

SEQ ID NO:9 is a partial protein sequence (partial Orf 1) encoded by *orf1* (nucleotides 1-1826 of SEQ ID NO:1).

SEQ ID NO:10 is a protein sequence (Orf 2) encoded by *orf2* (nucleotides 3171-1900 on the reverse complement strand of SEQ ID NO:1).

SEQ ID NO:11 is a protein sequence (Orf 3) encoded by *orf3* (nucleotides 3415-5556 of SEQ ID NO:1).

SEQ ID NO:12 is a protein sequence (Orf 4) encoded by *orf4* (nucleotides 5992-5612 on the reverse complement strand of SEQ ID NO:1).

SEQ ID NO:13 is a protein sequence (Orf 5) encoded by *orf5* (nucleotides 6226-6675 of SEQ ID NO:1).

SEQ ID NO:14 is a protein sequence (Orf 6) encoded by *orf6* (nucleotides 63779-64333 of SEQ ID NO:1).

SEQ ID NO:15 is a protein sequence (Orf 7) encoded by *orf7* (nucleotides 64290-63853 on the reverse complement strand of SEQ ID NO:1).

SEQ ID NO:16 is a protein sequence (Orf 8) encoded by *orf8* (nucleotides 64363-64920 of SEQ ID NO:1).

SEQ ID NO:17 is a protein sequence (Orf 9) encoded by *orf9* (nucleotides 64727-64287 on the reverse complement strand of SEQ ID NO:1).

SEQ ID NO:18 is a protein sequence (Orf 10) encoded by *orf10* (nucleotides 65063-65767 of SEQ ID NO:1).

SEQ ID NO:19 is a protein sequence (Orf 11) encoded by *orf11* (nucleotides 65874-65008 on the reverse complement strand of SEQ ID NO:1).

SEQ ID NO:20 is a protein sequence (Orf 12) encoded by *orf12* (nucleotides 66338-65871 on the reverse complement strand of SEQ ID NO:1).

SEQ ID NO:21 is a protein sequence (Orf 13) encoded by *orf13* (nucleotides 66667-67137 of SEQ ID NO:1).

SEQ ID NO:22 is a protein sequence (Orf 14) encoded by *orf14* (nucleotides 67334-68251 of SEQ ID NO:1).

SEQ ID NO:23 is a partial protein sequence (partial Orf 15) encoded by *orf15* (nucleotides 68346-68750 of SEQ ID NO:1).

SEQ ID NO:24 is the universal reverse PCR primer sequence.

SEQ ID NO:25 is the universal forward PCR primer sequence.

SEQ ID NO:26 is the NH2 end "B" PCR primer sequence.

SEQ ID NO:27 is the NH2 end "A" PCR primer sequence.

SEQ ID NO:28 is the NH2 end "B" PCR primer sequence.

- 26 -

SEQ ID NO:29 is the pEPO15-NH6 end "B" PCR primer sequence.

SEQ ID NO:30 is the pEPO15-H2.7 end "A" PCR primer sequence.

#### DEPOSIT INFORMATION

The following material has been deposited with the Agricultural Research Service, Patent Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604, under the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purposes of Patent Procedure. All restrictions on the availability of the deposited material will be irrevocably removed upon the granting of a patent.

<u>Deposited Material</u>	<u>Accession Number</u>	<u>Deposit Date</u>
pEPO15	NRRL B-30033	June 11, 1998
pEPO32	NRRL B-30119	April 16, 1999

#### DETAILED DESCRIPTION OF THE INVENTION

The genes involved in the biosynthesis of epothilones can be isolated using the techniques according to the present invention. The preferable procedure for the isolation of epothilone biosynthesis genes requires the isolation of genomic DNA from an organism identified as producing epothilones A and B, and the transfer of the isolated DNA on a suitable plasmid or vector to a host organism that does not normally produce the polyketide, followed by the identification of transformed host colonies to which the epothilone-producing ability has been conferred. Using a technique such as  $\lambda$ ::Tn5 transposon mutagenesis (de Bruijn & Lupski, *Gene* 27: 131-149 (1984)), the exact region of the transforming epothilone-conferring DNA can be more precisely defined. Alternatively or additionally, the transforming epothilone-conferring DNA can be cleaved into smaller fragments and the smallest that maintains the epothilone-conferring ability further characterized. Whereas the host organism lacking the ability to produce epothilone may be a different species from the organism from which the polyketide derives, a variation of this technique involves the transformation of host DNA into the same host that has had its epothilone-producing ability disrupted by mutagenesis. In this method, an epothilone-producing organism is mutated and non-epothilone-producing mutants are isolated. These are then complemented by genomic DNA isolated from the epothilone-producing parent strain.

A further example of a technique that can be used to isolate genes required for epothilone biosynthesis is the use of transposon mutagenesis to generate mutants of an epothilone-producing organism that, after mutagenesis, fails to produce the polyketide. Thus, the region of the host genome responsible for epothilone production is tagged by the transposon and can be recovered and used as a probe to isolate the native genes from the parent strain. PKS genes that are required for the synthesis of polyketides and that are similar to known PKS genes may be isolated by virtue of their sequence homology to the biosynthetic genes for which the sequence is known, such as those for the biosynthesis of rifamycin or soraphen. Techniques suitable for isolation by homology include standard library screening by DNA hybridization.

Preferred for use as a probe molecule is a DNA fragment that is obtainable from a gene or another DNA sequence that plays a part in the synthesis of a known polyketide. A preferred probe molecule comprises a 1.2 kb *Sma*I DNA fragment encoding the ketosynthase domain of the fourth module of the soraphen PKS (U.S. Patent No. 5,716,849), and a more preferred probe molecule comprises the  $\beta$ -ketoacyl synthase domains from the first and second modules of the rifamycin PKS (Schupp *et al.*, *FEMS Microbiology Letters* 159: 201-207 (1998)). These can be used to probe a gene library of an epothilone-producing microorganism to isolate the PKS genes responsible for epothilone biosynthesis.

Despite the well-known difficulties with PKS gene isolation in general and despite the difficulties expected to be encountered with the isolation of epothilone biosynthesis genes in particular, by using the methods described in the instant specification, biosynthetic genes for epothilones A and B can surprisingly be cloned from a microorganism that produces that polyketide. Using the methods of gene manipulation and recombinant production described in this specification, the cloned PKS genes can be modified and expressed in transgenic host organisms.

The isolated epothilone biosynthetic genes can be expressed in heterologous hosts to enable the production of the polyketide with greater efficiency than might be possible from native hosts. Techniques for these genetic manipulations are specific for the different available hosts and are known in the art. For example, heterologous genes can be expressed in *Streptomyces* and other actinomycetes using techniques such as those described in McDaniel *et al.*, *Science* 262: 1546-1550 (1993) and Kao *et al.*, *Science* 265: 509-512 (1994), both of which are incorporated herein by reference. See also, Rowe *et al.*, *Gene*

216: 215-223 (1998); Holmes *et al.*, *EMBO Journal* 12(8): 3183-3191 (1993) and Bibb *et al.*, *Gene* 38: 215-226 (1985), all of which are incorporated herein by reference.

Alternately, genes responsible for polyketide biosynthesis, i.e., epothilone biosynthetic genes, can also be expressed in other host organisms such as pseudomonads and *E. coli*. Techniques for these genetic manipulations are specific for the different available hosts and are known in the art. For example, PKS genes have been successfully expressed in *E. coli* using the pT7-7 vector, which uses the T7 promoter. See, Tabor *et al.*, *Proc. Natl. Acad. Sci. USA* 82: 1074-1078 (1985), incorporated herein by reference. In addition, the expression vectors pKK223-3 and pKK223-2 can be used to express heterologous genes in *E. coli*, either in transcriptional or translational fusion, behind the *tac* or *trc* promoter. For the expression of operons encoding multiple ORFs, the simplest procedure is to insert the operon into a vector such as pKK223-3 in transcriptional fusion, allowing the cognate ribosome binding site of the heterologous genes to be used. Techniques for overexpression in gram-positive species such as *Bacillus* are also known in the art and can be used in the context of this invention (Quax *et al.*, in: *Industrial Microorganisms: Basic and Applied Molecular Genetics*, Eds. Baltz *et al.*, American Society for Microbiology, Washington (1993)).

Other expression systems that may be used with the epothilone biosynthetic genes of the invention include yeast and baculovirus expression systems. See, for example, "The Expression of Recombinant Proteins in Yeasts," Sudbery, P. E., *Curr. Opin. Biotechnol.* 7(5): 517-524 (1996); "Methods for Expressing Recombinant Proteins in Yeast," Mackay, et al., Editor(s): Carey, Paul R., *Protein Eng. Des.* 105-153, Publisher: Academic, San Diego, Calif (1996); "Expression of heterologous gene products in yeast," Pichuanes, et al., Editor(s): Cleland, J. L., Craik, C. S., *Protein Eng.* 129-161, Publisher: Wiley-Liss, New York, N. Y (1996); WO 98/27203; Kealey *et al.*, *Proc. Natl. Acad. Sci. USA* 95: 505-509 (1998); "Insect Cell Culture: Recent Advances, Bioengineering Challenges And Implications In Protein Production," Palomares, et al., Editor(s): Galindo, Enrique; Ramirez, Octavio T., *Adv. Bioprocess Eng.* Vol. II, Invited Pap. Int. Symp., 2nd (1998) 25-52, Publisher: Kluwer, Dordrecht, Neth; "Baculovirus Expression Vectors," Jarvis, Donald L., Editor(s): Miller, Lois K., *Baculoviruses* 389-431, Publisher: Plenum, New York, N. Y. (1997); "Production Of Heterologous Proteins Using The Baculovirus/Insect Expression System," Grittiths, et al., *Methods Mol. Biol.* (Totowa, N. J.) 75 (Basic Cell Culture Protocols (2nd Edition)) 427-440 (1997); and "Insect Cell Expression Technology," Luckow, Verne A., *Protein Eng.* 183-218,

Publisher: Wiley-Liss, New York, N. Y. (1996); all of which are incorporated herein by reference.

Another consideration for expression of PKS genes in heterologous hosts is the requirement of enzymes for posttranslational modification of PKS enzymes by phosphopantetheinylation before they can synthesize polyketides. However, the enzymes responsible for this modification of type I PKS enzymes, phosphopantetheinyl (P-pant) transferases are not normally present in many hosts such as *E. coli*. This problem can be solved by coexpression of a P-pant transferase with the PKS genes in the heterologous host, as described by Kealey *et al.*, *Proc. Natl. Acad. Sci. USA* 95: 505-509 (1998), incorporated herein by reference.

Therefore, for the purposes of polyketide production, the significant criteria in the choice of host organism are its ease of manipulation, rapidity of growth (*i.e.* fermentation), possession of the proper molecular machinery for processes such as posttranslational modification, and its lack of susceptibility to the polyketide being overproduced. Most preferred host organisms are actinomycetes such as strains of *Streptomyces*. Other preferred host organisms are pseudomonads and *E. coli*. The above-described methods of polyketide production have significant advantages over the technology currently used in the preparation of the compounds. These advantages include the cheaper cost of production, the ability to produce greater quantities of the compounds, and the ability to produce compounds of a preferred biological enantiomer, as opposed to racemic mixtures inevitably generated by organic synthesis. Compounds produced by heterologous hosts can be used in medical (*e.g.* cancer treatment in the case of epothilones) as well as agricultural applications.

---

## EXPERIMENTAL

The invention will be further described by reference to the following detailed examples. These examples are provided for purposes of illustration only, and are not intended to be limiting unless otherwise specified. Standard recombinant DNA and molecular cloning techniques used here are well known in the art and are described by Ausubel (ed.), *Current Protocols in Molecular Biology*, John Wiley and Sons, Inc. (1994); T. Maniatis, E. F. Fritsch and J. Sambrook, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor laboratory, Cold Spring Harbor, NY (1989); and by T.J. Silhavy, M.L. Berman, and L.W. Enquist, *Experiments with Gene Fusions*, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1984).

Example 1: Cultivation of an Epothilone-Producing Strain of *Sorangium cellulosum*

*Sorangium cellulosum* strain 90 (DSM 6773, Deutsche Sammlung von Mikroorganismen und Zellkulturen, Braunschweig) is streaked out and grown (30°C) on an agar plate of SolE medium (0.35% glucose, 0.05% tryptone, 0.15%  $\text{MgSO}_4 \times 7\text{H}_2\text{O}$ , 0.05% ammonium sulfate, 0.1%  $\text{CaCl}_2$ , 0.006%  $\text{K}_2\text{HPO}_4$ , 0.01% sodium dithionite, 0.0008% Fe-EDTA, 1.2% HEPES, 3.5% [vol/vol] supernatant of sterilized stationary *S. cellulosum* culture) pH ad. 7.4. Cells from about 1 square cm are picked and inoculated into 5 mls of G51t liquid medium (0.2% glucose, 0.5% starch, 0.2% tryptone, 0.1% probion S, 0.05%  $\text{CaCl}_2 \times 2\text{H}_2\text{O}$ , 0.05%  $\text{MgSO}_4 \times 7\text{H}_2\text{O}$ , 1.2% HEPES, pH ad. 7.4) and incubated at 30°C with shaking at 225 rpm. After 4 days, the culture is transferred into 50 mls of G51t and incubated as above for 5 days. This culture is used to inoculate 500 mls of G51t and incubated as above for 6 days. The culture is centrifuged for 10 minutes at 4000 rpm and the cell pellet is resuspended in 50 mls of G51t.

## Example 2: Generation of a Bacterial Artificial Chromosome (Bac) Library

To generate a Bac library, *S. cellulosum* cells cultivated as described in Example 1 above are embedded into agarose blocks, lysed, and the liberated genomic DNA is partially digested by the restriction enzyme *HindIII*. The digested DNA is separated on an agarose gel by pulsed-field electrophoresis. Large (approximately 90-150 kb) DNA fragments are

isolated from the agarose gel and ligated into the vector pBelobacII. pBelobacII contains a gene encoding chloramphenicol resistance, a multiple cloning site in the *lacZ* gene providing for blue/white selection on appropriate medium, as well as the genes required for the replication and maintenance of the plasmid at one or two copies per cell. The ligation mixture is used to transform *Escherichia coli* DH10B electrocompetent cells using standard electroporation techniques. Chloramphenicol-resistant recombinant (white, *lacZ* mutant) colonies are transferred to a positively charged nylon membrane filter in 384 3X3 grid format. The clones are lysed and the DNA is cross-linked to the filters. The same clones are also preserved as liquid cultures at -80°C.

Example 3: Screening the Bac Library of *Sorangium cellulosum* 90 for the Presence of Type I Polyketide Synthase-Related Sequences

The Bac library filters are probed by standard Southern hybridization procedures. The DNA probes used encode  $\beta$ -ketoacyl synthase domains from the first and second modules of the rifamycin polyketide synthase (Schupp *et al.*, *FEMS Microbiology Letters* 159: 201-207 (1998)). The probe DNAs are generated by PCR with primers flanking each ketosynthase domain using the plasmid pNE95 as the template (pNE95 equals cosmid 2 described in Schupp *et al.* (1998)). 25 ng of PCR-amplified DNA is isolated from a 0.5% agarose gel and labeled with  $^{32}\text{P}$ -dCTP using a random primer labeling kit (Gibco-BRL, Bethesda MD, USA) according to the manufacturer's instructions. Hybridization is at 65°C for 36 hours and membranes are washed at high stringency (3 times with 0.1x SSC and 0.5% SDS for 20 min at 65°C). The labeled blot is exposed on a phosphorescent screen and the signals are detected on a PhosphorImager 445SI (screen and 445SI from Molecular Dynamics). This results in strong hybridization of certain Bac clones to the probes. These clones are selected and cultured overnight in 5 ml of Luria broth (LB) at 37°C. Bac DNA from the Bac clones of interest is isolated by a typical miniprep procedure. The cells are resuspended in 200  $\mu\text{l}$  lysozyme solution (50mM glucose, 10 mM EDTA, 25 mM Tris-HCl, 5mg/ml lysozyme), lysed in 400  $\mu\text{l}$  lysis solution (0.2 N NaOH and 2% SDS), the proteins are precipitated (3.0 M potassium acetate, adjusted to pH5.2 with acetic acid), and the Bac DNA is precipitated with isopropanol. The DNA is resuspended in 20 $\mu\text{l}$  of nuclease-free distilled water, restricted with *Bam*HI (New England Biolabs, Inc.) and separated on a 0.7% agarose gel. The gel is blotted by Southern hybridization as described above and probed

- 32 -

under conditions described above, with a 1.2 kb *Sma*I DNA fragment encoding the ketosynthase domain of the fourth module of the soraphen polyketide synthase as the probe (see, U.S. Patent No. 5,716,849). Five different hybridization patterns are observed. One clone representing each of the five patterns is selected and named pEPO15, pEPO20, pEPO30, pEPO31, and pEPO33, respectively.

Example 4: Subcloning of *Bam*HI Fragments from pEPO15, pEPO20, pEPO30, pEPO31, and pEPO33

The DNA of the five selected Bac clones is digested with *Bam*HI and random fragments are subcloned into pBluescript II SK+ (Stratagene) at the *Bam*HI site. Subclones carrying inserts between 2 and 10 kb in size are selected for sequencing of the flanking ends of the inserts and also probed with the 1.2 *Sma*I probe as described above. Subclones that show a high degree of sequence homology to known polyketide synthases and/or strong hybridization to the soraphen ketosynthase domain are used for gene disruption experiments.

Example 5: Preparation of Streptomycin-Resistant Spontaneous Mutants of *Sorangium cellulosum* strain So ce90

0.1 ml of a three day old culture of *Sorangium cellulosum* strain So ce90, which is raised in liquid medium G52-H (0.2% yeast extract, 0.2% soyameal defatted, 0.8% potato starch, 0.2% glucose, 0.1% MgSO<sub>4</sub> x7H<sub>2</sub>O, 0.1% CaCl<sub>2</sub> x2H<sub>2</sub>O, 0.008% Fe-EDTA, pH ad 7.4 with KOH), is plated out on agar plates with SolE medium supplemented with 100 µg/ml streptomycin. The plates are incubated at 30°C for 2 weeks. The colonies growing on this medium are streptomycin-resistant mutants, which are streaked out and cultivated once more on the same agar medium with streptomycin for purification. One of these streptomycin-resistant mutants is selected and is called BCE28/2.

Example 6: Gene Disruptions in *Sorangium cellulosum* BCE28/2 Using the Subcloned *Bam*HI Fragments

The *Bam*HI inserts of the subclones generated from the five selected Bac clones as described above are isolated and ligated into the unique *Bam*HI site of plasmid pCIB132 (see, U.S. Patent No. 5,716,849). The pCIB132 derivatives carrying the inserts are transformed into *Escherichia coli* ED8767 containing the helper plasmid pUZ8 (Hedges and Matthew, *Plasmid* 2: 269-278 (1979)). The transformants are used as donors in conjugation experiments with *Sorangium cellulosum* BCE28/2 as recipient. For the conjugation, 5-10 x 10<sup>9</sup> cells of *Sorangium cellulosum* BCE28/2 from an early stationary phase culture (reaching about 5 x 10<sup>8</sup> cells/ml) grown at 30°C in liquid medium G51b (G51b equals medium G51t with tryptone replaced by peptone) are mixed in a 1:1 cellular ratio with a late-log phase culture (in LB liquid medium) of *E. coli* ED8767 containing pCIB132 derivatives carrying the subcloned *Bam*HI fragments and the helper plasmid pUZ8. The mixed cells are then centrifuged at 4000 rpm for 10 minutes and resuspended in 0.5 ml G51b medium. This cell suspension is then plated as a drop in the center of a plate with So1E agar containing 50 mg/l kanamycin. The cells obtained after incubation for 24 hours at 30°C are harvested and resuspended in 0.8 ml of G51b medium, and 0.1 to 0.3 ml of this suspension is plated out on a selective So1E solid medium containing phleomycin (30 mg/l), streptomycin (300 mg/l), and kanamycin (50 mg/l). The counterselection of the donor *Escherichia coli* strain takes place with the aid of streptomycin. The colonies that grow on this selective medium after an incubation time of 8-12 days at a temperature of 30°C are isolated with a plastic loop and streaked out and cultivated on the same agar medium for a second round of selection and purification. The colony-derived cultures that grow on this selective agar medium after 7 days at a temperature of 30°C are transconjugants of *Sorangium cellulosum* BCE28/2 that have acquired phleomycin resistance by conjugative transfer of the pCIB132 derivatives carrying the subcloned *Bam*HI fragments.

Integration of the pCIB132-derived plasmids into the chromosome of *Sorangium cellulosum* BCE28/2 by homologous recombination is verified by Southern hybridization. For this experiment, complete DNA from 5-10 transconjugants per transferred *Bam*HI fragment is isolated (from 10 ml cultures grown in medium G52-H for three days) applying the method described by Pospiech and Neumann, *Trends Genet.* 11: 217 (1995). For the Southern blot, the DNA isolated as described above is cleaved either with the restriction

enzymes *Bgl*II, *Cla*I, or *Not*I, and the respective *Bam*HI inserts or pCIB132 are used as 32P labelled probes.

Example 7: Analysis of the Effect of the Integrated *Bam*HI Fragments on Epothilone Production by *Sorangium cellulosum* After Gene Disruption

Transconjugant cells grown on about 1 square cm surface of the selective So1E plates of the second round of selection (see Example 6) are transferred by a sterile plastic loop into 10 ml of medium G52-H in an 50 ml Erlenmeyer flask. After incubation at 30°C and 180 rpm for 3 days, the culture is transferred into 50 ml of medium G52-H in an 200 ml Erlenmeyer flask. After incubation at 30°C and 180 rpm for 4-5 days, 10 ml of this culture is transferred into 50 ml of medium 23B3 (0.2 % glucose, 2 % potato starch, 1.6 % soya meal defatted, 0.0008 % Fe-EDTA Sodium salt, 0.5 % HEPES (4-(2-hydroxyethyl)-piperazine-1-ethane-sulfonic-acid), 2 % vol/vol polysterole resin XAD16 (Rohm & Haas), pH adjusted to 7.8 with NaOH) in an 200 ml Erlenmeyer flask.

Quantitative determination of the epothilone produced takes place after incubation of the cultures at 30°C and 180 rpm for 7 days. The complete culture broth is filtered by suction through a 150 µm nylon filter. The resin remaining on the filter is then resuspended in 10 ml isopropanol and extracted by shaking the suspension at 180 rpm for 1 hour. 1 ml is removed from this suspension and centrifuged at 12,000 rpm in an Eppendorff Microfuge. The amount of epothilones A and B therein is determined by means of an HPLC and detection at 250 nm with a UV\_DAD detector (HPLC with Waters -Symetry C18 column and a gradient of 0.02 % phosphoric acid 60%-0% and acetonitril 40%-100%).

Transconjugants with three different integrated *Bam*HI fragments subcloned from pEPO15, namely transconjugants with the *Bam*HI fragment of plasmid pEPO15-21, transconjugants with the *Bam*HI fragment of plasmid pEPO15-4-5, and transconjugants with the *Bam*HI fragment of plasmid pEPO15-4-1, are tested in the manner described above. HPLC analysis reveals that all transconjugants no longer produce epothilone A or B. By contrast, epothilone A and B are detectable in a concentration of 2-4 mg/l in transconjugants with *Bam*HI fragments integrated that are derived from pEPO20, pEPO30, pEPO31, pEPO33, and in the parental strain BCE28/2.

Example 8: Nucleotide Sequence Determination of the Cloned Fragments and  
Construction of Contigs

A. *Bam*HI Insert of Plasmid pEPO15-21

Plasmid DNA is isolated from the strain *Escherichia coli* DH10B [pEPO15-21], and the nucleotide sequence of the 2.3-kb *Bam*HI insert in pEPO15-21 is determined. Automated DNA sequencing is done on the double-stranded DNA template by the dideoxynucleotide chain termination method, using Applied Biosystems model 377 sequencers. The primers used are the universal reverse primer (5' GGA AAC AGC TAT GAC CAT G 3' (SEQ ID NO:24)) and the universal forward primer (5' GTA AAA CGA CGG CCA GT 3' (SEQ ID NO:25)). In subsequent rounds of sequencing reactions, custom-synthesized oligonucleotides, designed for the 3' ends of the previously determined sequences, are used to extend and join contigs. Both strands are entirely sequenced, and every nucleotide is sequenced at least two times. The nucleotide sequence is compiled using the program Sequencher vers. 3.0 (Gene Codes Corporation), and analyzed using the University of Wisconsin Genetics Computer Group programs. The nucleotide sequence of the 2213-bp insert corresponds to nucleotides 20779-22991 of SEQ ID NO:1.

B. *Bam*HI Insert of Plasmid pEPO15-4-1

Plasmid DNA is isolated from the strain *Escherichia coli* DH10B [pEPO15-4-1], and the nucleotide sequence of the 3.9-kb *Bam*HI insert in pEPO15-4-1 is determined as described in (A) above. The nucleotide sequence of the 3909-bp insert corresponds to nucleotides 16876-20784 of SEQ ID NO:1.

C. *Bam*HI Insert of Plasmid pEPO15-4-5

Plasmid DNA is isolated from the strain *Escherichia coli* DH10B [pEPO15-4-5], and the nucleotide sequence of the 2.3-kb *Bam*HI insert in pEPO15-4-5 is determined as described in (A) above. The nucleotide sequence of the 2233-bp insert corresponds to nucleotides 42528-44760 of SEQ ID NO:1.

Example 9: Subcloning and Ordering of DNA Fragments from pEPO15 Containing  
Epothilone Biosynthesis Genes

pEPO15 is digested to completion with the restriction enzyme *HindIII* and the resulting fragments are subcloned into pBluescript II SK- or pNEB193 (New England Biolabs) that has been cut with *HindIII* and dephosphorylated with calf intestinal alkaline phosphatase. Six different clones are generated and named pEPO15-NH1, pEPO15-NH2, pEPO15-NH6, pEPO15-NH24 (all based on pNEB193), and pEPO15-H2.7 and pEPO15-H3.0 (both based on pBluescript II SK-).

The *Bam*HI insert of pEPO15-21 is isolated and DIG-labeled (Non-radioactive DNA labeling and detection system, Boehringer Mannheim), and used as a probe in DNA hybridization experiments at high stringency against pEPO15-NH1, pEPO15-NH2, pEPO15-NH6, pEPO15-NH24, pEPO15-H2.7 and pEPO15-H3.0. Strong hybridization signal is detected for pEPO15-NH24, indicating that pEPO15-21 is contained within pEPO15-NH24.

The *Bam*HI insert of pEPO15-4-1 is isolated and DIG-labeled as above, and used as a probe in DNA hybridization experiments at high stringency against pEPO15-NH1, pEPO15-NH2, pEPO15-NH6, pEPO15-NH24, pEPO15-H2.7 and pEPO15-H3.0. Strong hybridization signals are detected for pEPO15-NH24 and pEPO15-H2.7. Nucleotide sequence data generated from one end each of pEPO15-NH24 and pEPO15-H2.7 are also in complete agreement with the previously determined sequence of the *Bam*HI insert of pEPO15-4-1. These experiments demonstrate that pEPO15-4-1 (which contains one internal *HindIII* site) overlaps pEPO15-H2.7 and pEPO15-NH24, and that pEPO15-H2.7 and pEPO15-NH24, in this order, are contiguous.

The *Bam*HI insert of pEPO15-4-5 is isolated and DIG-labeled as above, and used as a probe in DNA hybridization experiments at high stringency against pEPO15-NH1, pEPO15-NH2, pEPO15-NH6, pEPO15-NH24, pEPO15-H2.7 and pEPO15-H3.0. Strong hybridization signal is detected for pEPO15-NH2, indicating that pEPO15-21 is contained within pEPO15-NH2.

Nucleotide sequence data is generated from both ends of pEPO15-NH2 and from the end of pEPO15-NH24 that does not overlap with pEPO15-4-1. PCR primers NH24 end "B": GTGACTGGCGCCTGGAATCTGCATGAGC (SEQ ID NO:26), NH2 end "A": AGCGGGAGCTTGCTAGACATTCTGTTTC (SEQ ID NO:27), and NH2 end "B": GACGCGCCTCGGGCAGCGCCCAA (SEQ ID NO:28), pointing towards the *HindIII* sites,

- 37 -

are designed based on these sequences and used in amplification reactions with pEPO15 and, in separate experiments, with *Sorangium cellulosum* So ce90 genomic DNA as the templates. Specific amplification is found with primer pair NH24 end "B" and NH2 end "A" with both templates. The amplimers are cloned into pBluescript II SK- and completely sequenced. The sequences of the amplimers are identical, and also agree completely with the end sequences of pEPO15-NH24 and pEPO15-NH2, fused at the *HindIII* site, establishing that the *HindIII* fragments of pEPO15-NH2 and pEPO15-NH24 are, in this order, contiguous.

The *HindIII* insert of pEPO15-H2.7 is isolated and DIG-labeled as above, and used as a probe in a DNA hybridization experiment at high stringency against pEPO15 digested by *NotI*. A *NotI* fragment of about 9 kb in size shows a strong hybridization, and is further subcloned into pBluescript II SK- that has been digested with *NotI* and dephosphorylated with calf intestinal alkaline phosphatase, to yield pEPO15-N9-16. The *NotI* insert of pEPO15-N9-16 is isolated and DIG-labeled as above, and used as a probe in DNA hybridization experiments at high stringency against pEPO15-NH1, pEPO15-NH2, pEPO15-NH6, pEPO15-NH24, pEPO15-H2.7 and pEPO15-H3.0. Strong hybridization signals are detected for pEPO15-NH6, and also for the expected clones pEPO15-H2.7 and pEPO15-NH24. Nucleotide sequence data is generated from both ends of pEPO15-NH6 and from the end of pEPO15-H2.7 that does not overlap with pEPO15-4-1. PCR primers are designed pointing towards the *HindIII* sites and used in amplification reactions with pEPO15 and, in separate experiments, with *Sorangium cellulosum* So ce90 genomic DNA as the templates. Specific amplification is found with primer pair pEPO15-NH6 end "B": CACCGAAGCGTCGATCTGGTCCATC (SEQ ID NO:29) and pEPO15-H2.7 end "A": CGGTCAGATCGACGACGGGCTTTCC (SEQ ID NO:30) with both templates. The amplimers are cloned into pBluescript II SK- and completely sequenced. The sequences of the amplimers are identical, and also agree completely with the end sequences of pEPO15-NH6 and pEPO15-H2.7, fused at the *HindIII* site, establishing that the *HindIII* fragments of pEPO15-NH6 and pEPO15-H2.7 are, in this order, contiguous.

All of these experiments, taken together, establish a contig of *HindIII* fragments covering a region of about 55 kb and consisting of the *HindIII* inserts of pEPO15-NH6, pEPO15-H2.7, pEPO15-NH24, and pEPO15-NH2, in this order. The inserts of the remaining two *HindIII* subclones, namely pEPO15-NH1 and pEPO15-H3.0, are not found to be parts of this contig.

Example 10: Further Extension of the Subclone Contig Covering the Epothilone Biosynthesis Genes

An approximately 2.2 kb *Bam*HI – *Hind*III fragment derived from the downstream end of the insert of pEPO15-NH2 and thus representing the downstream end of the subclone contig described in Example 9 is isolated, DIG-labeled, and used in Southern hybridization experiments against pEPO15 and pEPO15-NH2 DNAs digested with several enzymes. The strongly hybridizing bands are always found to be the same in size between the two target DNAs indicating that the *Sorangium cellulosum* So ce90 genomic DNA fragment cloned into pEPO15 ends with the *Hind*III site at the downstream end of pEPO15-NH2.

A cosmid DNA library of *Sorangium cellulosum* So ce90 is generated, using established procedures, in pScosTriplex-II (Ji, *et al.*, *Genomics* 31: 185-192 (1996)). Briefly, high-molecular weight genomic DNA of *Sorangium cellulosum* So ce90 is partially digested with the restriction enzyme *Sau*3AI to provide fragments with average sizes of about 40 kb, and ligated to *Bam*HI and *Xba*I digested pScosTriplex-II. The ligation mix is packaged with Gigapack III XL (Stratagene) and used to transfect *E. coli* XL1 Blue MR cells.

The cosmid library is screened with the approximately 2.2 kb *Bam*HI – *Hind*III fragment, derived from the downstream end of the insert of pEPO15-NH2, used as a probe in colony hybridization. A strongly hybridizing clone, named pEPO4E7 is selected.

pEPO4E7 DNA is isolated, digested with several restriction endonucleases, and probed in Southern hybridization experiments with the 2.2 kb *Bam*HI – *Hind*III fragment. A strongly hybridizing *Not*I fragment of approximately 9 kb in size is selected and subcloned into pBluescript II SK- to yield pEPO4E7-N9-8. Further Southern hybridization experiments reveal that the approximately 9 kb *Not*I insert of pEPO4E7-N9-8 overlaps pEPO15-NH2 over 6 kb in a *Not*I – *Hind*III fragment, while the remaining approximately 3 kb *Hind*III – *Not*I fragment would extend the subclone contig described in Example 9. End sequencing reveals, however, that the downstream end of the insert of pEPO4E7-N9-8 contains the *Bam*HI – *Not*I polylinker of pScosTriplex-II, thereby indicating that the genomic DNA insert of pEPO4E7 ends at a *Sau*3AI site within the extending *Hind*III – *Not*I fragment and that the *Not*I site is derived from pScosTriplex-II.

An approximately 1.6 kb *Pst*I – *Sal*I fragment derived from the approximately 3 kb extending *Hind*III – *Not*I subfragment of pEPO4E7-N9-8, containing only *Sorangium*

*cellulosum* So ce90–derived sequences free of vector, is used as a probe against the bacterial artificial chromosome library described in Example 2. Besides the previously-isolated EPO15, a Bac clone, named EPO32, is found to strongly hybridize to the probe. pEPO32 is isolated, digested with several restriction endonucleases, and hybridized with the approximately 1.6 kb *Pst*I – *Sal*I probe. A *Hind*III – *Eco*RV fragment of about 13 kb in size is found to strongly hybridize to the probe, and is subcloned into pBluescript II SK– digested with *Hind*III and *Hinc*II to yield pEPO32-HEV15.

Oligonucleotide primers are designed based on the downstream end sequence of pEPO15-NH2 and on the upstream (*Hind*III) end sequence derived from pEPO32-HEV15, and used in sequencing reactions with pEPO4E7-N9-8 as the template. The sequences reveal the existence of a small *Hind*III fragment (EPO4E7-H0.02) of 24 bp, undetectable in standard restriction analysis, separating the *Hind*III site at the downstream end of pEPO15-NH2 from the *Hind*III site at the upstream end of pEPO32-HEV15.

Thus, the subclone contig described in Example 9 is extended to include the *Hind*III fragment EPO4E7-H0.02 and the insert of pEPO32-HEV15, and constitutes the inserts of: pEPO15-NH6, pEPO15-H2.7, pEPO15-NH24, pEPO15-NH2, EPO4E7-H0.02 and pEPO32-HEV15, in this order.

#### Example 11: Nucleotide Sequence Determination of the Subclone Contig Covering the Epothilone Biosynthesis Genes

The nucleotide sequence of the subclone contig described in Example 10 is determined as follows.

pEPO15-H2.7. Plasmid DNA is isolated from the strain *Escherichia coli* DH10B [pEPO15-H2.7], and the nucleotide sequence of the 2.7-kb *Bam*HI insert in pEPO15-H2.7 is determined. Automated DNA sequencing is done on the double-stranded DNA template by the dideoxynucleotide chain termination method, using Applied Biosystems model 377 sequencers. The primers used are the universal reverse primer (5' GGA AAC AGC TAT GAC CAT G 3' (SEQ ID NO:24)) and the universal forward primer (5' GTA AAA CGA CGG CCA GT 3' (SEQ ID NO:25)). In subsequent rounds of sequencing reactions, custom-synthesized oligonucleotides, designed for the 3' ends of the previously determined sequences, are used to extend and join contigs.

- 40 -

pEPO15-NH6, pEPO15-NH24 and pEPO15-NH2. The *HindIII* inserts of these plasmids are isolated, and subjected to random fragmentation using a Hydroshear apparatus (Genomic Instrumentation Services, Inc.) to yield an average fragment size of 1-2 kb. The fragments are end-repaired using T4 DNA Polymerase and Klenow DNA Polymerase enzymes in the presence of desoxynucleotide triphosphates, and phosphorylated with T4 DNA Kinase in the presence of ribo-ATP. Fragments in the size range of 1.5-2.2 kb are isolated from agarose gels, and ligated into pBluescript II SK- that has been cut with *EcoRV* and dephosphorylated. Random subclones are sequenced using the universal reverse and the universal forward primers.

pEPO32-HEV15. pEPO32-HEV15 is digested with *HindIII* and *SspI*, the approximately 13.3 kb fragment containing the ~13 kb *HindIII* – *EcoRV* insert from *So. cellulosum* So ce90 and a 0.3 kb *HincII* – *SspI* fragment from pBluescript II SK- is isolated, and partially digested with *HaeIII* to yield fragments with an average size of 1-2 kb. Fragments in the size range of 1.5-2.2 kb are isolated from agarose gels, and ligated into pBluescript II SK- that has been cut with *EcoRV* and dephosphorylated. Random subclones are sequenced using the universal reverse and the universal forward primers.

The chromatograms are analyzed and assembled into contigs with the Phred, Phrap and Consed programs (Ewing, *et al.*, *Genome Res.* 8(3): 175-185 (1998); Ewing, *et al.*, *Genome Res.* 8(3): 186-194 (1998); Gordon, *et al.*, *Genome Res.* 8(3): 195-202 (1998)). Contig gaps are filled, sequence discrepancies are resolved, and low-quality regions are resequenced using custom-designed oligonucleotide primers for sequencing on either the original subclones or selected clones from the random subclone libraries. Both strands are completely sequenced, and every basepair is covered with at least a minimum aggregated Phred score of 40 (confidence level of 99.99%).

The nucleotide sequence of the 68750 bp contig is shown as SEQ ID NO:1.

## Example 12: Nucleotide Sequence Analysis of the Epothilone Biosynthesis Genes

SEQ ID NO:1 is found to contain 22 ORFs as detailed below in Table 1:

Table 1

ORF	Start codon	Stop codon	Homology of deduced protein	Proposed function of deduced protein
<i>orf1</i>	outside of sequenced range	1826		
<i>orf2</i> *	3171	1900	Hypothetical protein SP: Q11037; DD-peptidase SP:P15555	
<i>orf3</i>	3415	5556	<i>Na/H antiporter PID: D1017724</i>	<i>Transport</i>
<i>orf4</i> *	5992	5612		
<i>orf5</i>	6226	6675		
<i>epoA</i>	7610	11875	Type I polyketide synthase	Epothilone synthase: Thiazole ring formation
<i>epoP</i>	11872	16104	Non-ribosomal peptide synthetase	Epothilone synthase: Thiazole ring formation
<i>epoB</i>	16251	21749	Type I polyketide synthase	Epothilone synthase: Polyketide backbone formation
<i>epoC</i>	21746	43519	Type I polyketide synthase	Epothilone synthase: Polyketide backbone formation
<i>epoD</i>	43524	54920	Type I polyketide synthase	Epothilone synthase: Polyketide backbone formation
<i>epoE</i>	54935	62254	Type I polyketide synthase	Epothilone synthase: Polyketide backbone formation
<i>epoF</i>	62369	63628	Cytochrome P450	Epothilone macrolactone oxidase
<i>orf6</i>	63779	64333		
<i>orf7</i> *	64290	63853		
<i>orf8</i>	64363	64920		
<i>orf9</i> *	64727	64287		
<i>orf10</i>	65063	65767		
<i>orf11</i> *	65874	65008		
<i>orf12</i> *	66338	65871		
<i>orf13</i>	66667	67137		
<i>orf14</i>	67334	68251	Hypothetical protein GI:3293544; Cation efflux system protein GI:2623026	Transport
<i>orf15</i>	68346	outside of sequenced range		

\* On the reverse complement strand. Numbering according to SEQ ID NO:1.

*epoA* (nucleotides 7610-11875 of SEQ ID NO:1) codes for EPOS A (SEQ ID NO:2), a type I polyketide synthase consisting of a single module, and harboring the following domains:  $\beta$ -ketoacyl-synthase (KS) (nucleotides 7643-8920 of SEQ ID NO:1, amino acids 11-

437 of SEQ ID NO:2); acyltransferase (AT) (nucleotides 9236-10201 of SEQ ID NO:1, amino acids 543-864 of SEQ ID NO:2); enoyl reductase (ER) (nucleotides 10529-11428 of SEQ ID NO:1, amino acids 974-1273 of SEQ ID NO:2); and acyl carrier protein homologous domain (ACP) (nucleotides 11549-11764 of SEQ ID NO:1, amino acids 1314-1385 of SEQ ID NO:2). Sequence comparisons and motif analysis (Haydock, et al. *FEBS Lett.* 374: 246-248 (1995); Tang, et al., *Gene* 216: 255-265 (1998)) reveal that the AT encoded by EPOS A is specific for malonyl-CoA. EPOS A should be involved in the initiation of epothilone biosynthesis by loading the acetate unit to the multienzyme complex that will eventually form part of the 2-methylthiazole ring (C26 and C20).

*epoP* (nucleotides 11872-16104 of SEQ ID NO:1) codes for EPOS P (SEQ ID NO:3), a non-ribosomal peptide synthetase containing one module. EPOS P harbors the following domains:

- peptide bond formation domain, as delineated by motif K (amino acids 72-81 [FPLTDIQESY] of SEQ ID NO:3, corresponding to nucleotide positions 12085-12114 of SEQ ID NO:1); motif L (amino acids 118-125 [VVARHDML] of SEQ ID NO:3, corresponding to nucleotide positions 12223-12246 of SEQ ID NO:1); motif M (amino acids 199-212 [SIDLINVDLGSLSI] of SEQ ID NO:3, corresponding to nucleotide positions 12466-12507 of SEQ ID NO:1); and motif O (amino acids 353-363 [GDFTSMVLLDI] of SEQ ID NO:3, corresponding to nucleotide positions 12928-12960 of SEQ ID NO:1);
- aminoacyl adenylate formation domain, as delineated by motif A (amino acids 549-565 [LTYEELSRRSRLGARL] of SEQ ID NO:3, corresponding to nucleotide positions 13516-13566 of SEQ ID NO:1); motif B (amino acids 588-603 [VAVLAVLESGAAYVPI] of SEQ ID NO:3, corresponding to nucleotide positions 13633-13680 of SEQ ID NO:1); motif C (amino acids 669-684 [AYVIYTSGSTGLPKGV] of SEQ ID NO:3, corresponding to nucleotide positions 13876-13923 of SEQ ID NO:1); motif D (amino acids 815-821 [SLGGATE] of SEQ ID NO:3, corresponding to nucleotide positions 14313-14334 of SEQ ID NO:1); motif E (amino acids 868-892 [GQLYIGGVGLALGYWRDEEKTRKSF] of SEQ ID NO:3, corresponding to nucleotide positions 14473-14547 of SEQ ID NO:1); motif F (amino acids 903-912 [YKTGDLGRYL] of SEQ ID NO:3, corresponding to nucleotide positions 14578-14607 of SEQ ID NO:1); motif G (amino acids 918-940 [EFMGREDNQIKLRGYRVELGEIE] of SEQ ID NO:3, corresponding to nucleotide positions 14623-14692 of SEQ ID NO:1); motif H (amino acids 1268-1274 [LPEYMVP] of SEQ ID NO:3, corresponding to nucleotide positions 15673-15693 of SEQ ID NO:1); and

motif I (amino acids 1285-1297 [LTSNGKVDRKALR] of SEQ ID NO:3, corresponding to nucleotide positions 15724-15762 of SEQ ID NO:1);

- an unknown domain, inserted between motifs G and H of the aminoacyl adenylate formation domain (amino acids 973-1256 of SEQ ID NO:3, corresponding to nucleotide positions 14788-15639 of SEQ ID NO:1); and
- a peptidyl carrier protein homologous domain (PCP), delineated by motif J (amino acids 1344-1351 [GATSIHIV] of SEQ ID NO:3, corresponding to nucleotide positions 15901-15924 of SEQ ID NO:1).

It is proposed that EPOS P is involved in the activation of a cysteine by adenylation, binding the activated cysteine as an aminoacyl-S-PCP, forming a peptide bond between the enzyme-bound cysteine and the acetyl-S-ACP supplied by EPOS A, and the formation of the initial thiazoline ring by intramolecular heterocyclization. The unknown domain of EPOS P displays very weak homologies to NAD(P)H oxidases and reductases from *Bacillus* species. Thus, this unknown domain and/or the ER domain of EPOS A may be involved in the oxidation of the initial 2-methylthiazoline ring to a 2-methylthiazole.

*epoB* (nucleotides 16251-21749 of SEQ ID NO:1) codes for EPOS B (SEQ ID NO:4), a type I polyketide synthase consisting of a single module, and harboring the following domains: KS (nucleotides 16269-17546 of SEQ ID NO:1, amino acids 7-432 of SEQ ID NO:4); AT (nucleotides 17865-18827 of SEQ ID NO:1, amino acids 539-859 of SEQ ID NO:4); dehydratase (DH) (nucleotides 18855-19361 of SEQ ID NO:1, amino acids 869-1037 of SEQ ID NO:4);  $\beta$ -ketoreductase (KR) (nucleotides 20565-21302 of SEQ ID NO:1, amino acids 1439-1684 of SEQ ID NO:4); and ACP (nucleotides 21414-21626 of SEQ ID NO:1, amino acids 1722-1792 of SEQ ID NO:4). Sequence comparisons and motif analysis reveal that the AT encoded by EPOS B is specific for methylmalonyl-CoA. EPOS A should be involved in the first polyketide chain extension by catalysing the Claisen-like condensation of the 2-methyl-4-thiazolecarboxyl-S-PCP starter group with the methylmalonyl-S-ACP, and the concomitant reduction of the  $\beta$ -keto group of C17 to an enoyl.

*epoC* (nucleotides 21746-43519 of SEQ ID NO:1) codes for EPOS C (SEQ ID NO:5), a type I polyketide synthase consisting of 4 modules. The first module harbors a KS (nucleotides 21860-23116 of SEQ ID NO:1, amino acids 39-457 of SEQ ID NO:5); a malonyl CoA-specific AT (nucleotides 23431-24397 of SEQ ID NO:1, amino acids 563-884 of SEQ ID NO:5); a KR (nucleotides 25184-25942 of SEQ ID NO:1, amino acids 1147-1399 of SEQ ID NO:5); and an ACP (nucleotides 26045-26263 of SEQ ID NO:1, amino acids 1434-1506 of

SEQ ID NO:5). This module incorporates an acetate extender unit (C14-C13) and reduces the  $\beta$ -keto group at C15 to the hydroxyl group that takes part in the final lactonization of the epothilone macrolactone ring. The second module of EPOS C harbors a KS (nucleotides 26318-27595 of SEQ ID NO:1, amino acids 1524-1950 of SEQ ID NO:5); a malonyl CoA-specific AT (nucleotides 27911-28876 of SEQ ID NO:1, amino acids 2056-2377 of SEQ ID NO:5); a KR (nucleotides 29678-30429 of SEQ ID NO:1, amino acids 2645-2895 of SEQ ID NO:5); and an ACP (nucleotides 30539-30759 of SEQ ID NO:1, amino acids 2932-3005 of SEQ ID NO:5). This module incorporates an acetate extender unit (C12-C11) and reduces the  $\beta$ -keto group at C13 to a hydroxyl group. Thus, the nascent polyketide chain of epothilone corresponds to epothilone A, and the incorporation of the methyl side chain at C12 in epothilone B would require a post-PKS C-methyltransferase activity. The formation of the epoxi ring at C13-C12 would also require a post-PKS oxidation step. The third module of EPOS C harbors a KS (nucleotides 30815-32092 of SEQ ID NO:1, amino acids 3024-3449 of SEQ ID NO:5); a malonyl CoA-specific AT (nucleotides 32408-33373 of SEQ ID NO:1, amino acids 3555-3876 of SEQ ID NO:5); a DH (nucleotides 33401-33889 of SEQ ID NO:1, amino acids 3886-4048 of SEQ ID NO:5); an ER (nucleotides 35042-35902 of SEQ ID NO:1, amino acids 4433-4719 of SEQ ID NO:5); a KR (nucleotides 35930-36667 of SEQ ID NO:1, amino acids 4729-4974 of SEQ ID NO:5); and an ACP (nucleotides 36773-36991 of SEQ ID NO:1, amino acids 5010-5082 of SEQ ID NO:5). This module incorporates an acetate extender unit (C10-C9) and fully reduces the  $\beta$ -keto group at C11. The fourth module of EPOS C harbors a KS (nucleotides 37052-38320 of SEQ ID NO:1, amino acids 5103-5525 of SEQ ID NO:5); a methylmalonyl CoA-specific AT (nucleotides 38636-39598 of SEQ ID NO:1, amino acids 5631-5951 of SEQ ID NO:5); a DH (nucleotides 39635-40141 of SEQ ID NO:1, amino acids 5964-6132 of SEQ ID NO:5); an ER (nucleotides 41369-42256 of SEQ ID NO:1, amino acids 6542-6837 of SEQ ID NO:5); a KR (nucleotides 42314-43048 of SEQ ID NO:1, amino acids 6857-7101 of SEQ ID NO:5); and an ACP (nucleotides 43163-43378 of SEQ ID NO:1, amino acids 7140-7211 of SEQ ID NO:5). This module incorporates a propionate extender unit (C24 and C8-C7) and fully reduces the  $\beta$ -keto group at C9.

*epoD* (nucleotides 43524-54920 of SEQ ID NO:1) codes for EPOS D (SEQ ID NO:6), a type I polyketide synthase consisting of 2 modules. The first module harbors a KS (nucleotides 43626-44885 of SEQ ID NO:1, amino acids 35-454 of SEQ ID NO:6); a methylmalonyl CoA-specific AT (nucleotides 45204-46166 of SEQ ID NO:1, amino acids 561-881 of SEQ ID NO:6); a KR (nucleotides 46950-47702 of SEQ ID NO:1, amino acids

1143-1393 of SEQ ID NO:6); and an ACP (nucleotides 47811-48032 of SEQ ID NO:1, amino acids 1430-1503 of SEQ ID NO:6). This module incorporates a propionate extender unit (C23 and C6-C5) and reduces the  $\beta$ -keto group at C7 to a hydroxyl group. The second module harbors a KS (nucleotides 48087-49361 of SEQ ID NO:1, amino acids 1522-1946 of SEQ ID NO:6); a methylmalonyl CoA-specific AT (nucleotides 49680-50642 of SEQ ID NO:1, amino acids 2053-2373 of SEQ ID NO:6); a DH (nucleotides 50670-51176 of SEQ ID NO:1, amino acids 2383-2551 of SEQ ID NO:6); a methyltransferase (MT, nucleotides 51534-52657 of SEQ ID NO:1, amino acids 2671-3045 of SEQ ID NO:6); a KR (nucleotides 53697-54431 of SEQ ID NO:1, amino acids 3392-3636 of SEQ ID NO:6); and an ACP (nucleotides 54540-54758 of SEQ ID NO:1, amino acids 3673-3745 of SEQ ID NO:6). This module incorporates a propionate extender unit (C21 or C22 and C4-C3) and reduces the  $\beta$ -keto group at C5 to a hydroxyl group. This reduction is somewhat unexpected, since epothilones contain a keto group at C5. Discrepancies of this kind between the deduced reductive capabilities of PKS modules and the redox state of the corresponding positions in the final polyketide products have been, however, reported in the literature (see, for example, Schwecke, et al., *Proc. Natl. Acad. Sci. USA* 92: 7839-7843 (1995) and Schupp, et al., *FEMS Microbiology Letters* 159: 201-207 (1998)). An important feature of epothilones is the presence of gem-methyl side groups at C4 (C21 and C22). The second module of EPOS D is predicted to incorporate a propionate unit into the growing polyketide chain, providing one methyl side chain at C4. This module also contains a methyltransferase domain integrated into the PKS between the DH and the KR domains, in an arrangement similar to the one seen in the HMWP1 yersiniabactin synthase (Gehring, A.M., DeMoll, E., Fetherston, J.D., Mori, I., Mayhew, G.F., Blattner, F.R., Walsh, C.T., and Perry, R.D.: Iron acquisition in plague: modular logic in enzymatic biogenesis of yersiniabactin by *Yersinia pestis*. *Chem. Biol.* 5, 573-586, 1998). This MT domain in EPOS D is proposed to be responsible for the incorporation of the second methyl side group (C21 or C22) at C4.

*epoE* (nucleotides 54935-62254 of SEQ ID NO:1) codes for EPOS E (SEQ ID NO:7), a type I polyketide synthase consisting of one module, harboring a KS (nucleotides 55028-56284 of SEQ ID NO:1, amino acids 32-450 of SEQ ID NO:7); a malonyl CoA-specific AT (nucleotides 56600-57565 of SEQ ID NO:1, amino acids 556-877 of SEQ ID NO:7); a DH (nucleotides 57593-58087 of SEQ ID NO:1, amino acids 887-1051 of SEQ ID NO:7); a probably nonfunctional ER (nucleotides 59366-60304 of SEQ ID NO:1, amino acids 1478-1790 of SEQ ID NO:7); a KR (nucleotides 60362-61099 of SEQ ID NO:1, amino acids 1810-2055

of SEQ ID NO:7); an ACP (nucleotides 61211-61426 of SEQ ID NO:1, amino acids 2093-2164 of SEQ ID NO:7); and a thioesterase (TE) (nucleotides 61427-62254 of SEQ ID NO:1, amino acids 2165-2439 of SEQ ID NO:7). The ER domain in this module harbors an active site motif with some highly unusual amino acid substitutions that probably render this domain inactive. The module incorporates an acetate extender unit (C2-C1), and reduces the  $\beta$ -keto at C3 to an enoyl group. Epothilones contain a hydroxyl group at C3, so this reduction also appears to be excessive as discussed for the second module of EPOS D. The TE domain of EPOS E takes part in the release and cyclization of the grown polyketide chain via lactonization between the carboxyl group of C1 and the hydroxyl group of C15.

Five ORFs are detected upstream of *epoA* in the sequenced region. The partially sequenced *orf1* has no homologues in the sequence databanks. The deduced protein product (Orf 2, SEQ ID NO:10) of *orf2* (nucleotides 3171-1900 on the reverse complement strand of SEQ ID NO:1) shows strong similarities to hypothetical ORFs from *Mycobacterium* and *Streptomyces coelicolor*, and more distant similarities to carboxypeptidases and DD-peptidases of different bacteria. The deduced protein product of *orf3* (nucleotides 3415-5556 of SEQ ID NO:1), Orf 3 (SEQ ID NO:11), shows homologies to Na/H antiporters of different bacteria. Orf 3 might take part in the export of epothilones from the producer strain. *orf4* and *orf5* have no homologues in the sequence databanks.

Eleven ORFs are found downstream of *epoE* in the sequenced region. *epoF* (nucleotides 62369-63628 of SEQ ID NO:1) codes for EPOS F (SEQ ID NO:8), a deduced protein with strong sequence similarities to cytochrome P450 oxygenases. EPOS F may take part in the adjustment of the redox state of the carbons C12, C5, and/or C3. The deduced protein product of *orf14* (nucleotides 67334-68251 of SEQ ID NO:1), Orf 14 (SEQ ID NO:22) shows strong similarities to GI:3293544, a hypothetical protein with no proposed function from *Streptomyces coelicolor*, and also to GI:2654559, the human embryonic lung protein. It is also more distantly related to cation efflux system proteins like GI:2623026 from *Methanobacterium thermoautotrophicum*, so it might also take part in the export of epothilones from the producing cells. The remaining ORFs (*orf6-orf13* and *orf15*) show no homologies to entries in the sequence databanks.

#### Example 13: Recombinant Expression of Epothilone Biosynthesis Genes

Epothilone synthase genes according to the present invention are expressed in heterologous organisms for the purposes of epothilone production at greater quantities than can be accomplished by fermentation of *Sorangium cellulosum*. A preferable host for heterologous expression is *Streptomyces*, e.g. *Streptomyces coelicolor*, which natively produces the polyketide actinorhodin. Techniques for recombinant PKS gene expression in this host are described in McDaniel *et al.*, *Science* 262: 1546-1550 (1993) and Kao *et al.*, *Science* 265: 509-512 (1994). See also, Holmes *et al.*, *EMBO Journal* 12(8): 3183-3191 (1993) and Bibb *et al.*, *Gene* 38: 215-226 (1985), as well as U.S. Patent Nos. 5,521,077, 5,672,491, and 5,712,146, which are incorporated herein by reference.

According to one method, the heterologous host strain is engineered to contain a chromosomal deletion of the actinorhodin (*act*) gene cluster. Expression plasmids containing the epothilone synthase genes of the invention are constructed by transferring DNA from a temperature-sensitive donor plasmid to a recipient shuttle vector in *E. coli* (McDaniel *et al.* (1993) and Kao *et al.* (1994)), such that the synthase genes are built-up by homologous recombination within the vector. Alternatively, the epothilone synthase gene cluster is introduced into the vector by restriction fragment ligation. Following selection, e.g. as described in Kao *et al.* (1994), DNA from the vector is introduced into the *act*-minus *Streptomyces coelicolor* strain according to protocols set forth in Hopwood *et al.*, *Genetic Manipulation of Streptomyces. A Laboratory Manual* (John Innes Foundation, Norwich, United Kingdom, 1985), incorporated herein by reference. The recombinant *Streptomyces* strain is grown on R2YE medium (Hopwood *et al.* (1985)) and produces epothilones. Alternatively, the epothilone synthase genes according to the present invention are expressed in other host organisms such as pseudomonads, *Bacillus*, yeast, insect cells and/or *E. coli*. PKS and NRPS genes are preferably expressed in *E. coli* using the pT7-7 vector, which uses the T7 promoter. See, Tabor *et al.*, *Proc. Natl. Acad. Sci. USA* 82: 1074-1078 (1985). In another embodiment, the expression vectors pKK223-3 and pKK223-2 are used to express PKS and NRPS genes in *E. coli*, either in transcriptional or translational fusion, behind the *tac* or *trc* promoter. Expression of PKS and NRPS genes in heterologous hosts, which do not naturally have the phosphopantetheinyl (P-pant) transferases needed for post-translational modification of PKS enzymes, requires the coexpression in the host of a P-pant transferase, as described by Kealey *et al.*, *Proc. Natl. Acad. Sci. USA* 95: 505-509 (1998).

#### Example 14: Isolation of Epothilones from Producing Strains

Examples of cultivation, fermentation, and extraction procedures for polyketide isolation, which are useful for extracting epothilones from both native and recombinant hosts according to the present invention, are given in WO 93/10121, incorporated herein by reference, in Example 57 of U.S. Patent No. 5,639,949, in Gerth *et al.*, *J. Antibiotics* 49: 560-563 (1996), and in Swiss patent application no. 396/98, filed February 19, 1998, and U.S. patent application no. 09/248,910 (that discloses also preferred mutant strains of *Sorangium cellulosum*), both of which are incorporated herein by reference. The following are procedures that are useful for isolating epothilones from cultured *Sorangium cellulosum* strains such as So ce90, and may also be used for the isolation of epothilone from recombinant hosts.

##### A: Cultivation of epothilone-producing strains:

Strain: *Sorangium cellulosum* Soce-90 or a recombinant host strain according to the present invention.

Preservation of the strain: In liquid N<sub>2</sub>.

Media: Precultures and intermediate cultures: G52  
Main culture: 1B12

##### G52 Medium:

yeast extract, low in salt (BioSpringer, Maison Alfort, France)	2 g/l
MgSO <sub>4</sub> (7 H <sub>2</sub> O)	1 g/l
CaCl <sub>2</sub> (2 H <sub>2</sub> O)	1 g/l
soya meal defatted Soyamine 50T (Lucas Meyer, Hamburg, Germany)	2 g/l
potato starch Noredux A-150 (Blattmann, Waedenswil, Switzerland)	8 g/l
glucose anhydrous	2 g/l
EDTA-Fe(III)-Na salt (8 g/l)	1 ml/l

- 49 -

pH 7.4, corrected with KOH

Sterilisation: 20 mins. 120 °C

**1B12 Medium:**

potato starch Noredux A-150 (Blattmann, Waedenswil,

Switzerland)

20 g/l

soya meal defatted Soyamine 50T (Lucas Meyer, Hamburg,

Germany)

11 g/l

EDTA-Fe(III)-Na salt

8 mg/l

pH 7.8, corrected with KOH

Sterilisation: 20 mins. 120 °C

**Addition of cyclodextrins and cyclodextrin derivatives:**

Cyclodextrins (Fluka, Buchs, Switzerland, or Wacker Chemie,

Munich, Germany) in different concentrations are sterilised

separately and added to the 1B12 medium prior to seeding.

**Cultivation:** 1 ml of the suspension of *Sorangium cellulosum* Soce-90 from a liquid N<sub>2</sub> ampoule is transferred to 10 ml of G52 medium (in a 50 ml Erlenmeyer flask) and incubated for 3 days at 180 rpm in an agitator at 30°C, 25 mm displacement. 5 ml of this culture is added to 45 ml of G52 medium (in a 200 ml Erlenmeyer flask) and incubated for 3 days at 180 rpm in an agitator at 30°C, 25 mm displacement. 50 ml of this culture is then added to 450 ml of G52 medium (in a 2 litre Erlenmeyer flask) and incubated for 3 days at 180 rpm in an agitator at 30°C, 50 mm displacement.

**Maintenance culture:** The culture is overseeded every 3-4 days, by adding 50 ml of culture to 450 ml of G52 medium (in a 2 litre Erlenmeyer flask). All experiments and fermentations are carried out by starting with this maintenance culture.

**Tests in a flask:****(I) Preculture in an agitating flask:**

- 50 -

Starting with the 500 ml of maintenance culture, 1 x 450 ml of G52 medium are seeded with 50 ml of the maintenance culture and incubated for 4 days at 180 rpm in an agitator at 30°C, 50 mm displacement.

(ii) Main culture in the agitating flask:

40 ml of 1B12 medium plus 5 g/l 4-morpholine-propane-sulfonic acid (= MOPS) powder (in a 200 ml Erlenmeyer flask) are mixed with 5 ml of a 10x concentrated cyclodextrin solution, seeded with 10 ml of preculture and incubated for 5 days at 180 rpm in an agitator at 30°C, 50 mm displacement.

Fermentation: Fermentations are carried out on a scale of 10 litres, 100 litres and 500 litres. 20 litre and 100 litre fermentations serve as an intermediate culture step. Whereas the pre-cultures and intermediate cultures are seeded as the maintenance culture 10% (v/v), the main cultures are seeded with 20% (v/v) of the intermediate culture. Important: In contrast to the agitating cultures, the ingredients of the media for the fermentation are calculated on the final culture volume including the inoculum. If, for example, 18 litres of medium + 2 litres of inoculum are combined, then substances for 20 litres are weighed in, but are only mixed with 18 litres.

Preculture in an agitating flask:

Starting with the 500 ml maintenance culture, 4 x 450 ml of G52 medium (in a 2 litre Erlenmeyer flask) are each seeded with 50 ml thereof, and incubated for 4 days at 180 rpm in an agitator at 30°C, 50 mm displacement.

Intermediate culture, 20 litres or 100 litres:


20 litres: 18 litres of G52 medium in a fermenter having a total volume of 30 litres are seeded with 2 litres of the preculture. Cultivation lasts for 3-4 days, and the conditions are: 30°C, 250 rpm, 0.5 litres of air per litre liquid per min, 0.5 bars excess pressure, no pH control.

100 litres: 90 litres of G52 medium in a fermenter having a total volume of 150 litres are seeded with 10 litres of the 20 litre intermediate culture. Cultivation lasts for 3-4 days, and the conditions are: 30°C, 150 rpm, 0.5 litres of air per litre liquid per min, 0.5 bars excess pressure, no pH control.

Main culture, 10 litres, 100 litres or 500 litres:

10 litres: The media substances for 10 litres of 1B12 medium are sterilised in 7 litres of water, then 1 litre of a sterile 10% 2-(hydroxypropyl) - $\beta$ -cyclodextrin solution are added, and seeded with 2 litres of a 20 litre intermediate culture. The duration of the main culture is 6-7 days, and the conditions are: 30°C, 250 rpm, 0.5 litres of air per litre of liquid per min., 0.5 bars excess pressure, pH control with H<sub>2</sub>SO<sub>4</sub>/KOH to pH 7.6 +/- 0.5 (i.e. no control between pH 7.1 and 8.1).

100 litres: The media substances for 100 litres of 1B12 medium are sterilised in 70 litres of water, then 10 litres of a sterile 10% 2-(hydroxypropyl) - $\beta$ -cyclodextrin solution are added, and seeded with 20 litres of a 20 litre intermediate culture. The duration of the main culture is 6-7 days, and the conditions are: 30°C, 200 rpm, 0.5 litres air per litre liquid per min., 0.5 bars excess pressure, pH control with H<sub>2</sub>SO<sub>4</sub>/KOH to pH 7.6 +/- 0.5. The chain of seeding for a 100 litre fermentation is shown schematically as follows:



500 litres: The media substances for 500 litres of 1B12 medium are sterilised in 350 litres of water, then 50 litres of a sterile 10% 2-(hydroxypropyl) - $\beta$ -cyclodextrin solution are added, and seeded with 100 litres of a 100 litre intermediate culture. The duration of the main culture is 6-7 days, and the conditions are: 30°C, 120 rpm, 0.5 litres air per litre liquid per min., 0.5 bars excess pressure, pH control with H<sub>2</sub>SO<sub>4</sub>/KOH to pH 7.6 +/- 0.5.

Product analysis:Preparation of the sample:

- 52 -

50 ml samples are mixed with 2 ml of polystyrene resin Amberlite XAD16 (Rohm + Haas, Frankfurt, Germany) and shaken at 180 rpm for one hour at 30°C. The resin is subsequently filtered using a 150 µm nylon sieve, washed with a little water and then added together with the filter to a 15 ml Nunc tube.

Elution of the product from the resin:

10 ml of isopropanol (>99%) are added to the tube with the filter and the resin. Afterwards, the sealed tube is shaken for 30 minutes at room temperature on a Rota-Mixer (Labinco BV, Netherlands). Then, 2 ml of the liquid are centrifuged off and the supernatant is added using a pipette to HPLC tubes.

HPLC analysis:

Column:	Waters-Symetry C18, 100 x 4 mm, 3.5 µm WAT066220 + preliminary column 3.9 x 20 mm WAT054225
Solvents:	A: 0.02 % phosphoric acid B: Acetonitrile (HPLC-Quality)
Gradient:	41% B from 0 to 7 min. 100% B from 7.2 to 7.8 min. 41% B from 8 to 12 min.
Oven temp.:	30°C
Detection:	250 nm, UV-DAD detection
Injection vol.:	10 µl
Retention time:	Epo A: 4.30 min      Epo B: 5.38 min

**B: Effect of the addition of cyclodextrin and cyclodextrin derivatives to the epothilone concentrations attained.**


Cyclodextrins are cyclic ( $\alpha$ -1,4)-linked oligosaccharides of  $\alpha$ -D-glucopyranose with a relatively hydrophobic central cavity and a hydrophilic external surface area.

The following are distinguished in particular (the figures in parenthesis give the number of glucose units per molecule):  $\alpha$ -cyclodextrin (6),  $\beta$ -cyclodextrin (7),  $\gamma$ -cyclodextrin (8),  $\delta$ -cyclodextrin (9),  $\epsilon$ -cyclodextrin (10),  $\zeta$ -cyclodextrin (11),  $\eta$ -cyclodextrin (12), and  $\theta$ -cyclodextrin (13). Especially preferred are  $\delta$ -cyclodextrin and in particular  $\alpha$ -cyclodextrin,  $\beta$ -cyclodextrin or  $\gamma$ -cyclodextrin, or mixtures thereof.

Cyclodextrin derivatives are primarily derivatives of the above-mentioned cyclodextrins, especially of  $\alpha$ -cyclodextrin,  $\beta$ -cyclodextrin or  $\gamma$ -cyclodextrin, primarily those in which one or more up to all of the hydroxy groups (3 per glucose radical) are etherified or esterified. Ethers are primarily alkyl ethers, especially lower alkyl, such as methyl or ethyl ether, also propyl or butyl ether; the aryl-hydroxyalkyl ethers, such as phenyl-hydroxy-lower-alkyl, especially phenyl-hydroxyethyl ether; the hydroxyalkyl ethers, in particular hydroxy-lower-alkyl ethers, especially 2-hydroxyethyl, hydroxypropyl such as 2-hydroxypropyl or hydroxybutyl such as 2-hydroxybutyl ether; the carboxyalkyl ethers, in particular carboxy-lower-alkyl ethers, especially carboxymethyl or carboxyethyl ether; derivatised carboxyalkyl ethers, in particular derivatised carboxy-lower-alkyl ether in which the derivatised carboxy is etherified or amidated carboxy (primarily aminocarbonyl, mono- or di-lower-alkyl-aminocarbonyl, morpholino-, piperidino-, pyrrolidino- or piperazino-carbonyl, or alkyloxycarbonyl), in particular lower alkyloxycarbonyl-lower-alkyl ether, for example methyloxycarbonylpropyl ether or ethyloxycarbonylpropyl ether; the sulfoalkyl ethers, in particular sulfo-lower-alkyl ethers, especially sulfobutyl ether; cyclodextrins in which one or more OH groups are etherified with a radical of formula



wherein alk is alkyl, especially lower alkyl, and n is a whole number from 2 to 12, especially 2 to 5, in particular 2 or 3; cyclodextrins in which one or more OH groups are etherified with a radical of formula



wherein R' is hydrogen, hydroxy,  $-O-(alk-O)_z-H$ ,  $-O-(alk(-R)-O)_p-H$  or  $-O-(alk(-R)-O)_q-alk-CO-Y$ ; alk in all cases is alkyl, especially lower alkyl; m, n, p, q and z are a whole number from 1 to 12, preferably 1 to 5, in particular 1 to 3; and Y is  $OR_1$  or  $NR_2R_3$ , wherein  $R_1$ ,  $R_2$  and  $R_3$  independently of one another, are hydrogen or lower alkyl, or  $R_2$  and  $R_3$  combined together with the linking nitrogen signify morpholino, piperidino, pyrrolidino or piperazino; or branched cyclodextrins, in which etherifications or acetals with other sugar molecules are present, especially glucosyl-, diglucosyl- ( $G_2$ - $\beta$ -cyclodextrin), maltosyl- or dimaltosyl-cyclodextrin, or N-acetylglucosaminy-, glucosaminy-, N-acetylgalactosaminy- or galactosaminy-cyclodextrin.

Esters are primarily alkanoyl esters, in particular lower alkanoyl esters, such as acetyl esters of cyclodextrins.

It is also possible to have cyclodextrins in which two or more different said ether and ester groups are present at the same time.

Mixtures of two or more of the said cyclodextrins and/or cyclodextrin derivatives may also exist.

Preference is given in particular to  $\alpha$ -,  $\beta$ - or  $\gamma$ -cyclodextrins or the lower alkyl ethers thereof, such as methyl- $\beta$ -cyclodextrin or in particular 2,6-di-O-methyl- $\beta$ -cyclodextrin, or in particular the hydroxy lower alkyl ethers thereof, such as 2-hydroxypropyl- $\alpha$ -, 2-hydroxypropyl- $\beta$ - or 2-hydroxypropyl- $\gamma$ -cyclodextrin.

The cyclodextrins or cyclodextrin derivatives are added to the culture medium preferably in a concentration of 0.02 to 10, preferably 0.05 to 5, especially 0.1 to 4, for example 0.1 to 2 percent by weight (w/v).

Cyclodextrins or cyclodextrin derivatives are known or may be produced by known processes (see for example US 3,459,731; US 4,383,992; US 4,535,152; US 4,659,696; EP 0 094 157; EP 0 149 197; EP 0 197 571; EP 0 300 526; EP 0 320 032; EP 0 499 322; EP 0 503 710; EP 0 818 469; WO 90/12035; WO 91/11200; WO 93/19061; WO 95/08993; WO 96/14090; GB 2,189,245; DE 3,118,218; DE 3,317,064 and the references mentioned therein, which also refer to the synthesis of cyclodextrins or cyclodextrin derivatives, or also: T. Loftsson and M.E. Brewster (1996): Pharmaceutical Applications of Cyclodextrins: Drug Solubilization and Stabilisation: Journal of Pharmaceutical Science 85 (10):1017-1025; R.A. Rajewski and V.J. Stella(1996): Pharmaceutical Applications of Cyclodextrins: In Vivo Drug Delivery: Journal of Pharmaceutical Science 85 (11): 1142-1169).

All the cyclodextrin derivatives tested here are obtainable from the company Fluka, Buchs, CH. The tests are carried out in 200 ml agitating flasks with 50 ml culture volume. As controls, flasks with adsorber resin Amberlite XAD-16 (Rohm & Haas, Frankfurt, Germany) and without any adsorber addition are used. After incubation for 5 days, the following epothilone titres can be determined by HPLC:

Table 2:

Addition	order No.	Conc [%w/v] <sup>1</sup>	Epo A [mg/l]	Epo B [mg/l]
Amberlite XAD-16 (v/v)		2.0 (%v/v)	9.2	3.8

Addition	order No.	Conc [%w/v] <sup>1</sup>	Epo A [mg/l]	Epo B [mg/l]
2-hydroxypropyl- $\beta$ -cyclodextrin	56332	0.1	2.7	1.7
2-hydroxypropyl- $\beta$ -cyclodextrin	"	0.5	4.7	3.3
2-hydroxypropyl- $\beta$ -cyclodextrin	"	1.0	4.7	3.4
2-hydroxypropyl- $\beta$ -cyclodextrin	"	2.0	4.7	4.1
2-hydroxypropyl- $\beta$ -cyclodextrin	"	5.0	1.7	0.5
2-hydroxypropyl- $\alpha$ -cyclodextrin	56330	0.5	1.2	1.2
2-hydroxypropyl- $\alpha$ -cyclodextrin	"	1.0	1.2	1.2
2-hydroxypropyl- $\alpha$ -cyclodextrin	"	5.0	2.5	2.3
$\beta$ -cyclodextrin	28707	0.1	1.6	1.3
$\beta$ -cyclodextrin	"	0.5	3.6	2.5
$\beta$ -cyclodextrin	"	1.0	4.8	3.7
$\beta$ -cyclodextrin	"	2.0	4.8	2.9
$\beta$ -cyclodextrin	"	5.0	1.1	0.4
methyl- $\beta$ -cyclodextrin	66292	0.5	0.8	<0.3
methyl- $\beta$ -cyclodextrin	"	1.0	<0.3	<0.3
methyl- $\beta$ -cyclodextrin	"	2.0	<0.3	<0.3
2,6 di-o-methyl- $\beta$ -cyclodextrin	39915	1.0	<0.3	<0.3
2-hydroxypropyl- $\gamma$ -cyclodextrin	56334	0.1	0.3	<0.3
2-hydroxypropyl- $\gamma$ -cyclodextrin	"	0.5	0.9	0.8
2-hydroxypropyl- $\gamma$ -cyclodextrin	"	1.0	1.1	0.7
2-hydroxypropyl- $\gamma$ -cyclodextrin	"	2.0	2.6	0.7
2-hydroxypropyl- $\gamma$ -cyclodextrin	"	5.0	5.0	1.1
<b>no addition</b>			<b>0.5</b>	<b>0.5</b>

<sup>1</sup>) Apart from Amberlite (%v/v), all percentages are by weight (%w/v).

Few of the cyclodextrins tested (2,6-di-o-methyl- $\beta$ -cyclodextrin, methyl- $\beta$ -cyclodextrin) display no effect or a negative effect on epothilone production at the concentrations used. 1-2% 2-hydroxy-propyl- $\beta$ -cyclodextrin and  $\beta$ -cyclodextrin increase epothilone production in the examples by 6 to 8 times compared with production using no cyclodextrins.

**C: 10 litre fermentation with 1% 2-(hydroxypropyl)- $\beta$ -cyclodextrin):**

Fermentation is carried out in a 15 litre glass fermenter. The medium contains 10 g/l of 2-(hydroxypropyl)- $\beta$ -cyclodextrin from Wacker Chemie, Munich, Germany. The progress of fermentation is illustrated in Table 3. Fermentation is ended after 6 days and working up takes place.

**Table 3:** Progress of a 10 litre fermentation

duration of culture [d]	Epothilone A [mg/l]	Epothilone B [mg/l]
0	0	0
1	0	0
2	0.5	0.3
3	1.8	2.5
4	3.0	5.1
5	3.7	5.9
6	3.6	5.7

**D: 100 litre fermentation with 1% 2-(hydroxypropyl)- $\beta$ -cyclodextrin):**

Fermentation is carried out in a 150 litre fermenter. The medium contains 10 g/l of 2-(Hydroxypropyl)- $\beta$ -cyclodextrin. The progress of fermentation is illustrated in Table 4. The fermentation is harvested after 7 days and worked up.

**Table 4:** Progress of a 100 litre fermentation

duration of culture [d]	Epothilone A [mg/l]	Epothilone B [mg/l]
0	0	0
1	0	0
2	0.3	0

- 57 -

3	0.9	1.1
4	1.5	2.3
5	1.6	3.3
6	1.8	3.7
7	1.8	3.5

**E: 500 litre fermentation with 1% 2-(hydroxypropyl)- $\beta$ -cyclodextrin):**

Fermentation is carried out in a 750 litre fermenter. The medium contains 10 g/l of 2-(Hydroxypropyl)- $\beta$ -cyclodextrin. The progress of fermentation is illustrated in Table 5. The fermentation is harvested after 7 days and worked up.

**Table 5:** Progress of a 500 litre fermentation

duration of culture [d]	Epothilone A [mg/l]	Epothilone B [mg/l]
0	0	0
1	0	0
2	0	0
3	0.6	0.6
4	1.7	2.2
5	3.1	4.5
6	3.1	5.1

**F: Comparison example 10 litre fermentation without adding an adsorber:**

Fermentation is carried out in a 15 litre glass fermenter. The medium does not contain any cyclodextrin or other adsorber. The progress of fermentation is illustrated in Table 6. The fermentation is not harvested and worked up.

**Table 6:** Progress of a 10 litre fermentation without adsorber.

duration of culture [d]	Epothilone A [mg/l]	Epothilone B [mg/l]
0	0	0
1	0	0
2	0	0
3	0	0
4	0.7	0.7
5	0.7	1.0
6	0.8	1.3

**G: Working up of the epothilones: Isolation from a 500 litre main culture:**

The volume of harvest from the 500 litre main culture of example 2D is 450 litres and is separated using a Westfalia clarifying separator Type SA-20-06 (rpm = 6500) into the liquid phase (centrifugate + rinsing water = 650 litres) and solid phase (cells = ca. 15 kg). The main part of the epothilones are found in the centrifugate, The centrifuged cell pulp contains < 15% of the determined epothilone portion and is not further processed. The 650 litre centrifugate is then placed in a 4000 litre stirring vessel, mixed with 10 litres of Amberlite XAD-16 (centrifugate:resin volume = 65:1) and stirred. After a period of contact of ca. 2 hours, the resin is centrifuged away in a Heine overflow centrifuge (basket content 40 litres; rpm = 2800). The resin is discharged from the centrifuge and washed with 10-15 litres of deionised water. Desorption is effected by stirring the resin twice, each time in portions with 30 litres of isopropanol in 30 litre glass stirring vessels for 30 minutes. Separation of the isopropanol phase from the resin takes place using a suction filter. The isopropanol is then removed from the combined isopropanol phases by adding 15-20 litres of water in a vacuum-operated circulating evaporator (Schmid-Verdampfer) and the resulting water phase of ca. 10 litres is extracted 3x each time with 10 litres of ethyl acetate. Extraction is effected in 30 litre glass stirring vessels. The ethyl acetate extract is concentrated to 3-5 litres in a vacuum-operated circulating evaporator (Schmid-Verdampfer) and afterwards concentrated to dryness in a rotary evaporator (Büchi type) under vacuum. The result is an ethyl acetate extract of 50.2 g. The ethyl acetate extract is dissolved in

- 59 -

500 ml of methanol, the insoluble portions filtered off using a folded filter, and the solution added to a 10 kg Sephadex LH 20 column (Pharmacia, Uppsala, Sweden) (column diameter 20 cm, filling level ca. 1.2 m). Elution is effected with methanol as eluant. Epothilone A and B is present predominantly in fractions 21-23 (at a fraction size of 1 litre). These fractions are concentrated to dryness in a vacuum on a rotary evaporator (total weight 9.0 g). These Sephadex peak fractions (9.0 g) are thereafter dissolved in 92 ml of acetonitrile:water:methylene chloride = 50:40:2, the solution filtered through a folded filter and added to a RP column (equipment Prepbar 200, Merck; 2.0 kg LiChrospher RP-18 Merck, grain size 12 $\mu$ m, column diameter 10 cm, filling level 42 cm; Merck, Darmstadt, Germany). Elution is effected with acetonitrile:water = 3:7 (flow rate = 500 ml/min.; retention time of epothilone A = ca. 51-59 mins.; retention time of epothilone B = ca. 60-69 mins.). Fractionation is monitored with a UV detector at 250 nm. The fractions are concentrated to dryness under vacuum on a Büchi-Rotavapor rotary evaporator. The weight of the epothilone A peak fraction is 700 mg, and according to HPLC (external standard) it has a content of 75.1%. That of the epothilone B peak fraction is 1980 mg, and the content according to HPLC (external standard) is 86.6%. Finally, the epothilone A fraction (700 mg) is crystallised from 5 ml of ethyl acetate:toluene = 2:3, and yields 170 mg of epothilone A pure crystallisate [content according to HPLC (% of area) = 94.3%]. Crystallisation of the epothilone B fraction (1980 mg) is effected from 18 ml of methanol and yields 1440 mg of epothilone B pure crystallisate [content according to HPLC (% of area) = 99.2%]. m.p. (Epothilone B): e.g. 124-125 °C; <sup>1</sup>H-NMR data for Epothilone B: 500 MHz-NMR, solvent: DMSO-d<sub>6</sub>. Chemical displacement  $\delta$  in ppm relative to TMS. s = singlet; d = doublet; m = multiplet

$\delta$ (Multiplicity)	Integral (number of H)
7.34 (s)	1
6.50 (s)	1
5.28 (d)	1
5.08 (d)	1
4.46 (d)	1
4.08 (m)	1

- 60 -

3.47 (m)	1
3.11 (m)	1
2.83 (dd)	1
2.64 (s)	3
2.36 (m)	2
2.09 (s)	3
2.04 (m)	1
1.83 (m)	1
1.61 (m)	1
1.47 - 1.24 (m)	4
1.18 (s)	6
1.13 (m)	2
1.06 (d)	3
0.89 (d + s, overlapping)	6
$\Sigma = 41$	

#### Example 15: Medical Uses of Recombinantly Produced Epothilones

Pharmaceutical preparations or compositions comprising epothilones are used for example in the treatment of cancerous diseases, such as various human solid tumors. Such anticancer formulations comprise, for example, an active amount of an epothilone together with one or more organic or inorganic, liquid or solid, pharmaceutically suitable carrier materials. Such formulations are delivered, for example, enterally, nasally, rectally, orally, or parenterally, particularly intramuscularly or intravenously. The dosage of the active ingredient is dependent upon the weight, age, and physical and pharmacokinetical condition of the patient and is further dependent upon the method of delivery. Because epothilones mimic the biological effects of taxol, epothilones may be substituted for taxol in compositions and methods utilizing taxol in the treatment of cancer. See, for example, U.S.

Patent Nos. 5,496,804, 5,565,478, and 5,641,803, all of which are incorporated herein by reference.

For example, for treatments, epothilone B is supplied in individual 2 ml glass vials formulated as 1 mg/1 ml of clear, colorless intravenous concentrate. The substance is formulated in polyethylene glycol 300 (PEG 300) and diluted with 50 or 100 ml 0.9% Sodium Chloride Injection, USP, to achieve the desired final concentration of the drug for infusion. It is administered as a single 30-minute intravenous infusion every 21 days (treatment three-weekly) for six cycles, or as a single 30-minute intravenous infusion every 7 days (weekly treatment).

Preferably, for weekly treatment, the dose is between about 0.1 and about 6, preferably about 0.1 and about 5 mg/m<sup>2</sup>, more preferably about 0.1 and about 3 mg/m<sup>2</sup>, even more preferably 0.1 and 1.7 mg/m<sup>2</sup>, most preferably about 0.3 and about 1 mg/m<sup>2</sup>; for three-weekly treatment (treatment every three weeks or every third week) the dose is between about 0.3 and about 18 mg/m<sup>2</sup>, preferably about 0.3 and about 15 mg/m<sup>2</sup>, more preferably about 0.3 and about 12 mg/m<sup>2</sup>, even more preferably about 0.3 and about 7.5 mg/m<sup>2</sup>, still more preferably about 0.3 and about 5 mg/m<sup>2</sup>, most preferably about 1.0 and about 3.0 mg/m<sup>2</sup>. This dose is preferably administered to the human by intravenous (i.v.) administration during 2 to 180 min, preferably 2 to 120 min, more preferably during about 5 to about 30 min, most preferably during about 10 to about 30 min, e.g. during about 30 min.

While the present invention has been described with reference to specific embodiments thereof, it will be appreciated that numerous variations, modifications, and embodiments are possible, and accordingly, all such variations, modifications and embodiments are to be regarded as being within the spirit and scope of the present invention.


BUDAPEST TREATY ON THE INTERNATIONAL  
RECOGNITION OF THE DEPOSIT OF MICROORGANISMS  
FOR THE PURPOSE OF PATENT PROCEDURES

INTERNATIONAL FORM

TO  
Novartis AG  
Novartis Corporation  
Patent and Trademark Dept.  
3054 Cornwallis Rd.  
Research Triangle Park, NC 27709

RECEIPT IN THE CASE OF AN ORIGINAL DEPOSIT  
issued pursuant to Rule 7.1 by the  
INTERNATIONAL DEPOSITARY AUTHORITY  
identified at the bottom of this page

NAME AND ADDRESS  
OF DEPOSITOR

<b>I. IDENTIFICATION OF THE MICROORGANISM</b>	
Identification reference given by the DEPOSITOR:  <i>Escherichia coli</i> DH10B (pEP015)	Accession number given by the INTERNATIONAL DEPOSITARY AUTHORITY:  NRRL B-30033
<b>II. SCIENTIFIC DESCRIPTION AND/OR PROPOSED TAXONOMIC DESIGNATION</b>	
The microorganism identified under I. above was accompanied by:  <input type="checkbox"/> a scientific description  <input checked="" type="checkbox"/> a proposed taxonomic designation  (Mark with a cross where applicable)	
<b>III. RECEIPT AND ACCEPTANCE</b>	
This International Depositary Authority accepts the microorganism identified under I. above, which was received by it on June 11, 1998 (date of the original deposit). <sup>1</sup>	
<b>IV. RECEIPT OF REQUEST FOR CONVERSION</b>	
The microorganism identified under I. above was received by this International Depositary Authority on _____ (date of the original deposit) and a request to convert the original deposit to a deposit under the Budapest Treaty was received by it on _____ (date of receipt of request for conversion).	
<b>V. INTERNATIONAL DEPOSITARY AUTHORITY</b>	
Name: Agricultural Research Culture Collection (NRRL) International Depositary Authority  Address: 1815 N. University Street Peoria, Illinois 61604 U.S.A.	Signature(s) of person(s) having the power to represent the International Depositary Authority or of authorized official(s):   Date: 7-21-98

<sup>1</sup> Where Rule 6.4(d) applies, such date is the date on which the status of international depositary authority was acquired.

**BUDAPEST TREATY ON THE INTERNATIONAL  
RECOGNITION OF THE DEPOSIT OF MICROORGANISMS  
FOR THE PURPOSE OF PATENT PROCEDURES**

**INTERNATIONAL FORM**

TO  
Novartis AG  
c/o Novartis Agricultural Biotechnology  
Research, Inc.  
Patent & Trademark Department  
3054 Cornwallis Road  
Research Triangle Park, NC 27709

RECEIPT IN THE CASE OF AN ORIGINAL DEPOSIT  
issued pursuant to Rule 7.1 by the  
INTERNATIONAL DEPOSITARY AUTHORITY  
identified at the bottom of this page

NAME AND ADDRESS  
OF DEPOSITOR

<b>I. IDENTIFICATION OF THE MICROORGANISM</b>	
Identification reference given by the DEPOSITOR: Escherichia coli DH10B [pEP032]	Accession number given by the INTERNATIONAL DEPOSITARY AUTHORITY:  NRRL B-30119
<b>II. SCIENTIFIC DESCRIPTION AND/OR PROPOSED TAXONOMIC DESIGNATION</b>	
The microorganism identified under I. above was accompanied by:	
<input type="checkbox"/> a scientific description <input checked="" type="checkbox"/> a proposed taxonomic designation (Mark with a cross where applicable)	
<b>III. RECEIPT AND ACCEPTANCE</b>	
This International Depositary Authority accepts the microorganism identified under I. above, which was received by it on April 16, 1999 (date of the original deposit) <sup>1</sup>	
<b>IV. RECEIPT OF REQUEST FOR CONVERSION</b>	
The microorganism identified under I. above was received by this International Depositary Authority on _____ (date of the original deposit) and a request to convert the original deposit to a deposit under the Budapest Treaty was received by it on _____ (date of receipt of request for conversion).	
<b>V. INTERNATIONAL DEPOSITARY AUTHORITY</b>	
Name: Agricultural Research Culture Collection (NRRL) International Depositary Authority  Address: 1815 N. University Street Peoria, Illinois 61604 U.S.A.	Signature(s) of person(s) having the power to represent the International Depositary Authority or of authorized official(s):  <i>J. L. Sney</i> Date: 5-26-99

<sup>1</sup> Where Rule 6.4(d) applies, such date is the date on which the status of international depositary authority was acquired.

What is claimed is:

1. An isolated nucleic acid molecule comprising a nucleotide sequence that encodes at least one polypeptide involved in the biosynthesis of epothilone.
2. An isolated nucleic acid molecule according to claim 1, wherein said nucleotide sequence is isolated from a myxobacterium.
3. An isolated nucleic acid molecule according to claim 2, wherein said myxobacterium is *Sorangium cellulosum*.
4. A chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid molecule according to claim 1.
5. A recombinant vector comprising a chimeric gene according to claim 4.
6. A recombinant host cell comprising a chimeric gene according to claim 4.
7. The recombinant host cell of claim 6, which is a bacteria.
8. The recombinant host cell of claim 7, which is an Actinomycete.
9. The recombinant host cell of claim 8, which is *Streptomyces*.
10. A Bac clone comprising a nucleic acid molecule according to claim 1.
11. The Bac clone of claim 10, which is pEPO15.
12. An isolated nucleic acid molecule according to claim 1, wherein said polypeptide comprises an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: SEQ ID NO:2, amino acids 11-437 of SEQ ID NO:2, amino acids 543-864 of SEQ ID NO:2, amino acids 974-1273 of SEQ ID NO:2, amino acids 1314-1385 of SEQ ID NO:2, SEQ ID NO:3, amino acids 72-81 of SEQ ID NO:3, amino acids

118-125 of SEQ ID NO:3, amino acids 199-212 of SEQ ID NO:3, amino acids 353-363 of SEQ ID NO:3, amino acids 549-565 of SEQ ID NO:3, amino acids 588-603 of SEQ ID NO:3, amino acids 669-684 of SEQ ID NO:3, amino acids 815-821 of SEQ ID NO:3, amino acids 868-892 of SEQ ID NO:3, amino acids 903-912 of SEQ ID NO:3, amino acids 918-940 of SEQ ID NO:3, amino acids 1268-1274 of SEQ ID NO:3, amino acids 1285-1297 of SEQ ID NO:3, amino acids 973-1256 of SEQ ID NO:3, amino acids 1344-1351 of SEQ ID NO:3, SEQ ID NO:4, amino acids 7-432 of SEQ ID NO:4, amino acids 539-859 of SEQ ID NO:4, amino acids 869-1037 of SEQ ID NO:4, amino acids 1439-1684 of SEQ ID NO:4, amino acids 1722-1792 of SEQ ID NO:4, SEQ ID NO:5, amino acids 39-457 of SEQ ID NO:5, amino acids 563-884 of SEQ ID NO:5, amino acids 1147-1399 of SEQ ID NO:5, amino acids 1434-1506 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 3886-4048 of SEQ ID NO:5, amino acids 4433-4719 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, SEQ ID NO:6, amino acids 35-454 of SEQ ID NO:6, amino acids 561-881 of SEQ ID NO:6, amino acids 1143-1393 of SEQ ID NO:6, amino acids 1430-1503 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, amino acids 2383-2551 of SEQ ID NO:6, amino acids 2671-3045 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, SEQ ID NO:7, amino acids 32-450 of SEQ ID NO:7, amino acids 556-877 of SEQ ID NO:7, amino acids 887-1051 of SEQ ID NO:7, amino acids 1478-1790 of SEQ ID NO:7, amino acids 1810-2055 of SEQ ID NO:7, amino acids 2093-2164 of SEQ ID NO:7, amino acids 2165-2439 of SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:11, and SEQ ID NO:22.

13. An isolated nucleic acid molecule according to claim 12, wherein said polypeptide comprises an amino acid sequence selected from the group consisting of: SEQ ID NO:2, amino acids 11-437 of SEQ ID NO:2, amino acids 543-864 of SEQ ID NO:2, amino acids 974-1273 of SEQ ID NO:2, amino acids 1314-1385 of SEQ ID NO:2, SEQ ID NO:3, amino acids 72-81 of SEQ ID NO:3, amino acids 118-125 of SEQ ID NO:3, amino

acids 199-212 of SEQ ID NO:3, amino acids 353-363 of SEQ ID NO:3, amino acids 549-565 of SEQ ID NO:3, amino acids 588-603 of SEQ ID NO:3, amino acids 669-684 of SEQ ID NO:3, amino acids 815-821 of SEQ ID NO:3, amino acids 868-892 of SEQ ID NO:3, amino acids 903-912 of SEQ ID NO:3, amino acids 918-940 of SEQ ID NO:3, amino acids 1268-1274 of SEQ ID NO:3, amino acids 1285-1297 of SEQ ID NO:3, amino acids 973-1256 of SEQ ID NO:3, amino acids 1344-1351 of SEQ ID NO:3, SEQ ID NO:4, amino acids 7-432 of SEQ ID NO:4, amino acids 539-859 of SEQ ID NO:4, amino acids 869-1037 of SEQ ID NO:4, amino acids 1439-1684 of SEQ ID NO:4, amino acids 1722-1792 of SEQ ID NO:4, SEQ ID NO:5, amino acids 39-457 of SEQ ID NO:5, amino acids 563-884 of SEQ ID NO:5, amino acids 1147-1399 of SEQ ID NO:5, amino acids 1434-1506 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 3886-4048 of SEQ ID NO:5, amino acids 4433-4719 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, SEQ ID NO:6, amino acids 35-454 of SEQ ID NO:6, amino acids 561-881 of SEQ ID NO:6, amino acids 1143-1393 of SEQ ID NO:6, amino acids 1430-1503 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, amino acids 2053-2373 of SEQ ID NO:6, amino acids 2383-2551 of SEQ ID NO:6, amino acids 2671-3045 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, SEQ ID NO:7, amino acids 32-450 of SEQ ID NO:7, amino acids 556-877 of SEQ ID NO:7, amino acids 887-1051 of SEQ ID NO:7, amino acids 1478-1790 of SEQ ID NO:7, amino acids 1810-2055 of SEQ ID NO:7, amino acids 2093-2164 of SEQ ID NO:7, amino acids 2165-2439 of SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:11, and SEQ ID NO:22.

14. An isolated nucleic acid molecule according to claim 12, wherein said nucleotide sequence is substantially similar to a nucleotide sequence selected from the group consisting of: the complement of nucleotides 1900-3171 of SEQ ID NO:1, nucleotides 3415-5556 of SEQ ID NO:1, nucleotides 7610-11875 of SEQ ID NO:1, nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 10529-11428 of SEQ

ID NO:1, nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, nucleotides 15901-15924 of SEQ ID NO:1, nucleotides 16251-21749 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 21746-43519 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 43524-54920 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, nucleotides 51534-52657 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, nucleotides 54935-62254 of SEQ ID NO:1, nucleotides 55028-56284 of SEQ ID NO:1, nucleotides 56600-57565 of SEQ ID NO:1, nucleotides 57593-58087 of SEQ ID NO:1, nucleotides 59366-60304 of SEQ ID NO:1, nucleotides 60362-61099 of SEQ ID NO:1, nucleotides 61211-61426 of SEQ ID NO:1, nucleotides 61427-62254 of SEQ ID NO:1, nucleotides 62369-63628 of SEQ ID NO:1, nucleotides 67334-68251 of SEQ ID NO:1, and nucleotides 1-68750 SEQ ID NO:1.

15. A nucleic acid molecule according to claim 12, wherein said nucleotide sequence is selected from the group consisting of: the complement of nucleotides 1900-3171 of SEQ ID NO:1, nucleotides 3415-5556 of SEQ ID NO:1, nucleotides 7610-11875 of SEQ ID NO:1, nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 10529-11428 of SEQ ID NO:1, nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, nucleotides 15901-15924 of SEQ ID NO:1, nucleotides 16251-21749 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 21746-43519 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 43524-54920 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, nucleotides 51534-52657 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID

NO:1, nucleotides 54935-62254 of SEQ ID NO:1, nucleotides 55028-56284 of SEQ ID NO:1, nucleotides 56600-57565 of SEQ ID NO:1, nucleotides 57593-58087 of SEQ ID NO:1, nucleotides 59366-60304 of SEQ ID NO:1, nucleotides 60362-61099 of SEQ ID NO:1, nucleotides 61211-61426 of SEQ ID NO:1, nucleotides 61427-62254 of SEQ ID NO:1, nucleotides 62369-63628 of SEQ ID NO:1, nucleotides 67334-68251 of SEQ ID NO:1, and nucleotides 1-68750 SEQ ID NO:1.

16. A chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid molecule according to claim 12.

17. A recombinant vector comprising a chimeric gene according to claim 16.

18. A recombinant host cell comprising a chimeric gene according to claim 16.

19. The recombinant host cell of claim 18, which is a bacteria.

20. The recombinant host cell of claim 19, which is an Actinomycete.

21. The recombinant host cell of claim 20, which is *Streptomyces*.

22. An isolated nucleic acid molecule according to claim 1, wherein said nucleotide sequence comprises a consecutive 20 base pair nucleotide portion identical in sequence to a consecutive 20 base pair portion of a nucleotide sequence selected from the group consisting of: the complement of nucleotides 1900-3171 of SEQ ID NO:1, nucleotides 3415-5556 of SEQ ID NO:1, nucleotides 7610-11875 of SEQ ID NO:1, nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 10529-11428 of SEQ ID NO:1, nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID

NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, nucleotides 15901-15924 of SEQ ID NO:1, nucleotides 16251-21749 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 21746-43519 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 43524-54920 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, nucleotides 51534-52657 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, nucleotides 54935-62254 of SEQ ID NO:1, nucleotides 55028-56284 of SEQ ID NO:1, nucleotides 56600-57565 of SEQ ID NO:1, nucleotides 57593-58087 of SEQ ID NO:1, nucleotides 59366-60304 of SEQ ID NO:1, nucleotides 60362-61099 of SEQ ID NO:1, nucleotides 61211-61426 of SEQ ID NO:1, nucleotides 61427-62254 of SEQ ID NO:1, nucleotides 62369-63628 of SEQ ID NO:1, nucleotides 67334-68251 of SEQ ID NO:1, and nucleotides 1-68750 SEQ ID NO:1.

23. A chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid molecule according to claim 22.

24. A recombinant vector comprising a chimeric gene according to claim 23.

25. A recombinant host cell comprising a chimeric gene according to claim 23.

26. The recombinant host cell of claim 25, which is a bacteria.
27. The recombinant host cell of claim 26, which is an Actinomycete.
28. The recombinant host cell of claim 27, which is *Streptomyces*.
29. An isolated nucleic acid molecule comprising a nucleotide sequence that encodes at least one epothilone synthase domain.
30. An isolated nucleic acid molecule according to claim 29, wherein said epothilone synthase domain is a  $\beta$ -ketoacyl-synthase domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 11-437 of SEQ ID NO:2, amino acids 7-432 of SEQ ID NO:4, amino acids 39-457 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 35-454 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, and amino acids 32-450 of SEQ ID NO:7.
31. An isolated nucleic acid molecule according to claim 30, wherein said  $\beta$ -ketoacyl-synthase domain comprises an amino acid sequence selected from the group consisting of: amino acids 11-437 of SEQ ID NO:2, amino acids 7-432 of SEQ ID NO:4, amino acids 39-457 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 35-454 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, and amino acids 32-450 of SEQ ID NO:7.
32. An isolated nucleic acid molecule according to claim 30, wherein said nucleotide sequence is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, and nucleotides 55028-56284 of SEQ ID NO:1.

33. An isolated nucleic acid molecule according to claim 30, wherein said nucleotide sequence comprises a consecutive 20 base pair nucleotide portion identical in sequence to a consecutive 20 base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, and nucleotides 55028-56284 of SEQ ID NO:1.

34. An isolated nucleic acid molecule according to claim 30, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, and nucleotides 55028-56284 of SEQ ID NO:1.

35. An isolated nucleic acid molecule according to claim 29, wherein said epothilone synthase domain is a an acyltransferase domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 543-864 of SEQ ID NO:2, amino acids 539-859 of SEQ ID NO:4, amino acids 563-884 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 561-881 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, and amino acids 556-877 of SEQ ID NO:7.

36. An isolated nucleic acid molecule according to claim 35, wherein said acyltransferase domain comprises an amino acid sequence selected from the group consisting of: amino acids 543-864 of SEQ ID NO:2, amino acids 539-859 of SEQ ID NO:4, amino acids 563-884 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 561-881 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, and amino acids 556-877 of SEQ ID NO:7.

37. An isolated nucleic acid molecule according to claim 35, wherein said nucleotide sequence is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, and nucleotides 56600-57565 of SEQ ID NO:1.

38. An isolated nucleic acid molecule according to claim 35, wherein said nucleotide sequence comprises a consecutive 20 base pair nucleotide portion identical in sequence to a consecutive 20 base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, and nucleotides 56600-57565 of SEQ ID NO:1.

39. An isolated nucleic acid molecule according to claim 35, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, and nucleotides 56600-57565 of SEQ ID NO:1.

40. An isolated nucleic acid molecule according to claim 29, wherein said epothilone synthase domain is an enoyl reductase domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 974-1273 of SEQ ID NO:2, amino acids 4433-4719 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, and amino acids 1478-1790 of SEQ ID NO:7.

41. An isolated nucleic acid molecule according to claim 40, wherein said enoyl reductase domain comprises an amino acid sequence selected from the group consisting

of: amino acids 974-1273 of SEQ ID NO:2, amino acids 4433-4719 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, and amino acids 1478-1790 of SEQ ID NO:7.

42. An isolated nucleic acid molecule according to claim 40, wherein said nucleotide sequence is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 10529-11428 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, and nucleotides 59366-60304 of SEQ ID NO:1.

43. An isolated nucleic acid molecule according to claim 40, wherein said nucleotide sequence comprises a consecutive 20 base pair nucleotide portion identical in sequence to a consecutive 20 base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 10529-11428 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, and nucleotides 59366-60304 of SEQ ID NO:1.

44. An isolated nucleic acid molecule according to claim 40, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 10529-11428 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, and nucleotides 59366-60304 of SEQ ID NO:1.

45. An isolated nucleic acid molecule according to claim 29, wherein said epothilone synthase domain is an acyl carrier protein domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 1314-1385 of SEQ ID NO:2, amino acids 1722-1792 of SEQ ID NO:4, amino acids 1434-1506 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, amino acids 1430-1503 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, and amino acids 2093-2164 of SEQ ID NO:7.

46. An isolated nucleic acid molecule according to claim 45, wherein said acyl carrier protein domain comprises an amino acid sequence selected from the group consisting of: amino acids 1314-1385 of SEQ ID NO:2, amino acids 1722-1792 of SEQ ID

NO:4, amino acids 1434-1506 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, amino acids 1430-1503 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, and amino acids 2093-2164 of SEQ ID NO:7.

47. An isolated nucleic acid molecule according to claim 45, wherein said nucleotide sequence is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, and nucleotides 61211-61426 of SEQ ID NO:1.

48. An isolated nucleic acid molecule according to claim 45, wherein said nucleotide sequence comprises a consecutive 20 base pair nucleotide portion identical in sequence to a consecutive 20 base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, and nucleotides 61211-61426 of SEQ ID NO:1.

49. An isolated nucleic acid molecule according to claim 45, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 11549-11764 of SEQ ID NO:1, nucleotides 21414-21626 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 43163-43378 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 54540-54758 of SEQ ID NO:1, and nucleotides 61211-61426 of SEQ ID NO:1.

50. An isolated nucleic acid molecule according to claim 29, wherein said epothilone synthase domain is a dehydratase domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of:

amino acids 869-1037 of SEQ ID NO:4, amino acids 3886-4048 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 2383-2551 of SEQ ID NO:6, and amino acids 887-1051 of SEQ ID NO:7.

51. An isolated nucleic acid molecule according to claim 50, wherein said dehydratase domain comprises an amino acid sequence selected from the group consisting of: amino acids 869-1037 of SEQ ID NO:4, amino acids 3886-4048 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 2383-2551 of SEQ ID NO:6, and amino acids 887-1051 of SEQ ID NO:7.

52. An isolated nucleic acid molecule according to claim 50, wherein said nucleotide sequence is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, and nucleotides 57593-58087 of SEQ ID NO:1.

53. An isolated nucleic acid molecule according to claim 50, wherein said nucleotide sequence comprises a consecutive 20 base pair nucleotide portion identical in sequence to a consecutive 20 base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, and nucleotides 57593-58087 of SEQ ID NO:1.

54. An isolated nucleic acid molecule according to claim 50, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, and nucleotides 57593-58087 of SEQ ID NO:1.

55. An isolated nucleic acid molecule according to claim 29, wherein said epothilone synthase domain is a  $\beta$ -ketoreductase domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 1439-1684 of SEQ ID NO:4, amino acids 1147-1399 of SEQ ID NO:5, amino

acids 2645-2895 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 1143-1393 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, and amino acids 1810-2055 of SEQ ID NO:7.

56. An isolated nucleic acid molecule according to claim 55, wherein said  $\beta$ -ketoreductase domain comprises an amino acid sequence selected from the group consisting of: amino acids 1439-1684 of SEQ ID NO:4, amino acids 1147-1399 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 1143-1393 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, and amino acids 1810-2055 of SEQ ID NO:7.

57. An isolated nucleic acid molecule according to claim 55, wherein said nucleotide sequence is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, and nucleotides 60362-61099 of SEQ ID NO:1.

58. An isolated nucleic acid molecule according to claim 55, wherein said nucleotide sequence comprises a consecutive 20 base pair nucleotide portion identical in sequence to a consecutive 20 base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, and nucleotides 60362-61099 of SEQ ID NO:1.

59. An isolated nucleic acid molecule according to claim 55, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 20565-21302 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID

NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, and nucleotides 60362-61099 of SEQ ID NO:1.

60. An isolated nucleic acid molecule according to claim 29, wherein said epothilone synthase domain is a methyltransferase domain comprising an amino acid sequence substantially similar to amino acids 2671-3045 of SEQ ID NO:6.

61. An isolated nucleic acid molecule according to claim 60, wherein said methyltransferase domain comprises amino acids 2671-3045 of SEQ ID NO:6.

62. An isolated nucleic acid molecule according to claim 60, wherein said nucleotide sequence is substantially similar to nucleotides 51534-52657 of SEQ ID NO:1.

63. An isolated nucleic acid molecule according to claim 60, wherein said nucleotide sequence comprises a consecutive 20 base pair nucleotide portion identical in sequence to a consecutive 20 base pair portion of nucleotides 51534-52657 of SEQ ID NO:1.

64. An isolated nucleic acid molecule according to claim 60, wherein said nucleotide sequence is nucleotides 51534-52657 of SEQ ID NO:1.

65. An isolated nucleic acid molecule according to claim 29, wherein said epothilone synthase domain is a thioesterase domain comprising an amino acid sequence substantially similar to amino acids 2165-2439 of SEQ ID NO:7.

66. An isolated nucleic acid molecule according to claim 65, wherein said thioesterase domain comprises amino acids 2165-2439 of SEQ ID NO:7.

67. An isolated nucleic acid molecule according to claim 65, wherein said nucleotide sequence is substantially similar to nucleotides 61427-62254 of SEQ ID NO:1.

68. An isolated nucleic acid molecule according to claim 65, wherein said nucleotide sequence comprises a consecutive 20 base pair nucleotide portion identical in sequence to a consecutive 20 base pair portion of nucleotides 61427-62254 of SEQ ID NO:1.

69. An isolated nucleic acid molecule according to claim 65, wherein said nucleotide sequence is nucleotides 61427-62254 of SEQ ID NO:1.

70. An isolated nucleic acid molecule comprising a nucleotide sequence that encodes a non-ribosomal peptide synthetase, wherein said non-ribosomal peptide synthetase comprises an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: SEQ ID NO:3, amino acids 72-81 of SEQ ID NO:3, amino acids 118-125 of SEQ ID NO:3, amino acids 199-212 of SEQ ID NO:3, amino acids 353-363 of SEQ ID NO:3, amino acids 549-565 of SEQ ID NO:3, amino acids 588-603 of SEQ ID NO:3, amino acids 669-684 of SEQ ID NO:3, amino acids 815-821 of SEQ ID NO:3, amino acids 868-892 of SEQ ID NO:3, amino acids 903-912 of SEQ ID NO:3, amino acids 918-940 of SEQ ID NO:3, amino acids 1268-1274 of SEQ ID NO:3, amino acids 1285-1297 of SEQ ID NO:3, amino acids 973-1256 of SEQ ID NO:3, and amino acids 1344-1351 of SEQ ID NO:3.

71. An isolated nucleic acid molecule according to claim 70, wherein said non-ribosomal peptide synthetase comprises an amino acid sequence selected from the group consisting of: SEQ ID NO:3, amino acids 72-81 of SEQ ID NO:3, amino acids 118-125 of SEQ ID NO:3, amino acids 199-212 of SEQ ID NO:3, amino acids 353-363 of SEQ ID NO:3, amino acids 549-565 of SEQ ID NO:3, amino acids 588-603 of SEQ ID NO:3, amino acids 669-684 of SEQ ID NO:3, amino acids 815-821 of SEQ ID NO:3, amino acids 868-892 of SEQ ID NO:3, amino acids 903-912 of SEQ ID NO:3, amino acids 918-940 of SEQ ID NO:3, amino acids 1268-1274 of SEQ ID NO:3, amino acids 1285-1297 of SEQ ID NO:3, amino acids 973-1256 of SEQ ID NO:3, and amino acids 1344-1351 of SEQ ID NO:3.

72. An isolated nucleic acid molecule according to claim 70, wherein said nucleotide sequence is substantially similar to a nucleotide sequence selected from the group consisting of: nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID

NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, and nucleotides 15901-15924 of SEQ ID NO:1.

73. An isolated nucleic acid molecule according to claim 70, wherein said nucleotide sequence comprises a consecutive 20 base pair nucleotide portion identical in sequence to a consecutive 20 base pair portion of a nucleotide sequence selected from the group consisting of: nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, and nucleotides 15901-15924 of SEQ ID NO:1.

74. An isolated nucleic acid molecule according to claim 70, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 11872-16104 of SEQ ID NO:1, nucleotides 12085-12114 of SEQ ID NO:1, nucleotides 12223-12246 of SEQ ID NO:1, nucleotides 12466-12507 of SEQ ID NO:1, nucleotides 12928-12960 of SEQ ID NO:1, nucleotides 13516-13566 of SEQ ID NO:1, nucleotides 13633-13680 of SEQ ID NO:1, nucleotides 13876-13923 of SEQ ID NO:1, nucleotides 14313-14334 of SEQ ID NO:1, nucleotides 14473-14547 of SEQ ID NO:1, nucleotides 14578-14607 of SEQ ID NO:1, nucleotides 14623-14692 of SEQ ID NO:1, nucleotides 15673-15693 of SEQ ID NO:1, nucleotides 15724-15762 of SEQ ID NO:1, nucleotides 14788-15639 of SEQ ID NO:1, and nucleotides 15901-15924 of SEQ ID NO:1.

75. A method for heterologous expression of epothilone in a recombinant host, comprising:

- (a) introducing a chimeric gene according to claim 4 into a host; and
- (b) growing the host in conditions that allow biosynthesis of epothilone in the host.

76. A method for producing epothilone, comprising:

- (a) expressing epothilone in a recombinant host by the method of claim 75; and
- (b) extracting epothilone from the recombinant host.

77. An isolated polypeptide comprising an amino acid sequence that consists of an epothilone synthase domain.

78. An isolated polypeptide according to claim 77, wherein said epothilone synthase domain is a  $\beta$ -ketoacyl-synthase domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 11-437 of SEQ ID NO:2, amino acids 7-432 of SEQ ID NO:4, amino acids 39-457 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 35-454 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, and amino acids 32-450 of SEQ ID NO:7.

79. An isolated polypeptide according to claim 78, wherein said  $\beta$ -ketoacyl-synthase domain comprises an amino acid sequence selected from the group consisting of: amino acids 11-437 of SEQ ID NO:2, amino acids 7-432 of SEQ ID NO:4, amino acids 39-457 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 35-454 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO: 6, and amino acids 32-450 of SEQ ID NO:7.

80. An isolated polypeptide according to claim 77, wherein said epothilone synthase domain is an acyltransferase domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 543-864 of SEQ ID NO:2, amino acids 539-859 of SEQ ID NO:4, amino acids 563-884 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 561-881 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, and amino acids 556-877 of SEQ ID NO:7.

81. An isolated polypeptide according to claim 80, wherein said acyltransferase domain comprises an amino acid sequence selected from the group consisting of: amino

acids 543-864 of SEQ ID NO:2, amino acids 539-859 of SEQ ID NO:4, amino acids 563-884 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 561-881 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, and amino acids 556-877 of SEQ ID NO:7.

82. An isolated polypeptide according to claim 77, wherein said epothilone synthase domain is an enoyl reductase domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 974-1273 of SEQ ID NO:2, amino acids 4433-4719 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, and amino acids 1478-1790 of SEQ ID NO:7.

83. An isolated polypeptide according to claim 82, wherein said enoyl reductase domain comprises an amino acid sequence selected from the group consisting of: amino acids 974-1273 of SEQ ID NO:2, amino acids 4433-4719 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, and amino acids 1478-1790 of SEQ ID NO:7.

84. An isolated polypeptide according to claim 77, wherein said epothilone synthase domain is an acyl carrier protein domain, wherein said polypeptide comprises an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 1314-1385 of SEQ ID NO:2, amino acids 1722-1792 of SEQ ID NO:4, amino acids 1434-1506 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, amino acids 1430-1503 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, and amino acids 2093-2164 of SEQ ID NO:7.

85. An isolated polypeptide according to claim 84, wherein said acyl carrier protein domain comprises an amino acid sequence selected from the group consisting of: amino acids 1314-1385 of SEQ ID NO:2, amino acids 1722-1792 of SEQ ID NO:4, amino acids 1434-1506 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 7140-7211 of SEQ ID NO:5, amino acids 1430-1503 of SEQ ID NO:6, amino acids 3673-3745 of SEQ ID NO:6, and amino acids 2093-2164 of SEQ ID NO:7.

86. An isolated polypeptide according to claim 77, wherein said epothilone synthase domain is a dehydratase domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 869-1037 of SEQ ID NO:4, amino acids 3886-4048 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 2383-2551 of SEQ ID NO:6, and amino acids 887-1051 of SEQ ID NO:7.

87. An isolated polypeptide according to claim 86, wherein said dehydratase domain comprises an amino acid sequence selected from the group consisting of: amino acids 869-1037 of SEQ ID NO:4, amino acids 3886-4048 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 2383-2551 of SEQ ID NO:6, and amino acids 887-1051 of SEQ ID NO:7.

88. An isolated polypeptide according to claim 77, wherein said epothilone synthase domain is a  $\beta$ -ketoreductase domain comprising an amino acid sequence substantially similar to an amino acid sequence selected from the group consisting of: amino acids 1439-1684 of SEQ ID NO:4, amino acids 1147-1399 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 1143-1393 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, and amino acids 1810-2055 of SEQ ID NO:7.

89. An isolated polypeptide according to claim 88, wherein said  $\beta$ -ketoreductase domain comprises an amino acid sequence selected from the group consisting of: amino acids 1439-1684 of SEQ ID NO:4, amino acids 1147-1399 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, amino acids 1143-1393 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, and amino acids 1810-2055 of SEQ ID NO:7.

90. An isolated polypeptide according to claim 77, wherein said epothilone synthase domain is a methyltransferase domain comprising an amino acid sequence substantially similar to amino acids 2671-3045 of SEQ ID NO:6.

91. An isolated polypeptide according to claim 90, wherein said methyltransferase domain comprises amino acids 2671-3045 of SEQ ID NO:6.

92. An isolated polypeptide according to claim 77, wherein said epothilone synthase domain is a thioesterase domain comprising an amino acid sequence substantially similar to amino acids 2165-2439 of SEQ ID NO:7.

93. An isolated polypeptide according to claim 77, wherein said thioesterase domain comprises amino acids 2165-2439 of SEQ ID NO:7.

## SEQUENCE LISTING

&lt;110&gt; Novartis AG

&lt;120&gt; GENES FOR THE BIOSYNTHESIS OF EPOTHILONES

&lt;130&gt; 4-30582A

&lt;140&gt;

&lt;141&gt;

&lt;160&gt; 30

&lt;170&gt; PatentIn Ver. 2.0

&lt;210&gt; 1

&lt;211&gt; 68750

&lt;212&gt; DNA

&lt;213&gt; Sorangium cellulosum

&lt;400&gt; 1

```
aagcttcgct cgacgcectc ttccgcccgc ccacctctgc ccgtgtgttc gatgatggcc 60
acggccgggc caccgagcgg catgtgtctc ccgaggcgcg cgggatcgag gacctccgcg 120
ccctccgaga gcacctccgc atccaggaag gggggccgtc ctttactgc atgtgctcgc 180
gcgacctgac ggtggagctc ctgcgcacg accagcccc cgcgtccatc agcttccacc 240
atgccccgag cctgaggcac cccgactgga cctcggacgc gatgtctgtc gacggccccg 300
cgctcgtccg gtggctcgcc gcgcgcggcg cgccgggtcc cctccgcgag tacgaagagg 360
agcgcgagcg agcccgaacc gcgcaggagg cgaggcgct gtggctcgcg gccgcgcgcg 420
cctgtctcgc gcccgatctg ccccgcttcg aggacgacgc caacgggctg ccgctcggcc 480
cgatgtcgcc tgaagtgcgc gaggccgagc ggcgccctcg cgcctcgtac gcgactcctg 540
agctcgcttg tccgcgctg ctgcctggc tcgggacggg cgccgggtcc tggctccgat 600
atcccgctta cgagatgctg ccagagaatc tgctcctcgg gtttggctc ccgaccgcga 660
tcgcgcggcg ctccgcgccc ggcacatcgg aggcgcgtct ccgcggcgca gcgcggctgt 720
tcgctcctg ggaggtcgta tcgagcaaga agagccagct cggcaacatc cccgaagccc 780
tgtgggagcg gctccggacg atcgtccgcg cgatgggcaa tgcgcacaac ctctctcgct 840
tcgagcgcgc cgaggcgatc gcggcgagg tgccgcgct cgcgcacag ccggcgccct 900
tcgcgccggg cgccggcctg gcggctcgct gggctctctc gaggcgcccg ctctcgggcc 960
tcgtgaccga cggagacgca ttgtactccg gcgacggcaa cgacatcgtc atgttccaac 1020
ccggccggat ctgcgcggte gtgtgtctcg ccggaaccga tcccttcttc gagctcgcac 1080
cgccccctag ccagatgctc ttgctcgcg acgccaacgc gggcaccatc tccaaggtcc 1140
tgacggaaag cagccccctc atcgtgatgg caagaaacca ggcgcgaccg atgagcctcg 1200
tccacgctcg cgggttcatg gcgtgggtca accaggccat ggtgcccgc cccgagcggg 1260
gcgcgcctct cgtcgtccag cgctcgacca tcatggaatt cgagcaccac acgcctcgtt 1320
gtctccacga gcccgccggc agcgctttct cctcgcctg cgacgaggag cactctact 1380
ggctcgagct ttcgctggc cggtcgcgc tatggcgcca cccgcaccac cgccccggcg 1440
ccccgagccg cttcgcgta ctcggcgagc accccattgc ggcgacctgg taccctcgcg 1500
tcacctcaa tgcgaccac gtgtgtggg ccgacctga tcgcagggcc atcctcgggg 1560
tcgacaagcg caccggcgta gagcccatcg tctcgcgga gacgcgccat ccccgcgcg 1620
acgtcgtgtc cgaggaccgg gacatcttcg cgcttaccgg acagcccgac tcccgcgact 1680
ggcacgtcga gcacatccgc tccggcgct ccaccgtct ggcgcactac cagegcagc 1740
tatgggaccg cctgacatg gtgtcaatc ggcgcggcct cttcttcacg acgaacgacc 1800
gcctcgtgac gctcggccgc agctgacatc gctcgacgc gggccgctca tcgaggcgcg 1860
ccggaccgag ctggcgaccc gccgctggcg ggcgcagct catgccgatt cgggtggcgac 1920
gtagacgctg cgccagaaac gctcgagagc ccccgagaa aggaagccgg cggatttgtt 1980
catcacgac ccgatcagct cgccggcccg atcattgatc caggacgtcc cgaacccgcc 2040
gtccaccca tagcgccgg gcacctccga gaccgcgtcc ggcgcgctga ccacggccat 2100
cccataaacc cagccgtgcg tctcgaagaa gcccgggaaa aacgaggacg ccgcctctcg 2160
ggccggcggt aggtgatcgg ccgtcatctc gcgcaccgag gcggcgctca agagccgccc 2220
gccctcgtgc acaccgcgt tcattgagcat gcgcgcgaac aggaggtagt cgtccaccgt 2280
cgacacgagc ccggcgcgcg ccgaagggaa cgccggcggg ctggcatagg cgctctcggc 2340
cccgctcgca tccatgcgcg tcttctcccc cgtctgtctg tcggtgaagt aaccgcagcc 2400
cggaaccga gcgagcttgt ccgcgggac cgcgaaagtc gtgtcccga tcccagcgcg 2460
cgcgaggatg cgctcgcgca cgaacgcac gaagccctgg tcggccgcgc gcccacgag 2520
caccctctgc accaggtccc ccgtgttgta catccactgc gcccccggct gatgcatgag 2580
cggcagcgct ccgagccgcc ggatccactc gtctggcccc tcggcgctca tcggcaccgg 2640
```

ctgcgcgttg	acgagcccga	gctcgtcgat	ggcccgtgg	atcggcgacg	atgcgtcgaa	2700
cgagattccg	aagcccatcg	tgaacgtcat	caggtcgcgc	accgtgatcg	gccgctccgc	2760
gggcaaccgtc	tgcgtcgatcg	gaccatcgat	gcgcgcgcagc	accttccggt	tcgcgagctc	2820
cggcaaccat	cggtcgcagcg	gggagtcgag	gtcgcgcttg	ccttccctga	cgagcatcat	2880
caccgcgcgtc	gcggtgacgc	ccttcgtcat	cgaggcgatc	cggaaagatcg	tgccccgcgc	2940
catgggcgcgc	ctgcgcgcga	gctcggtcac	gcccaccgcg	tccacgtgca	cgctcgtcgcc	3000
gcgcgcgcacc	agccagaccg	ctccccggcat	ctgccccgcg	gccacctccg	ccgcatcac	3060
ctcgcgcgcgc	ggcgcgcagcg	cgccgcgcgc	cgcgctcctgc	cctgggtgccc	cctcctcctc	3120
ggccccacccc	aacgcgcacc	ccggcgcgcgc	cacgctgatc	aaagctccca	taaaactcccg	3180
ccttctcatg	accgtcgatg	cctctccgag	cgggggcgcc	tgccccctgcc	gagagcactg	3240
actgcccgcg	cccgaaaaaa	tcacgtgctg	cccgtcacga	tcgcgcgcgc	gcgtggctcc	3300
gcccggccgc	ccgctcgggc	gcccgcgcct	ggacgagcaa	agctcgcccg	cccgcgctca	3360
gcacgcgcgt	tgccatgtcc	ggcctgcacc	cacaccgagg	agccacccac	cctgatgcac	3420
ggcctcacgc	agcggcaggt	cctgctctcg	ctcgtcacc	tcgcgctcat	cctcgtgacc	3480
gcgcgcgcct	ccgcgcgagct	cgcgcgcgcg	ctgcgcgcagc	ccgaggtgct	cggggagctc	3540
ttcggcgcgcg	tcgtgctggg	ccccctccgtc	gtcggcgcg	tcgcgcgcgc	gttccatcga	3600
gccctcttcc	aggagccggc	ggtcgggggtc	gtgctctcgg	gcattctcctg	gataggcgcg	3660
ctcctcctgc	tgctgatggc	gggcacgcag	gtcgcagctgg	gcattcctg	caaggagggc	3720
cgccccgggg	cgctctcggc	gctcggcgcg	atcgcgcgcc	cgctcgcggc	gggcgcgcgc	3780
ttctcggcg	tcgtgctcga	tcggccctct	ccgagcgccc	tcttccctcg	gatcgtgctc	3840
tcggtgacgg	cggtcagcgt	gatcgcgaag	gtgctgatcg	agcgcgagtc	gatgcgcgc	3900
agctatgcgc	aggtagacgt	cgcgcgcggg	gtggtcagcg	aggtcgctgc	ctgggtgctc	3960
gtcgcgatga	cgtcgtcgag	ctacggcgcg	tcgcgcgcgc	tgccggtcgc	ccggagcgcg	4020
ctcctggcga	gcggtattct	gctgttcatg	gtgctcgtcg	ggcggcggtc	caccacacct	4080
gcgatgcgct	gggtggcga	cgcgacgcgc	gtctccaaag	gacaggtgct	gctcgtctc	4140
gtcctcacgt	tcttgccgc	ggcgtgacg	cagcggtcgc	gcctgcaccc	gctgctcgcc	4200
gcgttcgcgc	tcggcgtgct	gctcaacagc	gtcctcgcga	ccaaccgcgc	tctcctcgac	4260
ggcgtgcaga	cgctcgtggc	gggcctctct	gcgcctgtgt	tcttcgtctc	cgcgggcctg	4320
cgctgcagc	tgctgcagct	gcgcacgcgc	gcggcgtggg	ggacggtcgc	gttgctgctg	4380
gcgacccgca	cgccggcgaa	ggctcgtccc	gcgcgcgcgc	gcgcgcgcgc	cgcgcggtc	4440
aggggcagcg	aggcggcgct	cgtggcggtg	ggcctgaaca	tgaaggcgcg	cacggacctc	4500
atcgtcgcga	tcgtcggcgt	cgagctcggg	ctcctctcca	acgaggtcta	tacgatgtac	4560
gccgtcgtcg	cgctggtcac	ggtagccgcc	tcacccgcgc	tcctcatctg	gctcgagaaa	4620
agggcgccct	cgacgcagga	ggagtcggct	cgccctcgag	gcgaggaggg	cgcgaggcgc	4680
gcgtatgcgc	ccggggctga	gcggatccct	gtcccgatcg	tgccgcacgc	cctgcccggg	4740
ttcggccacgg	acatcgtgga	gagcatcgtc	gcctccaagc	gaaagctcgg	cgagacggtc	4800
gacatcacgg	agctctccgt	ggagcagcag	gcgcgcgcgc	catcgcgcg	cgcgggggag	4860
cgcgagcggg	ggctcgcgag	gctcggcgcg	cgccctccgc	tcggcatctg	gcggcaagg	4920
cgcgagctgc	gcggctcgat	ccaggcgatc	ctgcgcgcct	cgcgggatca	cgatctgctc	4980
gtgatcggcg	cgcgatcgcc	ggcgcgcgcg	cgcggaatgt	cgttcggctg	cctgcaaggac	5040
gcgatcgtcc	agcggggcga	gtccaaacgtg	ctcgtcgtgg	tgggcgacct	tcggcgcgcg	5100
gaggtggcgc	ccgcgcgcgc	gacccctcgtc	ccgatcatcg	gcctcgagta	ctcctctcgc	5160
gccgcgcgatc	tcgcgcgcga	cgtggcgctg	gcgtgggacg	ccgagctcgt	gctgctcagc	5220
agcgcgcaga	ccgatccggg	cgcggtcgtc	tggcgcgatc	gcgagccatc	ccgggtgcgc	5280
cgtccgattc	ggagcgtcgt	cgacgagcg	gtcttccggg	ggcgccggct	cgcgctgcgc	5340
gtctcgtcgc	gcgtgcacgt	gggcgcgcac	ccgagcgacg	agataacgcg	ggagctcgcg	5400
cgcgcgcgcgt	acgatctgct	cgtgctcgga	tgctacgacc	atgggcgcgt	cgggccggctc	5460
tacctcgcca	gcacggctga	gtcgggtggtg	gtccggagcc	gggtgccggg	cgcgcttcgc	5520
gtcgcgcgatg	gagggactcg	agagcaggtg	aggtgaggct	tccaccgcgc	tcgcccgtga	5580
ggaagcgagc	gccccgctct	gccgacgatc	gtcactcccg	gtccgtgtag	gcgatcgtgc	5640
tgagcagcgc	gttctccgcc	tgacgcgagt	cgagccgggt	atgctgcacg	acgatggggg	5700
cgtccgattc	gatcacgctg	gcatagtccg	tatcgcgcg	gatcggctcg	ggttcgggtca	5760
gatcgttgaa	ccggacgtgc	cggttgcgcc	tcgctggaac	ggtcaccgcg	taaggcccg	5820
cggggtcgcg	gtcgtgaa	taaacggtga	tggcgacctg	cgcgctcccg	tcggacgat	5880
tcaacaggca	ggcgtctca	tggtcgtcga	tcgcgcgcgc	aggtcgtttg	ctcccgctc	5940
ggatgtagcc	ctctgcgatt	gcacagcgcg	tcggcccgat	cggtctgttc	atgtgtctc	6000
cctcctgggt	cctcttggc	agccctccctc	tgctgtccag	gagcgatggc	ctcttcgctc	6060
gacgcgctcg	gggatccatg	gctgaggatc	ctcgcgcgagc	gctccctgcc	gaccggcgcg	6120
ccgagcgccg	acgggctttg	aaagcgcgcg	accggccagc	ccggacgcgc	gcccagagg	6180
gacagtggtg	ccgccgtgaa	gcagagaggg	gatcagagtg	gtgagatgaa	acacgtcgac	6240
acggggcgac	gattcggccg	ccggataggg	cacacgctcg	gtcttctcgc	gagcatggcg	6300
ctcgcgggct	gcggcggtcc	gagcgagaaa	accgtgcagg	gcacgcggct	cgcgcccgcg	6360
gcccgtgcgc	gcgtcacccg	cgacgtcgac	cccgacgcgc	cgaccacgcg	gctggcggtg	6420
gacgtcgttc	acctctcgcc	gcccgagcgg	ctcgaggccg	gcagcgagcg	gttcgtcgtc	6480
tggcagcgtc	cgagccccga	gtccccggtg	cgacgggtcg	gagtgctcga	ctacaatgct	6540

gacagccgaa gaggaagct ggccgagacg accgtgccgt atgccaaact cgagctgttc 6600  
atcaccgccc agaagcagag cagccctcag tcgccatcgt ctgccgccgt catcgggccg 6660  
acgtctgtcg ggtgacatcg cgtatcagc agcgtgagc ccgccagcag gcccagggc 6720  
cctgcctcga tggccttccc catcacccct gcgcactcct ccagcgacgg ccgcgcagcg 6780  
acggcccgct ccaagcaacc gccgtgccgg cgccgctcca cgcgccgcagc aggcgagcgt 6840  
cctggcgccg cctgcgcacg gctggaagga tcggcgagc atggatagag aatcgaggat 6900  
cgcgatcttt gttgccatcg cagccaacgt ggcgatcgcg gcggtcaagt tcatcgccgc 6960  
cgccgtgacc ggtagctcgg cagggcggtt gccgacttcg gcggcgctcc gcgctgtctg 7020  
ctctacgaca acctcaagag cgccgtcgtc gagcgccacg gcgacgcgat ccggttccac 7080  
cccacgtcgc tggctctgtc ggcgattac cgtctcgagc cgcccccgt cgccgtcgcc 7140  
cgcggaacg agaagggccg cgtccagcgc gccatcacgg cgtggacgac atggcgcgga 7200  
aacgtcgtcg taaccgccc gcaatgtcat gggaatggcc ccttgaaatg gccccttgag 7260  
ggggctggcc ggggtcgacg atatcgcgcg atctcccgt caattcccga tggtaaaaga 7320  
aaaatttgtc atagatcgta agctgtgata gtggtctgtc ttacgttgcg tcttcgcac 7380  
ctcgagcgag ttctctcgga taactttcaa tttttccgag gggggcttgg tctctggttc 7440  
ctcagggaagc ctgatcgagg cagactaatt cccatccatt tttttgaggc tctgtcmeta 7500  
gggattagat cgagtgcagc agttcttttg cagtgcgcga agaacttggg cctcgaccgg 7560  
aggacgatcg acgtccgcga gcgggtcagc cgctgaggat gtcccgtcg tggcgagtcg 7620  
tcccatcgag cgcgacggcg aagatccgat tgcgatcgtc ggagcgagtt gccgtctgcc 7680  
cgggtggcggt atcgatctga gcgggttctg gacgtctcctc gagggctcgc gcgacaccgt 7740  
cgggcgagtc ccgcgcgaac gctgggatgc agcagcggtg tttgatcccg acccgatgc 7800  
cccggggaag acgcccgtta cgcgcgcatc tttcctgagc gacgtagcct gcttcgacgc 7860  
ctccttcttc ggcattctgc ctgcgaagc gctgcggatg gaccctgcac atcgactctt 7920  
gctggaggtg tgctgggagg cgctggagaa cgccgcgac gctccatcgg cgtcgtcgg 7980  
tacggaacg ggagtgttca tcgggatcgg ccctccgaa tatgaggccg cgctgcccga 8040  
agcgacggcg tccgcagaga tcgacgctca tggcgggctg gggacgatgc ccagcgtegg 8100  
agcgggccga atctcgtatg ccctcgggct gcgagggccg tgtgtcggcg tggataccgg 8160  
ctattcgtcc tcgtctgttg ccgttcactc ggctgtcag agcttgcgct ccggggaatg 8220  
ctccacggcc ctggctgtgt gggatctcgt gatgttgtcg ccgagcacc tctgttggct 8280  
ctcgaagacc cgggcgctgg ccagggacgg tcgctgcaag gcatttttcg cggaaggcca 8340  
tgggttcgga cgaggcgaag ggtgcgcgt cgtggtcctc aagcggtca gtaggaccg 8400  
cgcgacggc gatcgatat tggcggtgat tcgaggatcc gcgatcaatc acgacgggtg 8460  
gagcagcggt ctgaccgtgc cgaacgggag ctcccaagaa atcgtgtgta aacgggccc 8520  
ggcgacgca ggtgcgcgg cgtctcggg ggggttatgtc gaggcacacg gcacgggcac 8580  
gacgcttggt gaccccatcg aaatccaagc tctgaatgcg gtataccggc tcgggcgaga 8640  
tgtcgccacg ccgtctgtga tcgggtcggg gaagaccaac cttggccatc ctgagtatgc 8700  
gtcggggatc actgggctgc tgaaggctgt cttgtccctt cagcacgggc agattcctgc 8760  
gcacctccac cgcaggcgc tgaacccccg gatctcatgg ggtgatcttc ggctgaccgt 8820  
cacgcgcgcc cgacaccgt ggccggactg gaatacgcgg cgacgggccc gggtagctc 8880  
gttcggcatg agcgggacca acgcgcacgt ggtgctggaa gaggcgcgg cgggcagctg 8940  
cacaccgcgc gcgcggagc gaccggcaga gctgctgtgt ctgctggcaa ggaccgcgtc 9000  
agccctggat gcacaggcgg cgcggtcgtg cgaccatctg gagacctacc cttcgcagt 9060  
tctggcgat gtggcgttca gtctggcgac gacgcgcagc gcgatggagc accgctcgc 9120  
gggtggcgcg acgtcgaggg aggggctcgc ggcagccctg gacgtcgcg cgcagggaca 9180  
gacgtcgccc ggtgcgggtc gcagtatcgc cgattcctca cgcggaagc tcgctttct 9240  
cttcaccgga cagggggcgc agacgctggg catgggcccgt gggctgtacg atgtatggtc 9300  
cgcgttccgc gaggcgttcg acctgtgcgt gaggtgttc aaccaggagc tcgaccggcc 9360  
gctccgcgag gtgatgtggg ccgaaccggc cagcgtcgac gcccgctgc tcgaccagac 9420  
agccttcacc cagccggcgc tgttcacctt cgaatatgcg ctgcgcgcgc tgtggcggtc 9480  
gtgggggtga gagccggagt tggctcggcg ccatagcatc ggtgagctg tggctgcctg 9540  
cgtggcgggc gtgttctcgc ttgaggacgc ggtgttctct gtggctgcgc gcggcgccct 9600  
gatgcaggcg ctgcccggcg gcggggcgat ggtgtcgatc gaggcgcgg aggcgatgt 9660  
ggctgctgcg gtggcgccgc acgcagcgtc ggtgtcgatc gcccggtga acgctccgga 9720  
ccaggtggct atcgccggcg ccgggcaacc cgtgcattgc atcgccggcg cgatggccc 9780  
gcgcggggcg gaaaccaagg cgtccacgt ctgcgatcgc tccactcac cgctcatggc 9840  
ccgatgctg gaggcgttcg ggcgtgtggc cgagtccgtg agctaccggc ggccgtcgat 9900  
cgctcctgtc agcaatctga gcgggaaggc ttgcacagac gaggtgagct cgccgggcta 9960  
ttgggtcgc cagcgcgag aggtggtgcg cctcgcgat ctgcgcgat ggagtgaagg cgtcgacgc 10020  
ggccgggtcg ggcaccttcg tcgaggtcgg tccgaaatcg acgctgtcgc gcctggtgc 10080  
tgccctgcag ccggacgccc ggccggcgct gctcgcatcg tcgcgcgctg ggcggtgacga 10140  
gccggcgacc gtgctcgagg cgtcggcgcg gctctgggccc gtcggtgccc tggctcctg 10200  
ggccggcctc tcccctcag gggggcgggc ggtgcgcgtg cccacgtacc cttggcagcg 10260  
cgagcgctac tggatcgaca cgaaagccga cgacgcggcg cgtggcgacc gccgtgctc 10320  
gggagcggt cagcagcagg tcgaggagg gggcgcggtg cgccggcgcg accggcgag 10380  
cgctcggctc gaccatccgc cgcccgagag cggacgcccg gagaaggctc aggcggccc 10440

cgaccgtccg	ttccggctcg	agatcgatga	gccaggcgtg	cttgatcacc	tcgtgcttcg	10500
ggtcacggag	cggcgcgccc	ctggctctgg	cgaggctcgag	atcgccgtcg	acgcggcggg	10560
gctcagcttc	aatgatgtcc	agctcgcgct	gggcatgggtg	cccgcagacc	tgccgggaaa	10620
gcccacccct	ccgctgctgc	tcggaggcga	gtgcgccggg	cgcatcgctcg	ccgtgggcga	10680
gggctgaac	ggcctcgctg	tgggccaacc	ggtcacgcc	ctttcggcgg	gagcgtttgc	10740
taccacgtc	accacgtcgg	ctgcgtcgtg	gctgcctcgg	cctcaggcgc	tctcggcgat	10800
cgaggcgccc	gccatgcccc	tcgcgtacct	gacggcatgg	tacgcgctcg	acagaatagc	10860
ccgccttcag	ccggggggagc	gggtgctgat	ccatgcggcg	accggcgggg	tcgggtctcg	10920
cgcggtgcag	tgggcgcagc	acgtggggagc	cgaggctccat	gcgacggccg	gcacgcccga	10980
gaaacgcgcc	tacctggagt	cgctgggcgt	gcggtatgtg	agcgattccc	gctcggaccg	11040
gttcgtcgcc	gacgtgcgcg	cgtggacggg	cggcgaggga	gtagacgtcg	tgctcaactc	11100
gctctcgggc	gagctgatcg	acaagagttt	caatctcctg	cgatcgacgc	gccggtttgt	11160
ggagctcggc	aagcgcgact	gttacgcgga	taaccagctc	gggctgcggc	cgctcctgcg	11220
caatctctcc	ttctcgctgg	tggatctccg	ggggatgatg	ctcgagcggc	cggcgcggtg	11280
ccgtgcgctc	ttggaggagc	tcctcggcct	gatcgcggca	ggcgtgttca	ccccctcccc	11340
catcgcgacg	ctcccgatcg	cccgtgtcgc	cgatgcgttc	cggagcatgg	cgcaggcgca	11400
gcattctggg	aagctcgtac	tcacgctggg	tgacccgag	gtccagatcc	gtattccaac	11460
ccacgcaggc	gccggccccg	ccaccgggga	tcgggacctg	ctcgacaggc	tcgcgtcagc	11520
tgcgccggcc	gcgcgcgcgg	cggcgctgga	ggcgcttcctc	cgtacgcagg	tctcgcagggt	11580
gctgcgcacg	cccgaatca	aggtcggcgc	ggaggcgctg	ttcaccgcgc	tcggcatgga	11640
ctcgctcatg	gccgtggagc	tgcgcaatcg	tatcgaggcg	agcctcaagc	tgaagctgtc	11700
gacgacgttc	ctgtccacgt	cccccaatat	cgccttgttg	gccccaaaacc	tggtggatgc	11760
tctcgccaca	gctctctcct	tggagcgggt	ggcgggcgag	aacctacggg	caggcgtgca	11820
aaacgacttc	gtctcatcgg	gcgcagatca	agactgggaa	atcattgccc	tatgacgttc	11880
aatcagcttc	tgaacgagct	cgagcaccag	ggtatcaagc	tggcggccga	tggggagcgc	11940
ctccagatac	agggccccaa	gaacgcctcg	aacccgaacc	tgctcgctcg	aatctccgag	12000
cacaaaaagca	cgatcctgac	gatgctccgt	cagagactcc	ccgcagaatc	catcgtgccc	12060
gccccagccg	agcggcacgc	tcggtttcct	ctcacagaca	tccaagaatc	ctactggctg	12120
ggccggacag	gagcgtttac	ggtcccccagc	gggatccacg	cctatcgcca	atacgaactg	12180
acggatctcg	acgtgccgag	gctgagccgc	gccttttcgga	aagtcgtcgc	gcggcacgac	12240
atgcttcggg	cccacacgct	gcccgcacatg	atgcagggtga	tcgagcctaa	agtcgacgcc	12300
gacatcgaga	tcacgtatct	gcgcgggctc	gaccggagca	cacgggaagc	gaggctcgtg	12360
tcgttgcgag	atgcgatgtc	gcaccgcctc	tatgacaccg	agcgccctcc	gctctatcac	12420
gtcgtgcggc	ttcggctgga	cgagcggcaa	accggtctcg	tgctcagtat	cgatctcatt	12480
aacgttgacc	taggcagcct	gtccatcatc	ttcaaggact	ggctcagctt	ctacgaagat	12540
cccagagacc	ctctccctgt	cctggagctc	tcgtaccgcg	attatgtact	cgcgctggag	12600
tctcgcaaga	agtctgaggc	gcatcaacga	tcgatggatt	actggaagcg	gcgcctcgcc	12660
atgctcccac	ctccgcgcac	gcttccgatg	aaggccgatc	catctaccct	gaaggagatc	12720
cgcttccggc	acacggagca	atggctgccc	tcggactcct	ggggtcgatt	gaagcggcgt	12780
gtcggggagc	gcgggctgac	cccgcagggc	gtcatcctgg	ctgcattttc	cgaggtgatc	12840
gggcgctgga	gcgcgagccc	ccggttttacg	ctcaacataa	cgctcttcaa	ccggctcccc	12900
gtccatccgc	gcgtgaacga	tatcaccggg	gacttcacgt	cgatggctct	cctggacatc	12960
gacaccactc	gcgacaagag	cttcgaacag	cgcgctaagc	gtattcaaga	gcagctgtgg	13020
gaaggatgg	atcactgcga	cgtaagcggg	atcgagggtc	agcgagaggc	cgcccgggtc	13080
ctggggatcc	aacgagggcg	attgttcccc	gtggtgctca	cgagcgcgct	taaccagcaa	13140
gtcgttggtg	tcacctcggt	gcagaggctc	ggaactccgg	tgtacaccag	cacgcagact	13200
cctcagctgc	tgctggatca	tcagctctac	gagcacgatg	gggaactcgt	cctcgcgtgg	13260
gacatcgctc	acggagtgtt	cccgcgccgac	cttctggacg	acatgctcga	agcgtacgtc	13320
gtttttctcc	ggcggctcac	tgaggaaacca	tggggtgaac	aggtgcgctg	ttcgtctccg	13380
cctgcccagc	tagaagcgcg	ggcgagcgca	aacgcgacca	acgcgctgct	gagcgagcat	13440
acgtgcacg	gcctgttcgc	ggcgcggggc	gagcagctgc	ccatgcagct	cgccgtgggtg	13500
tcgggcgcga	agacgctcac	gtacgaagag	ctttcgcgcc	gttcgcggcg	acttggcgcg	13560
cggctgcgcg	agcagggggc	acgcccgaac	acattgggtcg	cgggtggtgat	ggagaaaaggc	13620
tgggagcagg	ttgtcgcggg	tctcgcgggtg	ctcgagtcag	gcgcggcccta	cgtgccgac	13680
gatgcgcgac	taccggcgga	cgatattccac	tacctcctcg	atcatggtga	ggtaaaagctc	13740
gtgctgacgc	agccatggct	ggatggcaaa	ctgtcatggc	cgccgggggat	ccagcggctg	13800
ctcgtgagcg	aggccggcgt	cgaaggcgac	ggcgaccagc	ctccgatgat	gcccatccag	13860
acaccttcgg	atctcgcgta	tgcatctac	acctcgggat	ccacagggtt	gccccagggg	13920
gtgatgatcg	atcatcgggg	tgccgtcaac	accatcctgg	acatcaacga	gcgcttcgaa	13980
atagggcccg	gagacagggg	gctggcgctc	tcctcgctga	gcttcgatct	ctcgggtctat	14040
gatgtgttcg	ggatcctggc	ggcggggcgt	acgatcgtgg	tgccggacgc	gtccaagctg	14100
cgcgatcccg	cgcattgggc	agagttgatc	gaacgagaga	aggtgacggg	gtggaaactcg	14160
gtgccggcgc	tgatgcggat	gctcgtcgag	cattttgagg	gtcgcgccga	ttcgtcgtct	14220
aggtctctgc	ggctttcgct	gctgagcggc	gactggatcc	cgggtgggct	gcctggcgag	14280
ctccaggcca	tcaggcccg	cgtgtcgggt	atcagcctgg	gcggggccac	cgaagcgtcg	14340

atctgggtcca	tccgggtaccc	cgtgaggaac	gtcgcacctat	cgtggggcgag	catccccctac	14400
ggcccgctccg	tgcgcaacca	gacgtttccac	gtgctcgaatg	aggcgctcga	accgcgccccg	14460
gtctggggttc	cggggcaact	ctacattggc	ggggctcgggc	tggcactggg	ctactgggcgc	14520
gatgaagaga	agacgcgcaa	gagcttcctc	gtgcaccccc	agaccgggga	gcgcctctac	14580
aagaccggcg	atctggggcg	ctacctgcc	gatggaaaca	tcgagttcat	ggggcgtag	14640
gacaacaaaa	tcaagcttcg	cggataccgc	gttgagctcg	gggaaatcga	ggaaacgctc	14700
aagtcgcac	cgaacgtacg	cgacgcggtg	attgtgcccc	tcgggaacga	cgcggcgaa	14760
aagctccttc	tagcctatgt	gggtcccggag	ggcacacgga	gacgcgctgc	cgagcaggac	14820
gcgagcctca	agaccgagcg	gatcgacgcg	agagcacacg	ccgccgaagc	ggacggcttg	14880
agcgacggcg	agaggggtgca	gttcaagctc	gctcgacacg	gactccggag	ggacctggac	14940
ggaaagcccg	tcgtcgatct	gaccgggcag	gatccgcggg	aggcggggct	ggacgtctac	15000
gcgcgtcgcc	gtagcgtccg	aacgttcctt	gaggccccga	ttccgtttgt	tgagtttggt	15060
cgattcctga	gctgccttag	cagcgtggag	cccgcaggcg	cgacccttcc	caaattccgt	15120
tatccatcga	cgggcagcac	gtacccggtg	caaacctacg	cgtatgtcaa	atccggccgc	15180
atcgagggcg	tggacgaggg	cttctattat	taccaccctg	tcgagcaccg	tttgctgaag	15240
ctctccgac	acgggatcga	gcgcggagcg	cacgttcggc	aaaacttcga	cgtgttcgat	15300
gaagcggcgt	tcaacctcct	gttcgtgggc	aggatcgacg	ccatcgagtc	gctgtatgga	15360
tcgtcgtcgc	gagaattttg	cctgctggag	gccgatata	tggcgagct	cctgatggag	15420
caggcgctct	cctgcaacat	cggcgtctgt	ccggtggggc	aattcaattt	tgaacaggtt	15480
cgcccggttc	tcgacctgcg	acattcggac	gtttacgtgc	acggcatgct	gggcggggcg	15540
gtagaccgcg	ggcagttcca	ggtctgtacg	ctcggtcagg	attcctcacc	gaggcgcgcc	15600
acgacgcgcg	gcgccccctc	cggccgcgag	cagcacttcg	ccgatatgct	tcgcgacttc	15660
ttgaggacca	aactaccgca	gtacatggtg	cctacagtct	tcgtggagct	cgatgcgttg	15720
ccgctgacgt	ccaacgggcaa	ggtcgatcgt	aaggccctgc	gcgagcggaa	ggataacctc	15780
tcgccgcggc	attcggggca	cacggcgcca	cgggacgcct	tggaggagat	cctcgtcgcg	15840
gtcgtacggg	aggtgctcgg	gctggaggtg	gtcgggtctc	agcagagctt	cgtcgatctt	15900
ggtgcgacat	cgattcacat	cgttcgcagt	aggagcctgt	tgcagaagag	gctggatagg	15960
gagatcgcca	tcaccgagtt	gttccagtac	cgaacctcgc	gctcgcctgg	gtccggtttg	16020
cgccgagact	cgagagatct	agatcagcgg	ccgaacatgc	aggaccgagt	ggaggttcgg	16080
cgcgaaggca	ggagacgtag	ctaagagcgc	cgaacaaaac	caggccgagc	gggcccgatga	16140
ccgctcaagcc	cgctcgctgc	accctgggac	tcactgtatc	tgatcgcggg	tacgcgcggc	16200
gggtgtgctc	gttgagccgt	gttggttcgaa	cgctgaggaa	cggtgagctc	atggaagaac	16260
aagagtccct	cgctatcgca	gtcatcgcca	tgtcggggcg	ttttccgggg	gcgcgggatc	16320
tggacgaatt	ctggaggaa	cttcgagacg	gcacggaggc	cgtgcagcgc	ttctccgagc	16380
aggagctcgc	ggcgctcggg	gtcgaccccg	cgctggtgct	ggaccggagc	tacgtccggg	16440
cgggcagcgt	gctggaagac	gtcgaccggt	tcgacgctgc	ttctctcggc	atcagcccg	16500
gcgaggcaga	gctcatggat	ccgcagcacc	ggatcttcat	ggaatgcgcc	tgggaggcgc	16560
tggagaacgc	cggatacgcg	ccgacggctt	acgagggctc	tatcggcgtg	tacgcgcggc	16620
ccaacatgag	ctcgtacttg	acgtcgaacc	tcacagagca	cccagcgatg	atgcggtggc	16680
ccggctggtt	tcagacgttg	atcggaacg	acaaggatta	cctcgcgacc	cacgtctcct	16740
acaggctgaa	cttgagaggg	ccgagcatct	ccgttcaaac	tgcttgcctc	acctcgctcg	16800
tggcggttca	cttggcgctg	atgagcctcc	tggaccgcga	gtgcgacatg	gcgctggccg	16860
gcgggattac	cgtccggatc	ccccatcgag	ccggctatgt	atatgctgag	ggggcgatct	16920
tctctcccca	cggccattgc	cgggccttcg	acgccaaagg	gaacggcacg	atcatgggca	16980
acggctgctg	gttggtcctc	ctgaagccgc	tggaccgggc	gctctccgat	ggtgatcccg	17040
tcgcgcgggt	tatccttggg	tctgccacaa	acaacgacgg	agcgaggaa	atcgggttca	17100
ctgcgcccag	tgaggtgggc	caggcgcaag	cgatcatgga	ggcgctggcg	ctggcagggg	17160
tcgagggccc	gtccatccaa	tacatcgaga	cccacgggac	cggcacgctg	ctcggagacg	17220
ccatcgagac	ggcgggcgctg	cggcggtgtg	tcggtcgcga	cgcttcggcc	cggaggtctt	17280
gcgcgatcgg	ctccgtgaag	accggcatcg	gacacctcga	atcggcggtc	ggcatcgccg	17340
gtttgatcaa	gacggtcttg	gcgctggagc	accggcagct	gccgcccagc	ctgaactctg	17400
agtctcctaa	cccatacgatc	gatttcgcga	gcagccggtt	ctacgtcaat	acctctctta	17460
aggattggaa	taccggctcg	actccgcggc	gggcccggct	cagctcgttc	gggatcggcg	17520
gcaccaacgc	ccatgtcgtg	ctggaggaag	cgccccggcg	gaagcttcca	gccgcggcgc	17580
cggcgcgctc	tgccgagctc	ttcgtcgtct	cggccaagag	cgcagcggcg	ctggatcgcc	17640
cggcggcacg	gctacgagat	catctcgagg	cgcaccaggg	gatttcgttg	ggcgacgtcg	17700
ccttcagcct	ggcgacgacg	cgcagcccc	tggagcaccg	gctcgcgatg	gcggcgccgt	17760
cgcgcgaggg	gttgcgagag	gggctcgacg	cagcggcgcg	aggccagacc	ccgcggggcg	17820
ccgtgcgtgg	ccgtgtctcc	cagggcaacg	tgccgaagg	ggtcttcgtc	tttccggccc	17880
agggtctctc	gtgggtcggc	atgggcccgg	agctcctggc	tgaggaaacc	gtcttccacg	17940
cggcgctttc	ggcggtgcgac	cgggcccacc	aggccgaagc	tgggttggtc	ctgctcggcg	18000
agctcgcgcg	cgacgaagg	tcctcccagc	tcgagcgcat	cgacgtgggtg	cagccggtgc	18060
tgttcgccct	cgcggtggca	tttgccggcg	tgtggcggtc	gtgggggtgc	gcgcccagcg	18120
tcgtgatcgg	ccacagcatg	ggcgaggtag	ccgcgcgcga	tgtggccggg	gcgctgtcgc	18180
tcgaggatgc	ggtggcgatc	atctgccggc	gcagccggct	gctccggcgc	atcagcggtc	18240

```

agggcgagat ggcggtgacc gagctgtcgc tggccgagggc cgaggcgggcg ctccgagggct 18300
acgaggatcgc ggtgagcgtg gccgtgagca acagcccgcg ctccgagggcg 18360
agccggcagc gatcggcgag gtgctgtcgt ccctgaacgc gaagggggtg ttctgccgtc 18420
gggtgaaggt ggatgtcgcc agccacagcc cgcaggtcga cccgctgcgc gaggacctct 18480
tggcagccct gggcgggctc cggccgggtg cggctgcggg gccgatgcgc tcgacggtga 18540
cgggcgccat ggtagcgggc cgggagctcg gagcgaatta ctggatgaac aacctcaggc 18600
agccagtgctg cttcgccgag gtagtccagg cgcagctcca aggcggccac ggtctgttcg 18660
tggagatgag cccgcacccg atcctaacga cttcggtcga ggagatgcgg cgcgcggccc 18720
agcggggcggg cgcagcgtg ggctcgctgc ggcgggggca ggacgagcgc ccggcgatgc 18780
tggaggcgct gggcacgctg tgggcgcagg gctaccctgt accctggggg cggctgtttc 18840
ccgcgggggg gcggcggtgta ccgctgccga cctatccctg gcagcgcgag cggctactga 18900
tcgaagcgcc ggcgaagagc gccgcggggc atcgccgcgg cgtgcgtgcg ggcggtcacc 18960
cgctcctcgg tgaaatgcag accctgtcaa cccagacgag caccgcggtg tgggagacga 19020
cgctggatct caagcggtg cctgtggctcg gcgaccaccg ggtgcaggga gcggtctgtg 19080
ttccggggcg ggcgtacctg gagatggcga ttctcgtcgg ggcggagggct ttgggcatg 19140
gcccctttgca gataactgac gtggtgctcg ccgagggcgt ggccttcgcg ggcgacgcgg 19200
cgggtgtggg ccaggtgggtg acgacggagc agccgtcggg gcggctgcag ttccagatcg 19260
cgagccgggg gccggggcgt ggcacgcgct ccttcggggg ccacgctcgc ggcgcgttgc 19320
tccgagtgga gcgcaccgag gtcccggctg ggcttacgct ttccgctgtg cgcgcggggc 19380
tccagggcag catacccgcc gcggccacct acgcgagct gaccgagatg gggctgcagt 19440
acggccctgc cttccagggg attgctgagc tatggcgggg tgaaggcgag gcgctgggac 19500
gggtacgcct gcccgacgcg gccggctcgg cagcgagta tcggttgcag cctgcgctgc 19560
tggagcggtg cttccagatc gtgcgcagcc tcttcgcccg cagtggcgag gcgacgccgt 19620
gggtgcccgt gtagttgggc tcgctgcggc tcttgacgag gccttcgggg gactgtggtg 19680
gccatgcgcg cgtcgtgaac catgggcacc aaacccccga tcggcagggc gccgactttt 19740
gggtggtcga cagctcgggt gcagtggctg ccgaagtttg cgggctcgtg gcgcagcgcc 19800
ttccgggagg ggtgcgcggc cgcgaagaag acgattggtt cctggagctc gagtgggaac 19860
ccgcagcggt gcgcacagcc aaggtcaacg cgggcccgtg gctgctcttc ggcggcgcg 19920
gtgggctcgg cgcgcgctt gcgcgcgagc tggaggccgg cggccatgcc gtcgtgcag 19980
cggcagagaa caacacgagc gctgccggcg tacgcgcgct cctggcaaa gcctttgacg 20040
gccaggtccc cgcggcggtg gtgcacctcg gcagcctcga tgggggtggc gactcgacc 20100
cagggtcggg ggcgcaaggc gcattggagc cgcgccggag cgcgcacgct agtcccgat 20160
ccctcgatcc ggcgctggta cgtggctgcg acagcgtgct ctggaccgtg caggccctgg 20220
ccggcatggg ctttcgagac gccccgcgat tgtggctttt gacccgcggc gcacaggccg 20280
tcggcgccgg cgacgtctcc gtgacacagg caccgctgct ggggctgggg cgcgtcatcg 20340
ccatggaagc cgcgatctg cgtgcgctc gggtcgacct cgatccagcc cggcccagag 20400
gggagctcgc tgccctgctg gccgagctgc tggccgacga cgcgcaagcg gaagtgcgct 20460
tgcgcggtgg cgagcgtatg gtcgctcggg tcgtccgccc gcagcccgag acccgccccc 20520
gggggaggat cgagagctgc gttccgaccg acgtcaccat ccgcgcggac agcacctacc 20580
ttgtgaccgg cgtctcgggt gggctcggct tgaagctggg cggatggctg gccgagcgcg 20640
gcgctgggtc cctggtgctg gtgggcgct cgcgcgcggc gagcgtggag caacggcgag 20700
ccgtcgcggc gctcagggtc cgcggcgcg gcgtcaccgt ggcgaaggcg gatgtcgccg 20760
atcgggcgca gctcagagcg atcctccgag aggttaccac gtcggggatg ccgctgcggg 20820
gcgtcgtcca tgccggccggc atcttggagc acgggctgct gatgcagcag actcccgcg 20880
ggtttcgtaa ggtgatggcg cccaaggtcc agggggcctt gcacctgcac gcgttgacgc 20940
gcgaagcgcc gctttccttc acgcttcggg agtagggctc ttgggctcgc 21000
cgggccaggg caactacgcc gtcggccaaca cgttctcga cgtctgtggc caccaccgga 21060
gggcgcaggg gctgccagcg ttgagcgtcg actggggcct gttcgcggag gtgggcatgg 21120
cggccgcgca ggaagatcgc ggcgcgcggc tggctctccc cggaatgcgg agcctcacc 21180
ccgacgaggg gctgtccgct ctggcacggc tgctcgaaag cggccgcgct cagggtgggg 21240
tgatgccggt gaaccgcggc ctgtgggtgg agctctaccc cgcggcgcg gcttcgcgaa 21300
tggtgtcgcg cctggtgacg gcgcacgcg cgagcgccgg cgggccagcc ggggacgggg 21360
acctgctccg ccgctcgcg gctgccgagc cgagcgcgcg gagcgcgctc ctggagcgcg 21420
tcctccgcgc gcagatctcg cagggtgctg gcctcccga gggcaagatc gagggtggag 21480
ccccgctcac gagcctgggc atgaactcgc tgatggggct cgagctgcgc aaccgcatcg 21540
aggccatgct gggcatcacc gtaccggcaa cgctgttgtg gacctatccc acggtggcg 21600
cgctgagcgg gcatctggcg cgggaggcat gcgaagccgc tcctgtggag tcaccgcaca 21660
ccaccgccga cttcggcgtc gagatcgagg agatgtcgca ggacgatctg acgcagttga 21720
tcgcagcaaa attcaaggcg cttacatgac tactcgcggt cctacggcac agcaaatcc 21780
gctgaaacaa gcggccatca tcattcagcg gctggaggag cggctcgctg ggctcgaca 21840
ggcggagctg gaacggaccg agccgatcgc catcgtcggg atcggctgcc gcttccctgg 21900
cgggtcgggac gctccggaag cgttttggga gctgctcgac gcggagcgcg acgcggtcca 21960
gcgctcgagc atgcgctggg cgtggtggg tgctcgtccc gtcgagggcg tgccgactg 22020
ggcggggctg ctcaccgagc cgatagattg cttcgatgct gcgttcttcg gcactcgcgc 22080
tcgggaggcg cgatcgctcg acccgagca tcgtctgttg ctggaggtcg cttgggaggg 22140

```

gctcggagac	gccgggtatcc	cgccccggtc	catcgacggg	agccgcaccg	gtgtgttcgt	22200
cgccgctttc	acggcgggact	acgcgcgcac	ggtcgctcgg	ctgccgcgcg	aggagcgaga	22260
cgcgtacagc	gccaccggca	acatgctcag	catcgccgcc	ggacggctgt	cgtacacgct	22320
gggggttgac	ggaccttgcc	tgaccgtcga	cacggcgtgc	tcgtcategc	tggtggcgat	22380
tcacctcgcc	tgccgcagcc	tgccgcaggg	agagagcgat	ctcgcgttgg	cgggaggggt	22440
cagcgcgctc	ctctcccccg	acatgatgga	agccgcggcg	cgcacgcaag	cgctgtcgcc	22500
cgatggtcgt	tgccggacct	tcgatgcttc	ggccaacggg	ttcgtccgtg	gcgagggtcg	22560
tgccctggtc	gtcctcaaac	ggctctccga	cgcgcaacgg	gatggcgacc	gcatctggcg	22620
gctgatccgg	ggctcggcca	tcaaccatga	tggccgggtcg	accgggttga	ccgcgcccaa	22680
cgtgctggct	caggagacgg	tcttgccgca	ggcgtgctcg	agcggccacg	tcgaagctgg	22740
ggccgtcgat	tacgtcgaga	cccacggaac	agggacctcg	ctgggcgatc	ccatcgaggt	22800
cgaggcgctg	cgggcgacgg	tggggccggc	gcgctccgac	ggcacacgct	gcgtgctggg	22860
cgcggtgaag	accaacatcg	gccatctcga	ggccgcggca	ggcgtagcgg	gcctgatcaa	22920
ggcagcgctt	tcgctgacgc	acgagcgcat	cccgagaaac	ctcaacttcc	gcacgctcaa	22980
tcgcgggacg	cggtcggagc	gcagcgcgct	cgcggtggcg	accgagccgg	tgcgctggcc	23040
gcgcacggac	cgcccgcgct	tcgcgggggt	gagctcgttc	gggatgagcg	gaacgaacgc	23100
gcatgtgggt	ctggaagagg	cgccggcggt	ggagctgtgg	cctgccgcgc	cggagcgctc	23160
ggcggaagctt	ttggtgctgt	cgggcaagag	cgaggggggcg	ctcgatggcg	aggcgcgctg	23220
gctgcgcgag	cacctggaca	tgcaccggga	gctcgggctc	ggggacgtgg	cgttcagcct	23280
ggcgacgacg	cgcagcgcg	tgagccaccg	gctcgcgggtg	gcggtgacgt	cgcgcgaggg	23340
gctgctggcg	cgctctcgg	ccgtggcgca	ggggcagacg	ccggcggggg	cgcgcgctcg	23400
catcgcgagc	tectcgcgcg	gcaagctggc	gttctgttcc	accggacagg	gcgcgcagac	23460
gccgggcatg	ggccgggggc	tttgccgggc	gtggccagcg	ttccggggag	cgttcgaccg	23520
gtgctggggc	ctgttcgacc	gggagctgga	ccggcccgctg	cgcgaggtga	tgtggggcga	23580
ggcggtggag	gccgagtcgt	tggtgctcga	ccagacggcg	ttcaccagc	ccgcgctctt	23640
cgcggtggag	tacgcgctga	cgccgctgtg	gcggtcgtgg	ggcgtagagc	cggagctcct	23700
ggttgggcat	agcatcgggg	agctggtggc	ggcgtgctgt	gcgggggtgt	tctcgcttga	23760
agatgggggtg	aggctcgtag	cgccgcgcgg	cgccgtgatg	caggggctct	cgccggcgcg	23820
cgcgatgggtg	tcgctcggag	cgccggaggc	ggaggtggcg	gcggcggtgg	cgccgcacgc	23880
ggcgctgggtg	tcgatcgcg	cggtcaatcg	gcgggagcag	gtggtgatcg	cgggcggtga	23940
gcaagcggtg	caggcgatcg	cgccgggggtt	gcggcgcgcg	ggcgcgcgca	ccaagcggtg	24000
gcatgtcttc	cacgcgttcc	actcgccgct	gatggaaccg	atgctggagg	agttcgggcg	24060
ggtggcgggcg	tcggtgacgt	accggcgggc	aagcggttcc	ctggtgagca	acctgagcgg	24120
gaaggtgggtc	acggacgagc	tgagcgcgcc	ggggtactgg	gtgcggcacg	tgcgggaggg	24180
ggtgcgcttc	cgggacgggg	tgaaggcgct	gcacgaagcc	ggcgcgggga	cgttcgctga	24240
agtggggcccg	aagccgacgc	tgctcgggct	gttgccagcc	tgcccgccgg	aggcgagacc	24300
gacgctgctg	gcgtcgttgc	gcgcggggcg	cgaggaggct	gcgggggtgc	tcgagggcgt	24360
ggcgacggctg	tgggccggcg	gcggtcgggt	cagctggccg	ggcgctcttc	ccacggctgg	24420
gcggcggggtg	ccgctgccga	cctatccgtg	gcagcggcag	cggtactgga	tcgagggcgc	24480
ggccgaagggt	ctcgagacca	cgcccgccga	tcgctggcg	cagtgggtct	accgggtgga	24540
ctggcccgag	atgcctcgct	catccgtgga	ttcgcggcga	gcccggctcc	gcgggtggct	24600
ggtgctggcc	gaccgggggtg	gagtcgggga	ggcgggcccg	gcggcgcttt	cgctcgacagg	24660
atgttcgtgc	gccgtgctcc	atgcgccgc	cgaggcctcc	gcggttgccg	agcaggtgac	24720
ccaggccctc	ggtggccgca	acgactggca	gggggtgctg	tacctgtggg	gtctggacgc	24780
cgtcgctggag	gcgggggcat	cgcccgaaaga	ggtcgccaaa	gtcaccatc	ttgcgcggct	24840
gccgggtgctc	gcgctgatcc	aggcgctcgg	cacggggccg	cgctcaccct	ggctctggat	24900
cgtgaccgga	ggggcctgca	cggtggggcg	cgagcctgac	gctgccccct	gtcaggcggc	24960
gctgtgggggt	atgggcccgg	tcgcggcgct	agagcatccc	ggctcctggg	gcgggtcgtg	25020
ggacctggat	ccggaggaga	gcccgcggga	ggtcgaggcc	ctggtggccg	agctgctttc	25080
gcccgacgcc	gaggatcagc	tggcattccg	ccaggggcgc	cgccgcgcag	cgccgcttgt	25140
ggccgcgccca	ccggagggaa	acgcagcgcc	ggtgtcgtcg	tctgcggagg	ggagttactt	25200
ggcgacgggt	gggctggggcg	cccttggcct	cctcggttgc	cggtgggttg	tggagcgcg	25260
ggcgggggcac	cttgtgctga	tcagccggca	cggattgccc	gaccgcgagg	aatggggccg	25320
agatcagccg	ccagaggtgc	gcgcgcgcgt	tgccggcgat	gaggcgctgg	aggcgagagg	25380
cgcgcgggtc	accgtggcgg	cggtcgacgt	ggccgatgac	gaaggcatgg	cggcgctctt	25440
ggcgggcgctc	gagccgcgcg	tgccgggggt	agtgacagcc	gcgggtctgc	tcgacgacgg	25500
gctgctggcc	caccaggacg	ctggctcggt	cgcccggtg	ttgcgcccc	aggtggagg	25560
ggcatgggtg	ctgcacaccc	ttaccgcgca	gcagccgctg	gacctcttcg	tactgttttc	25620
ctcgcgctcg	cgctctctcg	gctcgatcgg	acagggcagc	tacgcggcag	gcaatgctct	25680
tttgacgcg	ctggcgggacc	tccgcgcaac	gcaggggctc	gccgccctga	gcatcgctcg	25740
gggcctgtgg	gcggaggggg	ggatgggctc	gcaggcgag	cgccgggaac	acgaggcatc	25800
gggaatctgg	gcgatgccga	cgagtcgggc	ctggggggcg	atggaatggc	tgctcggtac	25860
gcgcgcgacg	cagcgcggtg	tcaccagat	ggattggggc	catgcgggg	ggcgcgcgcg	25920
cgacgcgagc	cgaggccgct	tctgggacg	gctggtaact	gccacgaaag	aggcctcttc	25980
ctcgcccgctg	ccagctgtgg	agcgctggcg	caacgcgtct	gttgtggaga	cccgcctcg	26040

gctctacgag	cttgtgcgag	gcgtgggtcgc	cggggtgatg	ggctttaccg	accagggcac	26100
gctcgaactg	cgacgagget	tcgccgagca	gggcctcgac	tccctgatgg	ccgtggagat	26160
ccgcaaacgg	cttcaggggtg	agctgggtat	gccgctgtcg	gcgacgctag	cgttcgacca	26220
tccgaccgtg	gagcggtctg	tggaaatactt	gctgagccag	gcgctggagc	tgacggaccg	26280
caccgacgtg	cgagcggttc	ggttgccggc	gacagaggac	ccgatcgcca	tcgtgggtgc	26340
cgcttgcgcg	ttccccggcg	gggtcgagga	cctggagtcc	tactggcagc	tggtgaccga	26400
ggcggtggtg	gtcagcaccc	aggtgccggc	cgaccgggtg	aatggggcag	acgggcgcgt	26460
ccccggctcg	ggagaggcac	agagacagac	ctactgtccc	aggggtggct	ttctgcgcga	26520
ggtggagacg	ttcgatgcgg	cgttcttcca	catctcgcc	cgggaggcga	tgagcctgga	26580
ccccgaacag	cggtgctgc	tggaaagtga	ctgggaggcg	atcgagcgcg	cgggccagga	26640
cccgctcgccg	ctgcgcgaga	gccccacggg	cggtgttcgtg	ggcgcgggcc	ccaacgaata	26700
tgccgagcgg	gtgcaggaac	tcgccgatga	ggcgcggggg	ctctacagcg	gcaccggcaa	26760
catgtcagc	gttgcgcgcg	gacggctatc	atttttcctg	ggcctgcacg	ggccgaccct	26820
ggctgtggat	acggcggtgc	cctcgctcgt	gggtggcgctg	cacctcggtc	gccagagcct	26880
gcgacggggc	gagtgcgacc	aagccctggt	tggcggggtc	aacatgctgc	ttctcgccga	26940
gaccttcgcg	ctgctctcac	ggatgcacgc	actttcgccc	ggcgggcggt	gcaagacgtt	27000
ctcgcccgac	gcgagcggtc	acgcgcgggc	cgagggtgc	gccgtgggtg	tgctcaagcg	27060
gctctccgac	gcgcagcgcg	accgcgaccc	catcctggcg	gtgatccggg	gtacggcgat	27120
caatcatgat	ggccccagca	gcgggctgac	agtgcacgc	ggccttgccc	aggagcgct	27180
gttacgccag	gcgctggcgc	acgcaggggt	ggttccggcc	gacgtcgatt	tcgtggaatg	27240
ccacggggacc	gggacggcgc	tgggcgaccc	gatcgaggtg	cggtgcgctga	gcgacgtgta	27300
cgggcaagcc	cgccctgcgg	accgaccgct	gatcctggga	gccgccaaag	ccaaccttgg	27360
gcacatggag	cccgcggcgg	gcctggcggg	cttgctcaag	gcgggtgctcg	cgctggggca	27420
agagcaaata	ccagccacgc	cggaagctggg	cgagctcaac	ccgctcttgc	cggtgggagc	27480
gctgcccggg	gcgggtggccc	gcgcagcggt	gccgtggccg	cgcacggacc	gcccgcgctt	27540
cgcggggggtg	agctcgttcg	ggatgagcgg	aacgaacgcg	catgtgggtg	tggaagaggc	27600
gccggcggtg	gagctgtggc	ctgccgcgcc	ggagcgctcg	cgggagcttt	tggtgctgtc	27660
gggcaagagc	gagggggcgc	tcgatgcgca	ggcgcgcgcg	ctgcgcgagc	acctggacat	27720
gcacccgagc	ctcggggtcg	gggacgtggc	gttcagcctg	gcgacgacgc	gcagcgcgat	27780
gaaccaccgg	ctcgcggttg	cggtgacgtc	gcgcgagggg	ctgctggcgg	cgctttcgcc	27840
cgtaggcgac	gggcagacgc	cgccgggggc	ggcgcgctgc	atcgcgagct	cgctcgcgcg	27900
caagctggcg	ttcctgttca	ccggacaggg	cgcgacagcg	ccgggcatgg	gccgggggct	27960
ttgctcgggc	tggccagcgt	tcggggaggc	gttcgaccgg	tgctggtggc	tggttcgacc	28020
ggagctggac	cgcccgcctg	gcgaggtgat	gtggggcgag	ccggggagcg	ccgagtcgct	28080
gttctcgac	cagacggcgt	tcacccagcc	cgcgctcttc	acggtggagt	acgcgctgac	28140
ggcgctgtgg	cggtcgtggg	gcgtagagcc	ggagctggtg	gctgggcata	gcgcccggga	28200
gctggtggcg	gcgtgcgtgg	cgggggtggt	ctcgctggaa	gatgggggtg	ggctcgtggc	28260
ggcgcgcggg	cggtgatgc	aggggtcttc	ggcgggcggc	gcgatggtgt	cgctcgagcg	28320
gccggaggcg	gaggtggcgg	cggcggtggc	gccgcacgcg	gcgtcggtgt	cgatcgcgcc	28380
ggtcaatggg	ccggagcagg	tgggtgatcg	gggcgtggag	caagcggtgc	aggcgatcgc	28440
ggcggggttc	gcggcgcgcg	gcgcgcgcac	caagcggtgc	catgtctcgc	acgcgtccca	28500
ctcgccgctg	atggaaaccga	tgctggagga	gttcggggcg	gtggcgcgct	cggtgacgta	28560
ccggcgccca	agcgtttcgc	tgggtgagca	cctgagcggg	aaggtggtcg	cggaagagct	28620
gagcgcgccg	gggtactggg	tgccggacgt	gcgggagggc	gtgcgcttcg	cggaaggggt	28680
gaaggcgctg	cacgaagccg	gtgcgggcac	gttcgctcga	gtggggcccg	agccgacgct	28740
gctcgggctg	ttgccagcct	gcctgccgga	ggcgagcccg	acgctgctgg	cgctcgttgc	28800
cgccggggcg	gaggaggctg	cgggggtgct	cgaggcgctg	ggcaggctgt	gggcccggcg	28860
cggtcgggtc	agctggcgcg	gcgtcttccc	cacggctggg	cggcgggtgc	cgctgccgac	28920
ctatccgtgg	cagcggcagc	ggtactggcc	cgacatcgag	cctgacagcc	gtcgccacgc	28980
agcccgggat	ccgaccacaag	gctggttcta	tcgcgtggac	tggccggaga	tacctcgag	29040
cctccagaaa	tcagaggagg	cgagccgcgg	gagctggctg	gtattggcgg	ataagggtgg	29100
agtcggcgag	gcggctcgctg	cagcgctgtc	gacacgtgga	cttccatgct	tcgtgctcca	29160
tgcccgccga	gagacatccg	cgaccgcgga	gctggtgacc	gaggctgccg	gcggtcgaa	29220
cgattggcag	gtagtgtctt	acctgtgggg	tctggacgcc	gtcgtcggtg	cggaagcgct	29280
gatcgatgag	atcgccgacg	cgaccgctcg	tgctaccgcg	ccggtgctcg	gcttggctcg	29340
gtttctgagc	accgtgtctt	gttcgccccg	actctgggtc	gtgacccggg	gggcatgcat	29400
cgttggcgac	gagcctgcga	tcgccccctt	tcaggcgcg	ttatggggca	tgggcccggg	29460
ggcgcgctc	gagcatcccc	gggcctgggg	cgggctcgtg	gacctggatc	cccagcgag	29520
cccccccaaa	ccagccccga	tcgacggcga	gatgctcgtc	accgagctat	tgctgcagga	29580
gaccgaggat	cagctcgcc	tcggccatgg	gcgcccgcac	gcggcacggc	tggtggccgc	29640
cccgcacacg	gggcaagcgg	caccggtgtc	gctgtctcgc	gaggcgagct	acctggtgac	29700
gggaggcctc	ggtgggctgg	gcctgatcgt	ggcccagtg	ctgggtggagc	tgggagcgcg	29760
gcacttgggtg	gtgaccagcc	ggcgcggtt	gcccagaccg	caggcggtgt	gcgagcagca	29820
gccgcctgag	atccgcgcgc	ggatcgagc	ggtcgaggcg	ctggaggcgc	ggggtgcacg	29880
ggtgaccgtg	gcagcggtgg	acgtggccga	cgtcgaaccg	atgacagcgc	tggtttcgtc	29940

ggctcgagccc	ccgctgcgag	gggtgggtgca	cgccgctggc	gtcagcgctca	tgcgtccact	30000
ggcgagagacg	gacgagaccc	tgctcgagtc	gggtgctccgt	cccaagggtgg	ccgggagctg	30060
gctgctgcac	cggtgctgc	acggccggcc	tctcgacctg	tctgtgctgt	tctcgctggg	30120
cgacagcgggtg	tggggtagcc	atagccaggg	tgcgtagcgc	gcggccaacg	cttccctcga	30180
cgggctcgcg	catcttcggc	gttcgcaatc	gctgcctgcg	ttgagcgtcg	cgtggggtct	30240
gtgggcccag	ggagggcatgg	cggaagcgga	ggctcatgca	cgtctgagcg	acatcggggt	30300
tctgcccatag	tgcagctcgg	cagcgttgte	ggcgctccag	cgcttggtgg	agaccggcgc	30360
ggctcagcgc	acggtgaccc	ggatggactg	ggcgcgcttc	gcggcggtgt	acaccgctcg	30420
agggcgctcgc	aacctgcttt	cggcgctggg	cgcaaggcgc	gacatcatcg	cgccttcccc	30480
tccggcgcca	gcaacccgga	actggcggtg	cctgtccgtt	gcggaagccc	gcgtggctct	30540
gcacgagatc	gtccatgggg	ccgtcgctcg	gggtgctgggc	ttcctcgacc	cgagcgcgct	30600
cgatcctggg	atgggggttca	atgagcaggg	cctcgactcg	ttgatggcgg	tggagatccg	30660
caacctcctt	caggctgagc	tggacgtgcg	gctttcgacg	acgctggcct	ttgatcatcc	30720
gacggtacag	cggttggtgg	agcatctgct	cgctgatgta	ctgaagctgg	aggatcgcag	30780
cgacacccag	catgttcggt	cgttgccgtc	agacgagccc	atcgccatcg	tgggagccgc	30840
ctgcccgttc	ccgggcccggg	tggaggacct	ggagtcctac	tggcagctat	tggccgaggg	30900
cgtggtggte	agcgccgagg	tgcggccga	ccggtgggat	gcggcggact	ggtacgacc	30960
tgatccggag	atcccaggcc	ggacttacgt	gaccaaaggc	gccttccctg	gcgatttgca	31020
gagattggat	gcgaccttct	tccgcatact	gcctcgcgag	gcgatgagcc	tgcacccgca	31080
gcagcggttg	ctcctggagg	taagctggga	agcgctcgag	agcgccggta	tgcctccgga	31140
tacgctgcga	gatagcccca	ccggggtggt	cgtgggtgcg	gggcccgaatg	agtactacac	31200
gcagcggtcg	cgaggcttca	ccgacggagc	ggcagggttg	tacggcgcca	ccgggaacat	31260
gctcagcgtt	acggctggac	ggctgtcgtt	tttccctgggt	ctgcacggcc	cgacgctggc	31320
catggatacg	cgctgctcgt	catccctggg	cgcgctgcac	ctcgctgcc	agagcctgcg	31380
actgggagag	tgcgatcaag	cgctgggttg	cggggtcaac	gtgctgctcg	cgccggagac	31440
cttcgtgctg	ctctcacgga	tgcgcgcgct	ttcgcccagc	gggcggtgca	agacgttctc	31500
ggcgacgcgc	gacggctacg	cgccggggcga	ggggtgcgcc	gtggtggtgc	tcaagcggtg	31560
gcgcgatcgc	cagcgcgccg	gcgactccat	cctggcgctg	atccggggaa	gcgcggtgaa	31620
ccacgacggc	ccgagcagcg	ggctgaccgt	acccaacgga	cccggcccagc	aagcatctgt	31680
gcgcacggcg	cttctcgcaag	caggcgtgtc	tccggtcgac	gttgattttg	tggagtgcca	31740
cgggacaggg	acggcgctgg	gcgacccgat	cgagggtcag	gcgctgagcg	agggtgtatg	31800
tccagggcgc	tccggggacc	gaccgctggt	gctgggggccc	gccaaggcca	acgtcgcgca	31860
tctggaggcg	gcatactggct	tggccagcct	gctcaaggcc	gtgcttgccg	tgcggcacga	31920
gcagatcccc	gcccagccgg	agctggggga	gctcaaccgg	cacttgccgt	ggaacacgct	31980
gtcggtggcg	gtgccacgta	aggcggtgcc	gtggggggcg	ggcgccacgc	cgcgctcggg	32040
cggcgtgagc	gcgttcgggt	tgagcggaaac	caacgtgcat	gtcgtgctgg	aggaggcacc	32100
ggaggtggag	ccggcgcccc	cggcgcggcg	gcgaccggtg	gagctggtcg	tgctatcgcc	32160
caagagcgcg	cgcgcgctgg	acgcgcggcg	ggcacggctc	tccggcgacc	tgctccgcga	32220
cccggagctg	agcctcgggc	acgtggcgct	cagcctggcg	acgacgcgca	gcccgatgga	32280
gcaccggctc	gccatcgcca	cgacctcgcg	cgaggccctg	cgaggcgcg	tggacgcgcg	32340
ggcgagcaaa	aagacgcgcg	aggggcggtg	gcggcgcaag	gccgtgtcct	cacgcggtta	32400
gcttggtttc	ctgttcaccg	gacaggcgcg	gcaaatgccg	ggcatgggccc	gtgggtgta	32460
cgaaacgtgg	cctgcgttcc	gggaggcggt	cgaccgggtg	gtggcgctct	tcgatcggga	32520
gatcgaccag	cctctgcgcg	aggatgatgt	ggctgcgcgc	ggcctcgctc	aggcgggcgc	32580
gctcgatcag	accgcgtacg	cgacgcccgc	tctctttgct	ctggagtaag	cgctggctgc	32640
cctgtggcgt	tctgtggggc	tggagccgca	cgtactgctc	ggtcatagca	tccggcgagct	32700
ggtcgccggc	tgcgtggcgg	gcgtgttctc	gctcgaagat	gcgggtgaggt	tgggtggccgc	32760
gcgcggggcg	ctgatgcagg	cgctaccgcg	cgcggtgccc	atggtagcca	tccgagcgtc	32820
cgaggccgag	gtggccgcct	ccgtggcgcc	ccacgcgcgc	acgggtgtcg	tccgcgcggt	32880
caacggtcct	gacgccgtcg	tgatcgccgg	cgccgaggta	caggtgctcg	ccctcgccgc	32940
gacgttcgcg	gcgcgtggga	tacgcacgaa	gaggctcgcc	gtctcccatg	cgctccactc	33000
gcccgtcatg	gatccgatgc	tggaaagactt	ccagcgggtc	gctgcgacga	tccggtaccg	33060
cgcgccagac	cgcccggtgg	tgtcgaaatgt	caccggccac	gtcgagggcc	ccgagatccg	33120
cacgcccagc	tattgggtcc	ggcatgtgct	aagcgccgtg	cgcttcggcg	acggggcaaa	33180
ggcggtgcat	cccgcgggtg	ccgccacggt	cgtcgaggtt	ggcccgaagc	cgctctgctc	33240
cgggctgttg	ccagcgtgcc	tccggggaagc	ggacgcggtc	ctcgtgccgt	cgctacgcgc	33300
ggaccgctcg	gaatgcgagg	tggctcctcg	ggcgctcggg	gcttggtatg	cctggggggg	33360
tgcgctcgac	tggaaaggcg	tgttccccga	tggcgcgccg	cgcggtggctc	tgccccatga	33420
tccatggcag	cgtgagcgcc	attggatgga	ctcaccgccg	cgaagcgccg	cgctcgagcg	33480
gatcgacggt	cgctggccgc	tggctgggtg	cgggctctgc	atgcccgggc	ctgtgttgca	33540
ccacgtgctc	tcgatcggaac	cacgccatca	gccttccctc	ggtgatcacc	tctgtgttgg	33600
caaggtgggtg	gtgcccggcg	cctttcatgt	cgcggtgatc	ctcagcatcg	ccgcccagcg	33660
ctggcccgaag	cgggcgatcg	agctgacagg	cgtggagttc	ctgaaggcca	tccgcatgga	33720
gcccgaccag	gaggtcgagc	tccacgcgct	gctcaccccc	gaagccggcg	gggatggcta	33780
cctgttcgag	ctggcgaccc	tggcgggcgcc	ggagaccgaa	cgccgatgga	cgaccacgcg	33840

ccgcgggtcgg gtgcagccga cagacggcgc gcccgccgcg ttgcccgcgc tcgaggtgct 33900  
ggaggaccgc gcgatccagc ccctcgactt cgcgggattc ctgcagaggt tatcggcggt 33960  
gcggtatcggc tgggggtccgc tttggcgatg gctgcaggac gggcgcgctc gcgacgaggg 34020  
ctcgcttgcc accctcgtgc cgacctatcc gaacgcccac gacgtggcgc ccttgcaccc 34080  
gatcctgctg gacaacggct ttgcggtgag cctgctgtca acccgagcgc agccggagga 34140  
cgacgggacg ccccgctgc cgttcgccgt ggaacgggtg cggtgggtggc gggcgccggt 34200  
tggaagggtg cgggtgtggc gctgcccgcg gtcgcaggca ttcggtgtct cgagcttcgt 34260  
gctggtcgac gaaactggcg aggtgggtgc cgaggtggag ggatttgttt gccgcccggc 34320  
gcccgagag gtgttcctgc ggcaggagtc gggcgcgctc actgcagcct tgtaccgcct 34380  
cgactggccc gaagcgcctt tgcccgatgc gcctgcggaa cggatcgagg agagctgggt 34440  
cgtggtgggt gcacctggct cggagatggc cgcggcgctc gcaacacggc tcaaccgctg 34500  
cgtcctcgcc gaacccaaag gcctcgaggc ggcctcgcgc ggggtgtctc ccgcaggtgt 34560  
gatctgcctc tgggaggtcg gagcccacga ggaagctccg gcggcgccgc agcgtgtggc 34620  
gaccgagggc ctctcggtgg tgcaggcgct cagggaccgc gcggtgcgcc tgtggtgggt 34680  
gaccatgggc gcagtggcgc tcgaggcccg tgagcgggtg caggtcgcca cagcgccggt 34740  
atggggcctc gggcggacag tgatgcagga gcgcccggag ctgagctgca ctctggtgga 34800  
tttggagccg gaggccgatg cagcgcgctc agctgacgtt ctgttgcggg agctcggctc 34860  
cgctgacgac gagacacag tggcttttcg ttccggaaag cgcccgctag cgcgctgtgt 34920  
caaagcgacg acccccgaag ggctcctggt ccctgacgca gactcctatc gactggaggc 34980  
tgggcagaag ggcacattgg accagctccg cctcgcgcgc gcacagcgcc gggcacctcg 35040  
cccgggagag gtcgagatca aggtaacgcg ctcggggctc aacttcggga cgtcctcgt 35100  
tgtgtggga atgtatccg gcgacgcccg gccgatgggc ggagattgtg ccggtgtcgc 35160  
cacggcggtg ggcaggggg tgcgccacgt cgcggtcgcc gatgctgtca tgacgtggg 35220  
gacgttgcac cgattcgtca cggtcgacgc gcggtcggtg gtccggcagc ctgcaaggct 35280  
gactcccgcg caggcagcta cgggtccggt cgcgttcttg acggcctggc tcgctctgca 35340  
cgacctgggg aatctgcggc gcggcgagcg ggtgctgate catgctgcgc ccggcggtgt 35400  
gggcatgggc gcggtgcaa tcgcccgatg gataggggcc gaggtgttcg ccacggcgag 35460  
cccgtccaaag tgggcagcgg ttccaggccat gggcggtcgc cgcacgcaca tcgcccgtc 35520  
gcgacgctg gagtttgcg agacgttccg gcaggtcacc ggccggccgg gcgtggacgt 35580  
ggtgtcaac gcgctggcgc gcgagttcgt ggacgcgagc ctgtccctgc tgcgacggg 35640  
cggcggttcc ctcgagatgg gcaagaccga catacgggat cgagccgcgc tcgcccggc 35700  
gcatcccggt gtctcgtatc ggggtattcg catcctggag ctgcgtccgc atcgaaactc 35760  
agagatccct gagcgcgtgg tcgagggcct tgcgtcgcca catctgcgc catttccggt 35820  
gcatgcttcc gcgatcaca agcccgaggc agcgttccg ttcatggcgc aagcgcggca 35880  
tcaggggcaag gtcgtgctgc tgcggcgcc ctcgcagcg cccttggcgc cgacggggcac 35940  
cgtactgctg accggtgggc tgggagcgtt ggggctccac gtggcccgc gtgtcccgct 36000  
gcaggggcgt ccgcacatgg tgctcacagg tcggcggggc ctggatacgc cggcgctgc 36060  
caaaagcgtc cggagatcg aagcgtcgc cgcctcggtg acgatcgcg cgtcggatgt 36120  
cgccgatcgg aatgcgctgg aggtgtgct ccaggccatt ccggcgaggt ggccgttaca 36180  
ggcgctgctc catgcagcgc gacgcctcga tgatggtgtg ctgtgatgag agaccacga 36240  
ccgcttctcg cgggtgctgg caccgaaggt gactggcgcc tggaaatctg atgactctac 36300  
ggcgggcaac gatctcgtt tcttcgtgct gttctcctcc atgtcggggc tcttgggctc 36360  
ggccgggag tccaactatg cggcgcccaa cacttccctc gacgcgctg ccgcgcatcg 36420  
gcggggccga ggcctggcgc cgcagagcct cgcgtgggac ccatggtcgc acggaggaat 36480  
ggcagcggg gcagcgcgc cgctgcagc gcggctcgt cggcatggga tgggagctct 36540  
gtcgcgggct cagggcaccg cgtgctcgc gcaggcgct gctcggccgc aaacgcagct 36600  
cggggcgatg tcgctcgacg tgcgtgcggc aagccaaagt tcgggagcgc cagtgccgc 36660  
tgtgtggcgc gcgttggtgc gcgcggaggg gcgccatac gcggctgggg cgcagggggc 36720  
attggccgcg cgtcttgggg cgtgcccga ggcgcgtcgc gccgacgagg tgcgcaagg 36780  
cgtgcaggcc gagatcgcg gcgtgcttcc atggagcgc gcgagcgcc tgcccgtcga 36840  
tcggccgctg tcggacttgg gcctcgactc gctcacggcg gtggagctgc gcaacgtgct 36900  
cggccagcgc gtgggtgcga cgtgcggcgc gacgtggca ttcgatcacc cgacggtcga 36960  
cgcgctcacg cgctggctgc tcgataaggt cctggccgtg gccgagccga gcgtatcgtc 37020  
cgcaaagtgc tcgcccagc tcgcccctga cgagcccat gccatcatcg gcatcggtcg 37080  
ccgtttccca ggcggcgctg ccgatccgga gtcgttttgg cgcgtgctcg aagagggcag 37140  
cgatgccgtc gtcgaggtgc cgcatgagcg atgggacatc gacgcgttct atgatccgga 37200  
tcggatgtg cgcggcaaga tgacgacacg ctttggcggc ttctgttccg atatcgaccg 37260  
gttcgatccg gccttcttcg gcatctcgcc gcgcgaagcg acgaccatgg atccgcagca 37320  
gcggctgctc ctggagacga gctgggaggc gttcgagcgc gccgggattt tgcccagcg 37380  
gctgatgggc agcgataccg gcgtgttcgt taccaggagt acgctgcgtc 37440  
cgccggcgcc atcgaggcgt tcgatggcta ggcaccacgc ccagcgtcgc 37500  
ctcgggcagg atctcttatg tgctcgggct aaaggggcgc agcctgacgg tggacaccgc 37560  
gtgctcctcg tcgctggtcg cgtgcacct ggccgtccag gcgctgcggc gggcgagtg 37620  
ttcggtggcg ctggccggcg gcgtggcgct gatgctcacg ccggcgacgt tcgtggaagt 37680  
cagccggctg cgaggcctgg ctcccagcgc acggtgcaag agcttctcgc ccgcagccga 37740

cgcgctgggg tggagcgaag gctgcgccat gctcctgctc aaaccgcttc gcgatgcgca 37800  
gcgcgatggg gatccgatcc tggcggtgat ccgcggcacc gcggtgaacc aggatgggcy 37860  
cagcaacggg ctgacggcgc ccaacgggtc gtcgcagcaa gaggtgatcc gtcggggccct 37920  
ggagcaggcg gggctggctc cgccggacgt cagctacgtc gactgccacg gcaccggcac 37980  
gacgttgggc gaccccatcg aagtgcaggc cctgggcgcc gtgctggcac aggggcgacc 38040  
ctcggaccgg ccgctcgtga tgggtcggg gaagtccaat atcggacata cgcaggctgc 38100  
ggcggcggtg gccggtgtca tcaagggtgc gctggcgctc gagcgcgggc ttatcccgag 38160  
gagcctgcat ttcgacgcgc ccaatccgca cattccgtgg tggagctcg ccgtgcagg 38220  
ggccgccaaa ccgctcgaat ggacgagaaa cggcgtgccg cgacgagccg gggtagactc 38280  
gtttggcgctc agcgggacca acgcgcacgt ggtgctggag gaggcgccag cggcgcgctt 38340  
cgcccgccgc gggcgcggtt cagcggagct ttcgtgctg tcggcgaaga gcgcccgcg 38400  
gctggacgcg caggcgggcg ggcttccggc gcacgtcgtt gcgcacccg agctcggcct 38460  
cgcgaccccg gcgttcagcc tggcgacgac ccgcagcccg atgacgtacc ggctcgcgg 38520  
ggcggcgacc tcgcgcgagg cgctgtctgc cgcgctcgac acagcgcgcg agggcgaggc 38580  
gccgcccgcg gcggctcgcg gccacgcttc cacaggcagc gcccacaaagg tggtttctgt 38640  
ctttcctggc cagggctccc agtggctggg catgggcca aagctcctct cggaggagcc 38700  
cgtctccgcg gacgcgctct cggcgtgtga ccgagcgatt caggccgaag ccggctggtc 38760  
gctcctcgcc gagctcgcgg ccgatgagac cacctcgag ctcggccgca tcgactgggt 38820  
gcagccggcg ctgttcgcga tcgaggtcgc gctgtcgcg ctgtggcggt cgtggggcgt 38880  
cgagccggat gcagtggtag gccacagcat gggcgaagt gcggccgcgc acgtcgcgg 38940  
cgccctgtcg ctgaggatg ctgtagcgat catctgcgg cgacgctgc tgcgcggcg 39000  
gatcagcgcg caaggcgaga tggcggtcgt cgagcttcc ctggccgagg ccgaggcagc 39060  
gctcctgggg tacgaagacc ggctcagcgt ggcgggtgagc aacagcccg gctcagcgt 39120  
gctggcgggc gagccggcag cgctcgcga ggtgctggcg atccttgcg caaagggggt 39180  
gttctgccgt cgagtcaagg tggacgtcgc cagccacagc ccacagatcg acccgctgcg 39240  
cgacgagcta ttggcagcat tggcgagct cgagcccgca caagcgaccg tgcgatgcg 39300  
ctcgcagctg acgagcacga tcatggcggg cccggagctc gtggcgagct actggcgga 39360  
caacgttcga cagccggtgc gcttcgcga agcgggtgcaa tcgttgatg aagacggtca 39420  
tgggctgttc gtggagatga gcccgcatcc gatcctgacg acatcggtcg aggagatccg 39480  
acggcgacg aagcgggagg gactcgcggg gggctcgtt gcggctggac aggacgagcg 39540  
cctgtccatg ttggaggcg ctggagcgct ctgggtacac ggccaggcg tgggtggga 39600  
gcggctgttc tcccgggcg gcgcgggct ccgtcgcgt gcgctgccga cctatccctg 39660  
gcagcgcgag cggtactggg tcgatgcgcg gaccggcggc gcggcgggcg gcagccgctt 39720  
tgcctcgcg ggcagtcacc cgctcctggg tgaatgcag accctgtcga ccagaggag 39780  
cacgcgcgtg tgggagacga cgctggatct caaacggctg ccgtggctcg gcgatcacg 39840  
ggtgcagggg gcggtcgtgt tcccgggcg gcggtacctg gagatggcg tttcgtccg 39900  
ggccgaggcc ttgggtgacg gtccgctcca ggtcagcgat gtggtgctcg ccgaggcgct 39960  
ggccttcgcg gatgatacg cgccggcggt gcaggtcatg gcgaccgagg agcgaccagg 40020  
ccgctcgcaa tccacgctt cgagccgggt gccggggccac ggcggtgctg ccttccgaag 40080  
ccatccccgc ggggtgctgc gccagatcga gcgcgcggag gtcccgcgga ggctggatct 40140  
ggcccgcgct ttcgacggc ttacggccag cgcaccgct gcggctacct atgcggcgt 40200  
ggccgagatg gggctcaggt acggcccgag gttccagggg cttgtcgcgc tgtggcggg 40260  
ggaggcgag gcgctgggac gtgtgcggct ccccgaggcc gcccgctccc cagcccgctg 40320  
ccggctccac cccgcgctct tggatgcgtg cttccacgtg agcagcgct tcgctgacc 40380  
cggcgagcg cgcccatggg tacccgtgga aatcggtcgt ctgcggtgggt tccagcgcc 40440  
gtcgggggag ctgtggtgtc atgcgcggag tgtgagccac ggaagccaa caccgacccg 40500  
gcggagtacc gacttctggg tggctgacag cacgggcgcg atcgtcgcg agatctccg 40560  
gctcgtggcg cagcggtcgt cggaagggtg acgcggcgcg gaagaagacg actggtcat 40620  
ggagccggct tgggaaccga ccgcggtccc cggtatccgag gtcattggcg gccgggtgg 40680  
gctcatcggc tcggcgggcg ggctcggcg cgcgctccac tcggcgctga cggagctgg 40740  
ccattccgct gtcacgcga caggcgcgcg caccagcgcc gccgggttgc aggcactct 40800  
gacggcgctc ttcgacggc aggcggcgac cactcggca gcctcgatga 40860  
gcgtggcggt ctgcagcgcg atgcccctt cgacgccgat gcgctgagg agtcgctgg 40920  
gcgcggctgc gacagcggtc tctggaccgt gcaggcggtg gccggggcg gcttccgaga 40980  
tcctcgcgg tctgggtcgt tgacacggcg cgctcaggcc atcggcgcg gcgaegtctc 41040  
tgtggcgcaa gcgcgcgtcc tggggctggg ccgcttacc gcttggagc acgcccagct 41100  
gcgctgcgt cggtatcgacc tcgatccagc gcggcgcgac ggagaagtgc atgagctgct 41160  
tgccgagctg ttggccgacg acgcccagga ggaagtgcgc tttcgcggcg gtgagcgcg 41220  
cgtggcccg ctcgtccgaa ggctgcggc cgagagaaaa tcgagcccg 41280  
ggaaggcccg ccgttccggc tggagatcga tgggtccggc gtgctcgacg acctggtgct 41340  
ccgagccacg gagcgggcg ctcctggccc gggcgaggct gagatcgccg tcgagggcg 41400  
ggggctcaac tttctcgacg ttgatgggc catggggatc taccctgggc ccggggacgg 41460  
tccggttgcg ctggcgcgcg agtgcctcgg ccgaattgtc gcgatggcg aaggtgtcga 41520  
gagccttctg atcgccagc acgtcgtggc cgtcgcgccc ttcagtctcg gcaccacgt 41580  
caccatcgac gcccggtatg tcgcacctcg ccccgggcg ctgacggcg cgcaggcagc 41640

cgcgctgccc gtcgcattca tgacggcctg gtacgggtctc gtccatcttg ggaggctccg 41700  
 ggccggcgag cgcgctgctca tccactcggc gacggggggc accgggctcg ctgctgtgca 41760  
 gatcgcccg cgagcaggga tgcgcacgt gatggactcg cggtcgcttg agaagcggg 41820  
 gtggctgcgc gccgcgacga agggcgaggg ggtcgacgtc gtgttgaaact acttcgccga 41880  
 gcaagtgtcg gacgcgagcc tttcgaccct cgtgcccggc ggccgcttca cgtgtcttg 41940  
 cgccgcgac caagcgggac atctatgcag atcgctcgct gggtctcgct cacttcagga tcgagctcg 42000  
 ctacagcgcc gtcgatcttg cgggcttggc cgtgctcgcg cccgagcgcg tcgcagcgct 42060  
 gctggcgag gttgtggacc tgctcgacg gggagcgctg cagccgcttc cggtagagat 42120  
 cttccccctc tcgggggccc cggacgcgtt ccggaatacg gcgcaagcgc agcatctcg 42180  
 gaagctcggt ctcgcgcttg aggaccggga cgtgcggtac cgcgttccgg gcgaatccgg 42240  
 cgtcgccatc cgcgcggacg gcgcctacct cgtgaccggc ggtctggggg ggctcggtct 42300  
 gagcgtgggt ggatggcttg ccgagcaggg ggtggggcat ctggtgcttg tgggcccgtc 42360  
 cggcgcggtg agcgcggagc agcagacggc tgctcgcccg ctcgaggcg acggcgcgcg 42420  
 tgtcacggta gcgaggcgag acgtcgccga tcggggcgag atggagcgga tcttcgcga 42480  
 ggttaccgag tcgggggatg cgtcccgcg cgtcgctcat gcggccggaa tcttgagca 42540  
 cgggctgtcg atgcagcaaa cccccgcgcg gttccgcgcg gtcattggcg ccaaggtccg 42600  
 agggcgcttg cactgcagtg cgttgacacg cgaagcgccg ctctcctctc tcgtgctgta 42660  
 cgcttcggga gcagggtctt tgggttcgccc gggccagggg aactacgcgc cggccaacac 42720  
 gttctctgac gcaactggcac accaccggag ggcgcagggg ctgccagcat tgagcatcga 42780  
 ctggggcctg ttcgcggacg tgggtttggc cgccggggcag caaaatcgcg gcgcacgctc 42840  
 ggtcacccgc gggacgcgga gcctcacccc cgacgaaggg ctgtggggcg agtggtgga 42900  
 gctcgacggc gatcgacccc agggcggggg catgccgttc gacgtgcccg cagcgcgct 42960  
 gttctacccc cggcgcgcat cttcgcgag gtgtgctcg cctatgacgg cagcgcgct 43020  
 gggcttcggg cggctcgccc gggatcggga cctgctcgaa cggctcgcca ccgcccaggc 43080  
 gggcgcgcg cgaggggatg tgcagggagt cgtgcgcgcg caggtctcgc aggtgctcg 43140  
 cctctccgaa ggcaagctcg acgtggatgc gccgctcacg agcctgggaa tggactcgct 43200  
 gatggggcta gagctgcgca accgcacatc cgcctgtgctc ggcacacca tgccggcgac 43260  
 cctgtgtggt acctacccca cgggtggcagc gctgagtgcg catctggctt ctcattgctg 43320  
 ctctacgggg gatggggaat ccgcgcgccc gccggataca gggagcgctg ctccaacgac 43380  
 ccacgaagtc gcttcgctcg acgaagacgg gttgttcgcg ttgattgatg agtcactcgc 43440  
 gcgcgcggga aagaggtgat tgcgtgacag accgagaagg ccagctcctg gagcgcttg 43500  
 gtgaggttac tctggccctt cgcaagacgc tgaacgagcg cgataccctg gagctcgaga 43560  
 agaccgagcc gatcgccatc gtggggatcg gctgcccgtt ccccgcgga gcgggacac 43620  
 cggggcgctt ctgggagctg ctcgacgacg ggcgcgacg gatccggccg ctcgaggagc 43680  
 gctggcgct cgtaggtgtg gacccaggcg acgacgtacc gcgctggcg gggctgctca 43740  
 ccgagggcat cgacggcttc gacgcccgct tcttcgggtat cgccccccgg gaggcacgt 43800  
 cgctacaccc cgagcatcgc ctgctgctgg aggtcgccct ggagggggtt gaagacgccc 43860  
 gcaccccgcc caggctccctc gtcgggagcc gcaccggcgt gttcgtcgcc gtctgcgcca 43920  
 cggagtacct ccacgcgccc gtcgcgcacc agccgcgcga agagcgggac cgtacagca 43980  
 ccaccggcaa catgctcagc atcgcccgcc gacggctatc gtacacgctg gggctcgagg 44040  
 gaccttgccc gaccgtcgat acggcgctgt cgtcatcgct ggtggccatt caccctcgct 44100  
 gccgcagcct gcgcgctcga gagagcgatc tcgcgctggc gggaggggtc aacatgcttc 44160  
 tctcccccca cagcatgcga gctctggcgc gcacccaggc gctgtcgccc aatggccgtt 44220  
 gccagacctt cgacgcgtcg gccaacgggt tcgtccgtgg ggagggtgac ggtctgctcg 44280  
 tgctcaagcg attgagcgac gcgcggcggg atggggaccg gatctggggc ctgatccgag 44340  
 gatcgcccat caatcaggac ggccgggtcga cgggggtgac ggcgcccac gtgctcgccc 44400  
 agggggcgct cttgcgcgag gcgctgcgga acgcccggct cgaggccgag gccatcggtt 44460  
 acatcgagac ccacggggcg gcaacctcgc tgggcgaccc catcgagatc gaagcgctgc 44520  
 gcgctgtggt ggggcccggc cgagccgacg gagcgcgctg cgtgctgggc gcggtgaaga 44580  
 ccaacctcgg ccacctggag ggcgctgccg gcgtggcggg cctgatcaag gcgacgctt 44640  
 cgctacatca cgagcgcatc ccgagggaacc tcaactttcg tacgctcaat ccgcgatcc 44700  
 ggatcgaggg gaccgcgctc gcgttggcga ccgaaccggt gccctggccg cggacgggac 44760  
 ggacgcgctt cgcgggagtg agctcgttcg ggaatgagcg gaccaacgag catgtggtgt 44820  
 tggaggaggc gccggcggtg gagcctgagg ccggggcccc cgagcgcgca gcggagctg 44880  
 tcgtcctgtc ggcgaagagc gcggcgcgcg tggatcgcca ggcagcccgg ctgcccggac 44940  
 acctggagaa gcacgtcgag cttggcctcg gcgatgtggc gttcagcctg gcgacgacg 45000  
 gcagcgcgat gtagcaccgg gggcacacgc ccgagggagc gtcgagggcg ctgaggggg 45060  
 cgctttcggc cgcagcgag gccgaaggtg gctctcgtgt tcccgggtca ggcgctggag ggttcgagc 45120  
 gcggcagcgc gtcgatggcc gaagagccgg tcttcggggc ggcgctggag ggttcgagc 45180  
 tgggcccga ggcggaagcg ggctggtcgc tgctcgggga gctctccgac gacgagggc 45240  
 cctcgagct cgggcgcacg gacgtggttc agccgggagc gctctccgac gaagtagcgc 45300  
 tttctcgct gtggcggtcg tggggagtg agccggagc ggtggtggg cagagcatgg 45360  
 gcgaggttgc ggcggcgac gtggccggcg cgtgctcgct cgaggacgag gtcgcatca 45420

tctgccggcg	cagccggctg	ctgccggcga	tcagcggtca	gggggagatg	gcgctggtcg	45600
agctgtcgct	ggaggaggcc	gagcgggcgc	tgctgtggca	tgagggtcgg	ctgagcggtg	45660
cggtgagcaa	cagcccgcgc	tcgaccgtgc	tcgccggcga	gccggcgggc	ctctcgagg	45720
tgctggcggc	gctgacggcc	aagggggtgt	tctggcgcca	ggtgaagggt	gacgtcgcca	45780
gccatagccc	gcaggtcgac	ccgtgctgcg	aagagctgat	cgccgctgct	ggagcgatcc	45840
ggccgcgagc	ggctgctggt	ccgatgctgt	cgacggtgac	gggcgggggt	atcgcggggt	45900
cggagctcgg	tgcgagctac	tgggcggaca	accttcggca	gccggtgcgc	ttcgctgcgc	45960
cggcgcaagc	gtctgtggag	ggtggccccg	cgctgttcat	cgagatgagc	ccgcacccga	46020
tcctggtgcc	gccccctggc	gagatccaga	cggcgggcca	gcaagggggc	gctgcggttg	46080
gctcgctgcg	gcgagggcag	gacgagcgcg	cgacgctgct	ggaggcgctg	gggacgctgt	46140
gggcgtcccg	ctatccggtg	agctgggtct	ggctgttccc	cgcgggcggc	aggcggttct	46200
cgctgccgac	ctatccctgg	cagcacgagc	ggtgctggat	cgaggtcgag	cctgacgccc	46260
gccgcctcgc	cgcagccgac	cccaccaagg	actggttcta	ccgaacggac	tgggccgagg	46320
tgccccgcgc	cgccccgaaa	tcggagacag	ctcatgggag	ctggctgctg	ttggccgaca	46380
ggggtggggt	cggtgaggcg	gtcgctgcag	cgctgtcgac	gcgcggactt	tcctgcaccg	46440
tgcttcatgc	gtcggctgac	gcctccaccg	tcgccgagca	ggtatccgaa	gctgccagtc	46500
gccgaaacga	ctggcaggga	gtcctctacc	tgtggggcct	cgacgcgctc	gtcgatgctg	46560
gggcctcggc	cgacgaagt	agcgaggcta	cccgcgctgc	caccgcaccc	gtccttgggc	46620
tggttcgatt	cctgagcgct	gcgccccatc	ctcctcgctt	ctgggtgggt	acccgcgggg	46680
catgcacggt	gggcggcgag	ccagaggcct	ctctttgcc	agcggcggtg	tggggcctcg	46740
cgcgctcgc	gcgctggag	caccccgctg	cctgggggtg	cctcgctggc	ctggatcctc	46800
agaagagccc	gacggagatc	gagcccttgg	tgcccgagct	gctttcgccg	gacgcccagg	46860
atcaactggc	gttcgcgagc	ggtcgcaggc	acgcagcacg	ccttgtagcc	gccccgcggg	46920
agggcgacgt	gcacccgata	tcgctgtccg	cggaggggag	ctacctggtg	acgggcgggc	46980
tggttgccct	tggtctgtct	gtggctcggt	ggctggtgga	gcggggagct	cgacatctgg	47040
tgctcaccag	ccggcacggg	ctgccagagc	gacaggcgct	gggcggagag	cagccgcggg	47100
aggccccgcg	gcgcacgcga	gcggtcgagg	ggctggaagc	gcagggcggc	cggtgacccg	47160
tgccagcggt	gcatgtcgcc	gaggccgac	ccatgacggc	gctgtctggc	gccatcgagc	47220
ccccgttgcg	cggggtgggt	cacgcgcggc	gcgtcttccc	cgtgcgtcac	ctggcggaga	47280
cggacgaggg	cctgctggag	tcggtgtctc	gtcccaaggt	ggccgggagc	tggtgctgct	47340
accggctgct	gcgcgaccgg	cctctcgacc	gttctcgctc	gttctcgctc	ggcgcgccgg	47400
tggtgggtgg	cgaaggccaa	ggcgcatagc	ccgcggccaa	tgcttctctc	gacgggctcg	47460
cgcaccatcg	ccgcgcgcac	tcgctgcccg	cgttgagcct	cgccctgggg	ttatggggcc	47520
agggaggcat	ggttgatgca	aaggctcatg	cagctctgag	cgacatcggt	gtcctgccca	47580
tgcccaacgg	gccggccttg	tcggcgctgg	agcgcttggt	gaacaccagc	gctgtccagc	47640
gttcggtcac	acggatggac	tgggcgcgct	tcgcgcgggt	ctatgcccg	cgagggcggc	47700
gcaactgtct	ttcggtctct	gtcgcggagg	acgagcgcg	tgcttctccc	ccggtgccga	47760
cggcaaaacc	gatctggcgc	ggcctgtccg	ttgcggagag	ccgctcagcc	ctctacgagc	47820
tcgttcgcgg	catcgctgcc	cgggtgtctg	gcttctccga	cccgggcgcg	ctcgacgtcg	47880
gccgaggctt	cgccgagcag	gggtctgact	ccctgatggc	tctggagatc	cgtaacccgc	47940
ttcagcgca	gctgggcgaa	cgactctggc	cgactctggc	cttcgaccac	ccgacggtgg	48000
agcggtgtgt	ggcgcatctc	ctcaccgacg	tgctgaagct	ggaggaccgg	agcgacaccc	48060
ggcacatccg	gtcgtgggcg	gcggatgacg	acatcgccat	cgtcggtgcc	gcctgccggt	48120
tcccagggtg	ggtgaggggc	ctggagacat	actggcggca	tctggccgag	ggcatggtgg	48180
tcagcaccca	ggtgccagcc	gaccggtggc	gcgcggcgga	ctgggtacgac	cccgatccgg	48240
aggttcgggg	ccggacctat	gtggccaagg	gtgccttctc	ccgcgatgtg	cgcagcttgg	48300
atcgggcggt	cttcgccatt	tcacctcgct	agggcatgag	cctggaccgg	caacagcggc	48360
tggtgctgga	ggtgagctgg	gaggcgatcg	agcgcgctgg	ccaggaccgg	atggcgctgc	48420
gcgagagcgc	cacgggcgtg	ttcgtgggca	tgatcgggag	cgagcacgcc	gagcggtgct	48480
agggcctcga	cgacgacggc	gcgttgctgt	acggcaccac	cggcaacctg	ctcagcgctc	48540
ccgctggacg	gctgtcgttc	ttcctgggtc	tcgacggccc	gacgatgacg	gtggacaccg	48600
cctgctcgct	gtcgctgggt	gcgttgccac	tcgcctggca	gagcctgcga	ttgggcgagt	48660
gcgaccaggc	cctggccggc	gggtccagcg	tgcttttgct	gccgcgggtc	ttcgctcgcg	48720
cgtcgcgcat	gcgtttgctt	tcgccagatg	ggcggtgcaa	gacgttctcg	gccgtctcag	48780
acggctttgc	gcggggccgag	ggctgcgcgc	tggtggtgct	caagcggctc	cgtgacgcgc	48840
agcgcgagcc	gcaccccatc	ctggcggtgg	tcaggagcac	ggcgatcaac	cacgatggcc	48900
cgagcagcgg	gctcacggtg	cccagcggtc	ctgcccagca	ggcgttgcta	cgccagggcg	48960
tggcgcaagc	gggcgtggcg	ccggccgagg	tcgatttcgt	ggagtggcac	gggacgggga	49020
cagcgctggg	tgacccgatc	gagtgccagg	cgctgggcgc	ggtgtacggg	cggggcggcc	49080
ccgcggagcg	gcgcgtctgg	ctgggcgctg	tcaaggccaa	cctcgggcac	ctggaggccg	49140
cggcgggctt	ggccggcgct	ctcaaggtgc	tcttgcgctt	ggagcacgag	cagattccgg	49200
ctcaaccgga	gctcgacgag	ctcaaccggc	acatcccgct	ggcagagctg	ccagtggccg	49260
ttgtcccgag	ggcggttccc	tgcccgcgcg	gcgcgcggcc	gcgtcggtga	ggcgtagcgc	49320
ctttcggcct	gagcgggacc	aacgcgcagt	tggtgttgga	ggaggcgccg	gcggtggagc	49380
ctgtggccgc	ggcccccgag	cgcgcagcgg	agctgttcgt	cctgtcgggc	aagagcgccg	49440

cgccgctgga	tgcgcaggca	gccccgctgc	gggaccacct	ggagaagcat	gtcagagctt	49500
gcctcgccga	tgtggcgctc	agcctggcga	cgacgcgcag	cgcgatggag	caccggctgg	49560
cggtggccgc	gagctcgcgc	gagggcgctgc	gaggggcgct	ttcgggccga	gcgcaggggc	49620
acacgcgcgc	gggagccgtg	cgtgggcggg	cctcgggcgg	cagcgcgcgc	aaggtggctc	49680
tcgtgtttcc	cgccagggc	tcgcagtggt	tgggcatggg	ccgaaagctc	atggccgaag	49740
agccggtctt	ccgggcggcg	ctggagggtt	gcgaccgggc	catcgaggcg	gaagcgggct	49800
ggtcgctgct	cggggagctc	tcgcgcgacg	aggccgcctc	gcagctcggg	cgcatcgacg	49860
tgggtcagcc	ggtgctgttc	gccatggaag	tagcgctttc	tcgctgtgtg	cggtcgtggg	49920
gagtgagacc	ggaagcggtg	gtgggccaca	gcatgggcga	ggttgcggcg	gcgcacgtgg	49980
ccggcgcgct	gtcgctcgag	gacgcgggtg	cgatcatctg	ccggcgcgagc	cggtctgtgc	50040
ggcggtacag	cggtcagggg	gagatggcgc	tggtcgagct	gtcgctggag	gagggccgag	50100
cggcgctcg	tggccatgag	ggtcggttga	gcgtggcggt	gagcaacagc	ccgcgctcga	50160
ccgtgctcgc	cggcgagccg	gcccgcgtct	cgaggtgct	ggcggcgctg	acggccaagg	50220
gggtgtttct	gcggcaggtg	aaggtggacg	tcgccagcca	tagccccgag	gtcgaccctg	50280
tgcgcgaaga	gctgatcgcg	gcgctgggag	cgatccggcc	gcgagcggtc	gcggtgcgca	50340
tgcgctcgac	ggtgacgggc	gggttgatcg	cggttccgga	gctcggtgcg	agctactggg	50400
cggacaacct	tcggcagccg	gtgcgcttcg	ctgcggcgcc	gcaagcgctg	ctggagggtg	50460
gccccgcgt	gttcacagag	atgagcccg	accgatccct	ggtgcccggc	ctggacgaga	50520
tcacagcgcc	ggccgagcaa	gggggcgctg	cggtgggctc	gctgcggcga	gggcaggacg	50580
agcgcgcgac	gctgctggag	gcgctgggga	cgctgtgggc	gtccggctat	ccggtgagct	50640
gggctcggt	gttccccgcg	ggcggcaggc	gggttccgct	gccgacctat	ccctggcagc	50700
acgagcggt	ctggatcgag	gacagcgctg	atgggtcgaa	gccctcgctg	cggttccggc	50760
agcttcgcaa	cggcgccacg	gaccatccgc	tgctcggggc	tcattgtctc	gtctcggcgc	50820
gacccgagc	tcacttgtgg	gagcaagcgc	tgagcgacga	gaggttatcc	tacctttcgg	50880
aacataggt	ccatggcgaa	gccgtgttgc	ccagcgcggc	gtatgtagag	atggcgctcg	50940
ccgcgcggct	agatctctat	ggcacggcga	cgctggtgct	ggagcagctg	gcgctcgagc	51000
gagccctcgc	cgtgccctcc	gaaggcggac	gcctcgtgca	agtggccctc	agcgaagaag	51060
gtcccggtcg	ggcctcattc	caggtatcga	gtcgtgagga	ggcaggtagg	agctgggtgc	51120
ggcacgccac	ggggcacgtg	tgtagcggcc	agagctcagc	ggtgggagcg	ttgaagggaag	51180
ctccgtggga	gattcaacgg	cgatgtccga	gcgtcctgtc	gtcggaggcg	ctctatccgc	51240
tgctcaacga	gcacgccttc	gactatggtc	cctgcttcca	ggcggtggag	caggtgtggc	51300
tcggcacggg	ggaggtgtct	ggccgggtac	gcttgccagg	agacatggca	tcctcaagtg	51360
gcgcctaccg	gattcatccc	gccttgttgg	atgcattgtt	tcaggtgtcg	acagcgctgc	51420
tcaccacgce	ggaatccatc	gagattcgga	ggcggtgac	ggatctccac	gaaccggatc	51480
tcgcccggtc	cagggctccg	gtgaatcaag	cggtgagtga	cacctggctg	tgggacgcgc	51540
cgctggacgg	tggacggcgc	cagagcgcg	gcgtgcccgt	cgacctgggt	ctcggcagct	51600
tcctatcgaa	gtgggaggtc	atggagcgcc	tcgcgcaggc	gtacatcatc	ggcactctcc	51660
gcatacgaa	cgtcttctgc	gctctgggag	agcgtcacac	gatagacgag	ttgctcgtca	51720
ggcttcaaat	ctctgtctgc	tacaggaagg	tcatacaagc	atggatggaa	caccttgtcg	51780
cgatcgccat	ccttgttaggg	gacggagagc	atcttgtgag	ctctcagccg	ctgccggagc	51840
ctgatttggc	ggcggtgtct	gagggggcgc	ggagggtgtt	cgccgacctc	ccagctctat	51900
ttgagtgggt	caagtgttgc	ggggaacggc	tcgcggacgt	attgaccggg	aagacgctcg	51960
cgctcgagat	cctcttccct	ggtggctcgt	tcgatatggc	ggagcgaaatc	tatcgagatt	52020
cgcccatcgc	cgttactcgc	aacggcatcg	tcgcgggtgt	cgctcgagtcg	gcggcgcggg	52080
tggtagcacc	gtcgggaatg	ttcagcatct	tggagatcgg	agcaggggacg	ggcgcgacca	52140
ccgcccgccg	cctcccggtg	ttgctgectg	accggacgga	gtaccatttc	accgatgttt	52200
ctccgctctt	ccttgtctgc	gcggagcaaa	gatttcgaga	ttatccattc	ctgaagtatg	52260
gcattcttga	tgtcgaccag	gagccagctg	gccagggata	cgcacatcag	aggttttgacg	52320
tcacgtcgcc	ggccaatgtc	atccatgcga	cccgcgatat	aagagccacg	gcgaagcgctc	52380
tcctgtcggt	gctcgcgccc	ggaggccttc	tgggtgctgt	cgagggcaca	gggcatccga	52440
tctggttcga	tatcaccacg	ggattgattg	aggggtggca	gaagtacgaa	gatgatcttc	52500
gtatcgacca	tcgctcctcg	cctgctcgga	cctggtgtga	cgctcctgcgc	cggttaggct	52560
ttgcggacgc	cgtgagctcg	ccaggcgacg	gatctccggc	ggggatccctc	ggacagcagc	52620
tgatcctctc	gcgcgcgcgc	ggcatagcag	gagccgcttg	tgacagctcc	ggtgagctcg	52680
cgaccgaatc	gcgggcgcgc	cgtgcagtac	ggcaggaaatg	ggccgatggc	tcgctgacg	52740
tcgtccatcg	gatggcggtg	gagaggatgt	acttccaccg	ccggccggggc	cggcagggtt	52800
gggtccacgg	tcgatttcgt	accgggtggg	gcgcgttcac	gaaggcgctc	gctggagatc	52860
tgtctctgtt	gcaagacacc	ggcgaggctg	tggcagaggt	tcaggggctc	cgctcgccgc	52920
agctcgaggc	ttctgctttc	gcgcgcggg	acccgcggga	agagtgggtg	tacgcttttg	52980
aatggcagcg	caaagaccct	ataccagagg	ctccggcagc	cgctctctct	tcctcccgcg	53040
gggtctggct	cgtgctgatg	gaccaggggc	ggacaggcgc	tcgctctgta	tcgctgctgg	53100
aagggcgagg	cgaggcgctg	gtgcgcgtca	tcgcgggtac	ggcatacgcc	tgctcgcgcg	53160
cggggctgta	tcaagtcatg	ccggcgcgagc	cagatggctt	tcataccctg	ctcccgcatg	53220
cattcgggca	ggaccggatt	tgtcgcgcgc	tagtgcatat	gtggagcctt	gatgcgacgg	53280
cagcagggga	gagggcgaca	gcggagtcgc	ttcaggccga	tcaactcctg	gggagcctga	53340

gcgcgctttc	tctgggtgcag	gcgctgggtgc	gccggagggtg	gcgcaacatg	ccgcgggcttt	53400
ggctcttgac	ccgcgccgtg	catgcgggtg	gcgcggaggga	cgagcgggcc	tcgggtggcgc	53460
agggcgccgt	gtgggggcctc	ggtcgggacgc	tcgcgctcga	gcattccagag	ctgcgggtgca	53520
cgctcgtgga	cgtgaaccgc	gcgcgctctc	cagaggacgc	agccgcactg	gcgggtggagc	53580
tcggggcgag	cgacagagag	gaccagggtcg	catttgcgtc	ggatggccgc	tacgtggcgc	53640
gcctcgtgcg	gagctccttt	tccggcaagc	ctgctacgga	ttgcggcatc	cgggcggacg	53700
gcagctatgt	gataccgat	ggcatgggga	gagtggggct	ctcggtcgcg	caatggatgg	53760
tgatgcaggg	ggccccccat	gtggtgctcg	tggatcgccg	cggcgcttcc	gaggcatccc	53820
gggatgccct	ccgggtccatg	gccgagggtg	gcgcggagggt	gcagatcgtg	gaggccgacg	53880
tggctcggcg	cgacgatgtc	gctcgggtcc	tctcgaagat	cgaaccgtcg	atgccgcgcg	53940
ttcgggggat	cgtgtacgtg	gacggggacct	tccagggcga	ctcctcgatg	ctggagctgg	54000
atgcccgctg	cttcaaggag	tggatgtatc	ccaagggtgct	cggagcgtgg	aacctgcacg	54060
cgctgaccac	ggatagatcg	ctggacttct	tgcctcgtga	ttcctcgggc	acctcgcttc	54120
tgggcttgcc	aggacagggg	agccgcgccc	ccggtgacgc	cttcttggac	gccatcgccg	54180
atcaccgggt	caagggtggc	cttacagcga	tgagcatcaa	ctggggattg	ctctccgaag	54240
catcatcgcc	ggcgaccccc	aacgacgccc	gagcacggct	cgaataccgg	gggatggaaag	54300
gcctcacgct	ggagcaggga	gcggcgccgc	tcgggcgctt	gctcgcacga	cccagggcgc	54360
aggtaggggg	gatcgcgctg	aactctgcgc	agtggttggg	gttctatccc	aacgcggccc	54420
gattggcgct	gtggggcgag	ctgctgaagg	agcgtgaccg	cgccgaccga	ggcgctcga	54480
acgcgtcgaa	cctgcgcgag	gcgctgcaga	gcgccaggcc	cgaagatcgt	cagttgattc	54540
tggagaagca	cttgagcgag	ctgttggggc	gggggctgcg	ccttccgccc	gagaggatcg	54600
agcggcacgt	gcegttcagc	aactctcgga	tggactcgct	gataggcctg	gagctccgca	54660
accgcatcga	ggccgcgctc	ggcatcaccg	tgcggcgac	cctgctatgg	acctacccta	54720
acgtagcagc	tctgagcggg	agcttgcctg	acattctgtt	tccgaatgcc	ggcgcgacc	54780
acgctccggc	caccgagcgg	gagaagagct	tgcgaaacga	tgcgcgagat	ctcgaggctc	54840
tgcggggcat	gacggagcag	cagaaggacg	cgttgcctcg	cgaaaaagctg	gcgcagctcg	54900
cgcagatcgt	tggtagtaaa	gggaccgagg	gagtatggcg	accacgaatg	ccgggaagct	54960
tgagatggcc	cttctgtcca	tggacaagct	tgcgaaaaag	aacgcgtctt	tggagcaaga	55020
gcggaccgag	ccgatcgcca	tcgtaggcat	tggctgcccgc	ttccccgycg	gagcggacac	55080
tccggaggca	ttctgggagc	tgcctcgactc	agggcgagac	gcggctccagc	cgctcgaccg	55140
gcgctggggc	ctggctggcg	tccatcccag	cagagggtg	ccgcgctggg	ccggaactgc	55200
caccgaggcg	gtggacggct	tcgacgcccgc	gttctttggc	acctcgcttc	gggaggcgcg	55260
gtcgtcgtat	cctcagcaac	gcctgctgct	ggaggtcacc	tgggaagggc	tcgaggacgc	55320
cggcatcgca	ccccagtccc	tcgacggcag	ccgcaccggg	gtgttcctgg	gcgcagcag	55380
cagcgactac	tcgcataccg	ttgcgcaaca	gcggcgcgag	gagcaggacg	catacgacat	55440
caccggcaat	acgctcagcg	tcgcgcgcgc	acggttgtct	tatacgctag	ggctgcaggg	55500
accttgcttg	accgtcgaca	cggcctgctc	gtcgtcgctc	gtggccatcc	accttgcttg	55560
ccgcagcctg	cgcgctcgcg	agagcgatct	cgcgctggcg	ggaggcgctca	acatgctctc	55620
ttcgtccaag	acgatgataa	tgctggggcg	catccaggcg	ctgtcgcccgc	atggccactg	55680
ccggacatcc	gacgcctcgg	ccaacgggtt	cgtccgtggg	gagggctgcg	gtatggctgt	55740
gctcaaacgg	ctctccgacg	cccagcgaca	cggcgatcgg	atctgggctc	tgatccggcg	55800
ttcggccatg	aatcaggatg	gccggctcgac	aggggttgatg	gcacccaatg	tgctcgctca	55860
ggaggcgctc	ttgcgcgagg	cgtgcagag	cgtcgcgctc	gacgcggggg	ccatcggtta	55920
tgctgagacc	cacggaacgg	ggacctcgct	cggcgaccgc	atcgaggctg	aggcgctgcg	55980
tgcgtgtgtg	gggcggcgcg	gggcgcatgg	gagccgctgc	gtgctggggc	cagtgaagac	56040
aaacctcggc	cacctggagg	gcgctgcagg	cgtggcgggg	ttgatcaagg	cggcgctggc	56100
tctgcaccac	gaactgatcc	cgcgaaacct	ccatttccac	acgctcaatc	cgcggateccg	56160
gatecgagggg	accgcgctcg	cgttggcgac	ggagccgggtg	ccgtggccgc	ggcgggccgc	56220
accgcgcttc	gcgggggtga	gcgcgttcgg	cctcagcgcc	accaacgtcc	atgtcgtgct	56280
ggaggaggcg	ccggccacgg	tgcctcgacc	ggcgacgccc	gggcgctcag	cggagctttt	56340
ggtgctgtcg	gcgaagagcg	ccgcgcgctc	ggacgcacag	gcggcgcggc	tctcagcgca	56400
catcgcccg	tacccggagc	aggggtctcg	agacgtcgcg	ttcagcctgg	tatcgacgcg	56460
tagcccgatg	gagcacccgc	tcgcggtggc	ggcgacctcg	cgcgaggcgc	tgcaagcgcc	56520
gctggagggt	gcggcgaggg	ggcagacccc	ggcaggcgcg	gcgcgcggca	gggcccgttc	56580
ctcgcggggc	aaagtgcctt	tcctgttcgc	cgggcagggc	gcgcaggtgc	cgggcatggg	56640
ccgtgggttg	tgggaggcgt	ggccggcggt	ccgcgagacc	ttcgaccggg	gcgtcacgct	56700
cttcgaccgg	gagctccatc	agccgctctg	cgaggtgatg	tgggcccagc	cgggcagcag	56760
caggtcgtcg	ttcgtggacc	agacggcggt	cacccagccc	gcgctctttg	cgctggagta	56820
cgcgctggcc	gcgctcttcc	ggtcgtgggg	cgtggagccg	gagctcgtcg	ctggccatag	56880
cctcggcgag	ctggtggccg	cctcgtgggc	gggtgtgttc	tcctcagagg	acgcggtgcg	56940
cttggtgggc	gcgcgcgccc	ggttgatgca	ggcgctgcgc	gccggcgggc	cgatgggtatc	57000
gatcccgccg	ccggaggccc	acgtggctgc	cgcggtggcg	ccgcacgcag	cgttggtgtc	57060
gatcgcgcca	gtcaatgggc	cggagcagggt	ggtgatcgcg	ggcgccgaga	aattcgtgca	57120
gcagatcgcg	gcggcggttc	cggcgcgggg	ggcgcgaaac	aaaccgctgc	atgtctcgca	57180
cgcgttccac	tcgccgctca	tggatccgat	gctggaggcg	ttccggcggg	tgactgagtc	57240

ggtagacgtac cggcgccctt cgtacgcgct ggtgagcaac ctgagcggga agccctgcac 57300  
cgatgaggtg agcgcccgcg gttactgggt gcgtcacgcg cgagagcgcg tgcgcttcgc 57360  
ggacggagtg aaggcgctgc acggcgcccg tgcgggcctc ttcgtcgagg tggggccgaa 57420  
gccgacgctg ctccggccttg tcccgccctg cctgccggat gccagggccg tgcgtctccc 57480  
agcgtccgcg gccgggcttg acgaggctgc gagcgcgcta gaggcgcttg gtgggttctg 57540  
ggtcgctcgt ggatcggtca cctggctcggg tgtcttccct tcgggcggac ggcgggtacc 57600  
gctgccaaac tatccctggc agcgcgagcg ttactggatc gaagcgcccg tcgatctga 57660  
ggcgacggcg accggccgtg ctccggcgcg gggccacccc cttctgggtg aagtcttttc 57720  
cgtgtcgacc catgccggtc tgcgccttg ggagacgacg ctggaccgaa agcggtctgc 57780  
gtggctcggc gagcaccggg cgcaggggga ggtcggtgtt cctggcgccg ggtacctgga 57840  
gatggcgctg tcgtcggggg ccgagatctt gggcgatgga ccgatccagg tcacggatgt 57900  
ggtgctcatc gagacgtga ccttcgcggg cgatacggcg gtaccggtcc aggtggtgac 57960  
gaccgaggag cgaccgggac ggtcgcggtt ccaggtagcg agtcgggagc cgggggaacg 58020  
tcgcgcggcc ttccggatcc acgcccgcgg cgtgctgcgc cggatcgggc gcgtcgagac 58080  
cccgcgagg tcgaacctcg ccgccctgcg cgcgggctt catgccgcg tgcggctgc 58140  
ggctatctat ggtgctcgc ccgagatggg gcttcaatac ggcccgcggt tgcgggggct 58200  
cgccgagctg tggcggggtg agggcgaggc gctgggcagg gtgagactgc ctgagggcgc 58260  
gggtcccgcg acagcctacc agctgcattc ggtgctgctg gacgctgctg tccaaatgat 58320  
tgttgccgcg ttcgccgata cgcgatgagg gacgcccgtg gcgcccgtgg aggtgggctc 58380  
ggtgcggctg ttccagcggt ctcctgggga gctatgggtg catgcccgcg tcgtgagcga 58440  
tggtcaacag gcctccagcc ggtggagcgc cgaacttgag ttgatggacg gtacggcgcg 58500  
ggtggtcgcc gagatctccc ggtgggtggt ggagcggctt gcgagcggtg tacgccggcg 58560  
cgacgcagac gactggttcc tggagctgga ttgggagccc gcggcgctcg gtggggccaa 58620  
gatcacagcc ggcgggtggc tgcgtcctgg cgagggtggt gggctcgggc gctcgttgtg 58680  
ctcgccgctg aaggccgcgg gccatgtcgt cgtccacgcc gcgggggacg acacgagcac 58740  
tgacggaatg cgcgcgctcc tggccaacgc gttcgacggc caggcccccga cggccgtggt 58800  
gcacctcagc agcctcagc gggggcgcca gctcggccc gggctcgggg cgcagggcgc 58860  
ggtcgacgag ccccgagcc cagatgtcga tgccgatgcc ctccaatcgg cgtcgatgcy 58920  
tggttgcgac agcgtgctct cctgggtgca agcgtggtc ggcattggacc tccgaaacgc 58980  
gcccgggctg tggctcttga cccggggggc tcaggcgccc gccgcggcg atgtctccgt 59040  
ggtgcaagcg ccgctgttgg ggctgggccc caccatcgcc ttggagcacg ccgagctgcy 59100  
ctgtatcagc gtcgacctcg atccagccga gcctgaaggg gaagccgatg ctttgcgtggc 59160  
cgagctactt gcagatgat ccgaggagga ggtcgcgctg cgcgggtggc accggctcgt 59220  
tgcgcggctc gtccaccggc tgcccagacg tcagcgccgg gagaaggtcg agcccgcgg 59280  
tgacaggccg ttccggctag agatcgatga acccgcgcg ctggaccaac tgggtgctccg 59340  
agccacgggg cggcgcgctc ctggtccggg cgaggtcgag atctccgtcg aagcgggcg 59400  
gctcgactcc atcgacatcc agctggcgtt gggcggtgct cccaatgatc tgccgggaga 59460  
agaaatcgag ccgttggtgc tcggaagcga gtgcgcccgg cgcattcgctg ctgtggcgca 59520  
ggcggtgaac ggccttgtgg tgggccagcc ggtgatcgcc cttgcggcgg gattatttgc 59580  
taccatgtc accacgtcgg ccacgctggt gttgcctcgg cctctggggc tctcggcgac 59640  
cgagcgccgc gcgatgcccc tcgcgtattt gacggccttg tacgcctcg acaaggtcgc 59700  
ccacctgcag gcgggggagc ggggtgctgat ccatgcggag gccgggtggg tcggctcttg 59760  
cgcggtgcga tggggcgagc gcgtgggcgc cgaggtgtat gcgacggccg acacggccga 59820  
gaacctgcga tacctggagt cgtgggcgt gcggtacgtg agcgattccc gctcggcgcc 59880  
gtctgtcaca cagctgcatg catggacgga cggcgagggg gtggagctcg tgctcgactc 59940  
gcttccgggc gagcgcatcg acaagagcct catggtcctg cgcgcctgtg gtcgcttctg 60000  
gaagctgggc agggcgagc actgcgcga cagcgagcct ggggtgcgc cgtcctacg 60060  
gaatttttcc ttctcgagg tggacttgcg gggaatgat ctcgatcaac cggcgaggat 60120  
ccgtgcgctc ctcgacgagc tgtcgggtt ggtcgagcc ggtgccatca gccactggg 60180  
gtcgggggtg cgcgttggcg gatccctcac gccaccgcg gtcgagacct tccgatctc 60240  
tcgcgcagcc gaggcattcc ggaggtggc gcaaggacag catctcggga agctcgtgct 60300  
cacgctggac gacccggagg tgcggatccg cgctccggcc gaatccagcg tcgccgtccg 60360  
cgcgacggc acctaccttg tgacggcgcg tctgggtggc ctcggtctgc gcgtggccgg 60420  
atggctggcc gagcgggcg cggggcaact ggtgctggtg ggcgctccg gtgcggcag 60480  
cgcagagcag cgagcccgcg tggcgcgct ggagggccac ggcgcgcgcg tcacgggtgc 60540  
gaaagcggac gtcgcccgat ggtcacagat cgagcgggtc ctccgcgagg ttaccgcgtc 60600  
ggggatgccc ctgcccgggt tccgcaaggt ggcaggtctc gtggatgacg ggtgctgat 60660  
gcagcagct cggcgcggt tccgcaaggt gatgggacct aagggtccag gggccttgca 60720  
cttgacacg ctgacacg aagcgctct ttcctctctc gtgctgtacg cttctgcagc 60780  
tgggcttttc ggctcgccag gccagggcaa ctatgccgca gccaacgcgt tcctcgacgc 60840  
cctttcgcac caccgaaggg cgcagggccc gccggcgctg agcatcgact ggggcatggt 60900  
cacggagggt gggatggccg ttgcgaaga aaacctggc gcgcggcaga tctctcgcg 60960  
gatgcggggc atcacccccc atgaggggtc gtcagctctg gcgcgcttgc tcgaggggta 61020  
tcgcgtgcag acgggggtga taccgatcac tccgcggcag tgggtggagt tctacccggc 61080  
aacagcggcc tcacggagg tctcgcggct ggtgaccac cagcgcgcg tcgctgatcg 61140

gaccgcccggg	gatccgggacc	tgcctcgaaca	gcttgccgtcg	gctgagccga	gcgcgcggggc	61200
ggggctgctg	caggacgtcg	tgcgcgtgca	ggctctgcac	gtgctgctgc	tccctgaaga	61260
caagatcgag	gtggatgccc	cgctctcgag	catgggcatg	gactcgctga	tgagcctgga	61320
gctgcgcaac	cgcatcgagg	ctgcgctggg	cgctgcgcgc	cctgcagcct	tgggggtggac	61380
gtaccaaacg	gtagcagcga	taacgcgtcg	gctgctcgac	gacgcccctg	tcgtccggct	61440
tggcgcgggg	tccgacacgg	acgaatcgac	ggcgcgagcc	ggttcgttcg	tccacgtcct	61500
ccgctttcgt	cctgtcgtca	agccgcgggg	tcgtctcttc	tgttttcacg	gttctggcgg	61560
ctcgcgcgag	ggcttccgtt	cctggctcga	gaagtctgag	tggagcgatc	tggaaaatcgt	61620
ggccatgtgg	cacgatcgca	gcctcgccct	cgaggacgcg	cctggtaaga	agtacgtcca	61680
agaggcgccc	tcgctgattc	agcactatgc	agacgcaccg	tttgcgttag	taggggttcag	61740
cctgggtggt	cggttcgtca	tggggacagc	cgtaggagctc	gccagtcgtt	ccggcgaccc	61800
ggctcgcgtg	gcctccttca	cggtggggcg	cagcttgatc	tcttcttcag	agatcacccc	61860
ggagatggag	accgatataa	tagccaagct	cttcttccga	aatgccgcgg	gtttcgtgcg	61920
atccacccaa	caagtccagg	ccgatgctcg	cgcagacaag	gtcatcacag	acaccatggt	61980
ggctccggcc	cccggggact	cgaaggagcc	gcccgtgaag	atcgcggtcc	ctatcgtcgc	62040
catcgccggc	tccgacgatg	tgatcgtgcc	tccgagcgac	gttcaggatc	tacaatctcg	62100
caccacggag	cgcttctata	tgcatctcct	tcccggagat	cacgaatttc	tcgtcgatcg	62160
agggcgcgag	atcatgcaca	tcgtcgactc	gcacttcaat	ccgctgctcg	ccgcgagggac	62220
gacgtcgtca	ggccccgcgt	tccaggcaaa	atgatggcag	cctccctcgg	gcgcgcgaga	62280
tgggttggag	cagcgtgggc	gctggcgccc	ggcggcaggc	cgcgaggcgc	catgagcctt	62340
cctggacggt	tgcagtatag	gagattttat	gacacaggag	caagcgaatc	agagtggagc	62400
gaagcctgct	ttcgacttca	agccgttcgc	gcctgggtac	gcggaggacc	cgttcccccgc	62460
gatcgagcgc	ctgagagagg	caacccccat	cttctactgg	gatgaaggcc	gctcctgggt	62520
cctcacccga	taccacgacg	tgctggcggt	gttccgcgac	gaacgcttcg	cggtcagtcg	62580
agaagagtgg	gaatcgagcg	cggagtactc	gtcggccatt	cccagctca	gcgatatgaa	62640
gaagtacgga	ttgttcgggc	tgcgcggga	ggatcacgct	cgggtccgca	agctcgtcaa	62700
cccgtcgttt	acgtcacgcg	ccatcgacct	gctgcgcgcc	gaaatacagc	gcaccgtcga	62760
ccagctgctt	gatgctcgct	ccggacaaga	ggagtctgac	gttgtgcggg	attacgcgga	62820
gggaatcccc	atgcgcgcga	tcagcgctct	gttgaagggt	ccggccgagt	gtgacgagaa	62880
gttccgtcgc	ttcggctcgg	cgactcgcg	cgcgctcggc	gtgggttttg	tgccccaggt	62940
cgatgaggag	accaagacct	tggtcgcgtc	cgtaaccgag	gggctcgcgc	tgctccatga	63000
cgctctcgat	gagcggcgca	ggaaaccgct	cgaaaatgac	gtcttgacga	tgctgcttca	63060
ggccgaggcc	gacggcgagc	ggctgagcac	gaaggagctg	gtcgcgctcg	tgggtgcgat	63120
tatcgctgct	ggcaccgata	ccacgatcta	ccttatcgcg	ttcgtctgtc	tcaacctgct	63180
gcggtcgccc	gagcgctcgc	agctgggtgaa	ggccgagccc	gggctcatga	ggaacgcgct	63240
cgatgagggt	ctccgcttcg	acaatatcct	cagaatagga	actgtgcggt	tcgccaggca	63300
ggacctggag	tactgcgggg	catcgatcaa	gaaaggggag	atggtctttc	tcctgatccc	63360
gagcgccctg	agagatggga	ctgtattctc	caggccagac	gtgtttgatg	tgccagggga	63420
cacgggcccgc	agcctcgcgt	acggtagagg	cccccatgtc	tgccccgggg	tgctcccttc	63480
tcgcctcgag	gcggagatcg	ccgtgggcac	catcttccgt	aggttccccg	agatgaaagt	63540
gaaagaaact	cccggtgttg	gataccacct	cgcgttcgcg	aacatcgaat	cactcaacct	63600
catcttgaag	ccctccaaag	ctggatagct	cgcgggggta	tcgcttcccg	aacctcattc	63660
cctcatgata	cagctcgcgc	gcgggtgctg	tctgccgcgg	gtgcgattcg	atccagcgga	63720
caagcccat	gtcagcgcgc	gaagatcgaa	tcacaggccc	ggagaagagc	ccgtccgggt	63780
gacgtcggga	gaagtgcggg	gcgcgcgcct	gggagcgcaa	agctcgcctc	ttcgcgctca	63840
gcacgcgcgt	cgatcatgtc	ggccctgcac	ccgcgcgcag	gagccgcccc	ccctgatgca	63900
cggcctcacc	gagcggcagg	ttctgctctc	gctcgtcgcc	ctcgcgctcg	tcctcctgac	63960
cgcgcgcgcc	ttcggcgagc	tcgcgcggcg	gctgcgccag	cccaggtgct	tcggcgagct	64020
cttcggcgcc	gtggtgctgg	gcccgtccgt	cgtcggcgcg	ctcgtcctcg	ggttccatcg	64080
agtcctcttc	caggatccgg	cggtcggggg	cgtgctctcc	ggcatctcct	ggataggcgc	64140
gctcgtcctg	ctgctcatgg	cggttatcga	ggctcgatgt	agcatcctgc	gcaaggaggc	64200
gcgccccggg	gcgctctcgg	cgtcgcgcgc	gatcgcgcgc	ccgctgcgca	cgccggggcc	64260
gctggtgcag	cgcatgcagg	gcgcgttcac	gtgggatctc	gacgtctcgc	cgcgacgctc	64320
tcgcgaagcc	tgagcctcgg	cgcctgctcg	tacacctcgc	cggtgctcgc	tccgcccgcg	64380
gacatccggc	cgcccgcgcg	ggcccagctc	gagccggact	cgcgggatga	cgaggccgac	64440
gaggccgagc	aggcgtctcg	cccgcttcgc	gacgcgatcg	ccgcgtactc	ggaggccggt	64500
cgggtggggcg	aggcggcgca	gcggccgcgg	ctggagagcc	tcgtgcggtc	cgcgatcgct	64560
cggctggggca	aggcgtctga	caaggtccct	ttcgcgcaca	cgacggccgg	cgctctccag	64620
atcgccgcga	gactccagaa	cgatgcggtc	tggttcgatg	tcgcccggcg	gtacgcgagc	64680
ttccgcgcgg	cgacggagca	cgcgctccgc	gacgcggcgt	cggccatgga	ggcgctcgcg	64740
gcccggccgt	accgcggatc	gagccgcgtg	tcgcgtgcgc	taggggagtt	tcggggggag	64800
gcggcgcgcc	ttcacccccg	ggaccgtgta	cccgctcccg	accagcagat	cctgaccgcg	64860
ccgcgcgcag	ccgagcgggc	gctcatcgcg	ctctacactg	cgttcgcccg	tgaggagtcg	64920
gcctctctcg	ggcgcagccg	agcggcgcg	tgccgggtgg	tccctcttcg	caaccatgac	64980
cggagccgcg	ctcgggtccg	gcagcggcta	gcgcgcgtcg	cggcagagat	cgctggagcg	65040

acaggcgacg	acccgcccga	gggtgtcgaa	cggattgccc	cagccctcat	tgcggatccc	65100
ctccagacac	tgcgttcagct	gcttggcgtc	gatgccgcct	gggcactcgc	cgaaggtcag	65160
ctcgtcgcgc	cactcggatc	ggatcttgtt	cgagcacgcg	tccttgcctc	aatactccc	65220
gtcttgtccg	atgttgttgc	accgcgcctc	gcggtcgcac	cgcgcgcgca	cgatgctatc	65280
gacggcgctg	ccgactggca	cgggcgcctc	gccctgcgcg	ccaccggggg	tttgcgcctc	65340
cccgctgcag	cgcttttcgc	cgccgcacgc	cgcgagcagg	ctcattcccc	acaccgagat	65400
caggcccacg	accagcttcc	cagcaatctt	ttgcatggct	tccccctccc	cacgacacgt	65460
cacatcagag	actctccgct	cggtctcgtc	gttcgacagc	cggcgacggc	cacgagcaga	65520
accgtccccg	accagaacag	ccgcatgcgg	gtttctcgcg	acatgccccg	acatccttgc	65580
gactagcgtg	cctccgctcg	tgccgagatc	ggctgtcctg	tgcgacggca	atatcctcgc	65640
atcgccgggg	caggaggtac	cgacacgggc	gccggggcgg	aggtgccgcc	acgggctcga	65700
aatgtgctgc	ggcaggcgcc	tccatgccc	cagccgggaa	cgcggcgccc	ggccagcctc	65760
ggggtgacgc	cgcaaacggg	agatgtccc	ggagaggcgc	cgggcacagc	cgagcgccct	65820
gaccaccgtg	cgactcgtg	agctccagct	cctcggcata	gaagagaccg	tcactcccgg	65880
tcctgtgtagg	cgatcgtgct	gatcagcgcg	ttctccgcct	gacgcgagtc	gagccgggta	65940
tgctgcacga	caatgggaac	gtccgattcg	atcacgctgg	catagtccgt	atcgcgcggg	66000
atcggtcctcg	gttcggtcag	atcgttgaa	cggacgtgcc	gggtgcgcct	cgctgggacg	66060
gtcaccgggt	acggcccgcc	ggggtcgcgg	tcgctgaagt	agacggtgat	ggcgacctgc	66120
cggtcccggt	ccgacgcatt	caacaggcag	gccgtctcat	ggctcgtcat	ctcgcggtcg	66180
ggtcggttgc	tcggccttgg	gatgtagccc	tctgcgattg	cccagcgctg	ccgcccgatc	66240
ggcttctcca	tatgtctctc	ctgctggctc	ctctttggct	gcctccctct	gctgtccagg	66300
agcgacggcc	tcttctcccc	acgcgctcgg	ggatccatgg	ctgaggatcc	tcgccgagcg	66360
ctccttgccc	accggcgccg	cgagcgccga	cgggctttga	aagcacgcga	ccggacacgt	66420
gaccccgccg	cgacgaaggc	gccccgcgtc	tgatcccgat	cgtgacatcg	cgactcccg	66480
cggcgcctct	gcaggccggc	ctgagcgctg	cgcggtcatg	gtcgtcctcg	cgtcacccgc	66540
accgcgccat	tcacatccca	ccgcggcacg	acgtttgctc	aaaccgcggc	gagacggccg	66600
ggcggtctgt	gtaccggcca	gcccggaacg	gagggccgag	agggacagtg	ggtccgctcg	66660
gaagcagtga	ggcgatcgag	gtggcagatg	aaacacgttg	acacggggccg	acgagtcggc	66720
cgccggatag	ggctcacgct	cggtctcctc	gcgagcatgg	cgtcgcgcgg	ctgtggcgcc	66780
ccgagcgaga	aaatcgtgca	gggcacgcgg	ctcgcgcggc	gcgcgcgatg	gcagctcgcc	66840
gcccagctcg	accccgacgc	cgcgaccacg	cggctggcgg	tggacgtcgt	tcacctctcg	66900
ccgcccagag	gcatecaggc	cggcagcgag	cggttcgtcg	tctggcagcg	tcggagctcc	66960
gagtcctccg	ggcaacgggt	cggagtgtc	gactacaacg	ctgccagccg	aagaggcaag	67020
ctggccgaga	cgaccgtgcc	gcattcccaac	tctgagctgc	tcatacccg	cgagaagcag	67080
agcagccctc	agtctccatc	ttctgcccgc	gtcatcgggc	cgacgtccgt	cgggtaacat	67140
cgcgttatca	gcagcgctga	gcccgcacgc	agggcccaga	gccctgcttc	gatcgccctc	67200
tccatcatat	catccctgcg	tactctcca	gcgacggccg	cgtcgaagca	accgcctgct	67260
cggcgcggtc	ctacgtgcgc	gacaggagag	cgtcctggcg	cggcctgcgc	atcgctggaa	67320
ggatcgggcg	agcatggaga	aagaatcgag	gatcgcgatc	tacggcgcca	tcgcagccaa	67380
cgtggcgatc	gcgccggtca	agttcatcgc	cggcccggtg	accggcagct	cggcgatgct	67440
ctccgagggc	gtgcaactcc	tcgtcgatac	tgacagacgg	ctcctcctcc	tgctcgccaa	67500
gcaccggagc	gcacgcctcc	ccgacgcgca	gcattcgttc	ggccacggca	aggagctcta	67560
ttcttgagac	ctgatcgtcg	ccatcatgat	cttcgcgcgg	ggcgccggcg	tctcgatcta	67620
cgaagggtac	ttgcacctct	tgcacccgcg	ccagatcgag	gatccgacgt	ggaactacgt	67680
cgtcctcggc	gcagcgcccg	tcttcgaggg	gacgtcgttc	atcatctcga	tccacgagtt	67740
caagaagaag	gacggacagg	gtacactcgc	ggcgatgcgg	tccagcaagg	acccgacgac	67800
gttcacgatc	gtcctggagg	actccgcggc	gtcgcgcggg	ctcaccatcg	ccttcctcgg	67860
cgtctggctc	gggcaccgcc	tgggaaaccc	ctacctcgac	ggcgcgccgt	cgatcgggat	67920
cggcctcgtg	ctcgcccgcg	tcgcggtctt	cctcgccagc	cagagccgtg	ggctcctcgt	67980
gggggagagc	gcggacaggg	agctcctcgc	cgcgatccgc	gcgctcgcca	gcgcagatcc	68040
tggcgctcgc	gcgggtgggg	ggccccgtac	gatgcacttc	ggtcgcgacg	aagtcctggt	68100
cgtgctgcgc	atcgagttcg	acgccgcgct	cacggcgctc	ggggtcgcgg	aggcgatcga	68160
gcgcaccgag	acccggatac	ggagcgagcg	acccgacgtg	aagcacatct	acgtcgaggc	68220
cagggtcgctc	caccagcgcg	cgagggcgctg	acgcgcctg	gagagaccgc	gcgcggcctc	68280
cgccatcctc	cgccggcggc	gggctcaggt	ggccctcgca	gcagggcggc	cctggcgggc	68340
aaaccgtgca	gacgtcgtcc	ttcgacgcga	ggtacgctgg	ttgcaagtgc	tcacgccgta	68400
tccgagaggtc	cggcagcgcc	ggagcccggg	cgggcccggg	gcacgaaggc	gcggcgagcg	68460
cagggttcga	ggggggcgac	gtcatgagga	aggccagggc	gcattggggc	atgctcggcg	68520
ggcgagatga	cggctggcgt	cgcggcctcc	ccggcgccgg	cgcgcttcgc	gccgcgctcc	68580
agcgcggtcg	ctcgcgcgat	ctcgcccggc	gccggtctcat	cgcctccgtg	tcctcgcggc	68640
gcggcgccag	catggcggtc	gtctcgctgt	tccagctcgg	gatcatcgag	cgctcgcccg	68700
atcctccgct	tccagggttc	gattcggcca	aggtgacgag	ctccgatatc		68750

&lt;210&gt; 2

&lt;211&gt; 1421

- 19 -

&lt;212&gt; PRT

&lt;213&gt; Sorangium cellulosum

&lt;400&gt; 2

Val Ala Asp Arg Pro Ile Glu Arg Ala Ala Glu Asp Pro Ile Ala Ile  
 1 5 10 15  
 Val Gly Ala Ser Cys Arg Leu Pro Gly Gly Val Ile Asp Leu Ser Gly  
 20 25 30  
 Phe Trp Thr Leu Leu Glu Gly Ser Arg Asp Thr Val Gly Arg Val Pro  
 35 40 45  
 Ala Glu Arg Trp Asp Ala Ala Ala Trp Phe Asp Pro Asp Pro Asp Ala  
 50 55 60  
 Pro Gly Lys Thr Pro Val Thr Arg Ala Ser Phe Leu Ser Asp Val Ala  
 65 70 75 80  
 Cys Phe Asp Ala Ser Phe Phe Gly Ile Ser Pro Arg Glu Ala Leu Arg  
 85 90 95  
 Met Asp Pro Ala His Arg Leu Leu Leu Glu Val Cys Trp Glu Ala Leu  
 100 105 110  
 Glu Asn Ala Ala Ile Ala Pro Ser Ala Leu Val Gly Thr Glu Thr Gly  
 115 120 125  
 Val Phe Ile Gly Ile Gly Pro Ser Glu Tyr Glu Ala Ala Leu Pro Gln  
 130 135 140  
 Ala Thr Ala Ser Ala Glu Ile Asp Ala His Gly Gly Leu Gly Thr Met  
 145 150 155 160  
 Pro Ser Val Gly Ala Gly Arg Ile Ser Tyr Ala Leu Gly Leu Arg Gly  
 165 170 175  
 Pro Cys Val Ala Val Asp Thr Ala Tyr Ser Ser Ser Leu Val Ala Val  
 180 185 190  
 His Leu Ala Cys Gln Ser Leu Arg Ser Gly Glu Cys Ser Thr Ala Leu  
 195 200 205  
 Ala Gly Gly Val Ser Leu Met Leu Ser Pro Ser Thr Leu Val Trp Leu  
 210 215 220  
 Ser Lys Thr Arg Ala Leu Ala Arg Asp Gly Arg Cys Lys Ala Phe Ser  
 225 230 235 240  
 Ala Glu Ala Asp Gly Phe Gly Arg Gly Glu Gly Cys Ala Val Val Val  
 245 250 255  
 Leu Lys Arg Leu Ser Gly Ala Arg Ala Asp Gly Asp Arg Ile Leu Ala  
 260 265 270  
 Val Ile Arg Gly Ser Ala Ile Asn His Asp Gly Ala Ser Ser Gly Leu  
 275 280 285  
 Thr Val Pro Asn Gly Ser Ser Gln Glu Ile Val Leu Lys Arg Ala Leu  
 290 295 300  
 Ala Asp Ala Gly Cys Ala Ala Ser Ser Val Gly Tyr Val Glu Ala His  
 305 310 315 320  
 Gly Thr Gly Thr Thr Leu Gly Asp Pro Ile Glu Ile Gln Ala Leu Asn

- 20 -

325										330					335				
Ala	Val	Tyr	Gly	Leu	Gly	Arg	Asp	Val	Ala	Thr	Pro	Leu	Leu	Ile	Gly				
			340					345					350						
Ser	Val	Lys	Thr	Asn	Leu	Gly	His	Pro	Glu	Tyr	Ala	Ser	Gly	Ile	Thr				
		355					360					365							
Gly	Leu	Leu	Lys	Val	Val	Leu	Ser	Leu	Gln	His	Gly	Gln	Ile	Pro	Ala				
	370					375					380								
His	Leu	His	Ala	Gln	Ala	Leu	Asn	Pro	Arg	Ile	Ser	Trp	Gly	Asp	Leu				
385					390					395					400				
Arg	Leu	Thr	Val	Thr	Arg	Ala	Arg	Thr	Pro	Trp	Pro	Asp	Trp	Asn	Thr				
				405					410					415					
Pro	Arg	Arg	Ala	Gly	Val	Ser	Ser	Phe	Gly	Met	Ser	Gly	Thr	Asn	Ala				
			420					425					430						
His	Val	Val	Leu	Glu	Glu	Ala	Pro	Ala	Ala	Thr	Cys	Thr	Pro	Pro	Ala				
	435						440					445							
Pro	Glu	Arg	Pro	Ala	Glu	Leu	Leu	Val	Leu	Ser	Ala	Arg	Thr	Ala	Ser				
	450					455					460								
Ala	Leu	Asp	Ala	Gln	Ala	Ala	Arg	Leu	Arg	Asp	His	Leu	Glu	Thr	Tyr				
465					470					475					480				
Pro	Ser	Gln	Cys	Leu	Gly	Asp	Val	Ala	Phe	Ser	Leu	Ala	Thr	Thr	Arg				
				485					490					495					
Ser	Ala	Met	Glu	His	Arg	Leu	Ala	Val	Ala	Ala	Thr	Ser	Arg	Glu	Gly				
		500						505					510						
Leu	Arg	Ala	Ala	Leu	Asp	Ala	Ala	Ala	Gln	Gly	Gln	Thr	Ser	Pro	Gly				
	515					520						525							
Ala	Val	Arg	Ser	Ile	Ala	Asp	Ser	Ser	Arg	Gly	Lys	Leu	Ala	Phe	Leu				
	530					535					540								
Phe	Thr	Gly	Gln	Gly	Ala	Gln	Thr	Leu	Gly	Met	Gly	Arg	Gly	Leu	Tyr				
545					550					555					560				
Asp	Val	Trp	Ser	Ala	Phe	Arg	Glu	Ala	Phe	Asp	Leu	Cys	Val	Arg	Leu				
				565					570					575					
Phe	Asn	Gln	Glu	Leu	Asp	Arg	Pro	Leu	Arg	Glu	Val	Met	Trp	Ala	Glu				
		580						585					590						
Pro	Ala	Ser	Val	Asp	Ala	Ala	Leu	Leu	Asp	Gln	Thr	Ala	Phe	Thr	Gln				
		595					600					605							
Pro	Ala	Leu	Phe	Thr	Phe	Glu	Tyr	Ala	Leu	Ala	Ala	Leu	Trp	Arg	Ser				
	610				615						620								
Trp	Gly	Val	Glu	Pro	Glu	Leu	Val	Ala	Gly	His	Ser	Ile	Gly	Glu	Leu				
625					630					635					640				
Val	Ala	Ala	Cys	Val	Ala	Gly	Val	Phe	Ser	Leu	Glu	Asp	Ala	Val	Phe				
			645					650					655						
Leu	Val	Ala	Ala	Arg	Gly	Arg	Leu	Met	Gln	Ala	Leu	Pro	Ala	Gly	Gly				
		660						665					670						

- 21 -

Ala Met Val Ser Ile Glu Ala Pro Glu Ala Asp Val Ala Ala Ala Val  
 675 680 685  
 Ala Pro His Ala Ala Ser Val Ser Ile Ala Ala Val Asn Ala Pro Asp  
 690 695 700  
 Gln Val Val Ile Ala Gly Ala Gly Gln Pro Val His Ala Ile Ala Ala  
 705 710 715 720  
 Ala Met Ala Ala Arg Gly Ala Arg Thr Lys Ala Leu His Val Ser His  
 725 730 735  
 Ala Phe His Ser Pro Leu Met Ala Pro Met Leu Glu Ala Phe Gly Arg  
 740 745 750  
 Val Ala Glu Ser Val Ser Tyr Arg Pro Ser Ile Val Leu Val Ser  
 755 760 765  
 Asn Leu Ser Gly Lys Ala Cys Thr Asp Glu Val Ser Ser Pro Gly Tyr  
 770 775 780  
 Trp Val Arg His Ala Arg Glu Val Val Arg Phe Ala Asp Gly Val Lys  
 785 790 795 800  
 Ala Leu His Ala Ala Gly Ala Gly Thr Phe Val Glu Val Gly Pro Lys  
 805 810 815  
 Ser Thr Leu Leu Gly Leu Val Pro Ala Cys Met Pro Asp Ala Arg Pro  
 820 825 830  
 Ala Leu Leu Ala Ser Ser Arg Ala Gly Arg Asp Glu Pro Ala Thr Val  
 835 840 845  
 Leu Glu Ala Leu Gly Gly Leu Trp Ala Val Gly Gly Leu Val Ser Trp  
 850 855 860  
 Ala Gly Leu Phe Pro Ser Gly Gly Arg Arg Val Pro Leu Pro Thr Tyr  
 865 870 875 880  
 Pro Trp Gln Arg Glu Arg Tyr Trp Ile Asp Thr Lys Ala Asp Asp Ala  
 885 890 895  
 Ala Arg Gly Asp Arg Arg Ala Pro Gly Ala Gly His Asp Glu Val Glu  
 900 905 910  
 Glu Gly Gly Ala Val Arg Gly Gly Asp Arg Arg Ser Ala Arg Leu Asp  
 915 920 925  
 His Pro Pro Pro Glu Ser Gly Arg Arg Glu Lys Val Glu Ala Ala Gly  
 930 935 940  
 Asp Arg Pro Phe Arg Leu Glu Ile Asp Glu Pro Gly Val Leu Asp His  
 945 950 955 960  
 Leu Val Leu Arg Val Thr Glu Arg Arg Ala Pro Gly Leu Gly Glu Val  
 965 970 975  
 Glu Ile Ala Val Asp Ala Ala Gly Leu Ser Phe Asn Asp Val Gln Leu  
 980 985 990  
 Ala Leu Gly Met Val Pro Asp Asp Leu Pro Gly Lys Pro Asn Pro Pro  
 995 1000 1005  
 Leu Leu Leu Gly Gly Glu Cys Ala Gly Arg Ile Val Ala Val Gly Glu  
 1010 1015 1020

- 22 -

Gly Val Asn Gly Leu Val Val Gly Gln Pro Val Ile Ala Leu Ser Ala  
 1025 1030 1035 1040  
 Gly Ala Phe Ala Thr His Val Thr Thr Ser Ala Ala Leu Val Leu Pro  
 1045 1050 1055  
 Arg Pro Gln Ala Leu Ser Ala Ile Glu Ala Ala Ala Met Pro Val Ala  
 1060 1065 1070  
 Tyr Leu Thr Ala Trp Tyr Ala Leu Asp Arg Ile Ala Arg Leu Gln Pro  
 1075 1080 1085  
 Gly Glu Arg Val Leu Ile His Ala Ala Thr Gly Gly Val Gly Leu Ala  
 1090 1095 1100  
 Ala Val Gln Trp Ala Gln His Val Gly Ala Glu Val His Ala Thr Ala  
 1105 1110 1115 1120  
 Gly Thr Pro Glu Lys Arg Ala Tyr Leu Glu Ser Leu Gly Val Arg Tyr  
 1125 1130 1135  
 Val Ser Asp Ser Arg Ser Asp Arg Phe Val Ala Asp Val Arg Ala Trp  
 1140 1145 1150  
 Thr Gly Gly Glu Gly Val Asp Val Val Leu Asn Ser Leu Ser Gly Glu  
 1155 1160 1165  
 Leu Ile Asp Lys Ser Phe Asn Leu Leu Arg Ser His Gly Arg Phe Val  
 1170 1175 1180  
 Glu Leu Gly Lys Arg Asp Cys Tyr Ala Asp Asn Gln Leu Gly Leu Arg  
 1185 1190 1195 1200  
 Pro Phe Leu Arg Asn Leu Ser Phe Ser Leu Val Asp Leu Arg Gly Met  
 1205 1210 1215  
 Met Leu Glu Arg Pro Ala Arg Val Arg Ala Leu Leu Glu Glu Leu Leu  
 1220 1225 1230  
 Gly Leu Ile Ala Ala Gly Val Phe Thr Pro Pro Pro Ile Ala Thr Leu  
 1235 1240 1245  
 Pro Ile Ala Arg Val Ala Asp Ala Phe Arg Ser Met Ala Gln Ala Gln  
 1250 1255 1260  
 His Leu Gly Lys Leu Val Leu Thr Leu Gly Asp Pro Glu Val Gln Ile  
 1265 1270 1275 1280  
 Arg Ile Pro Thr His Ala Gly Ala Gly Pro Ser Thr Gly Asp Arg Asp  
 1285 1290 1295  
 Leu Leu Asp Arg Leu Ala Ser Ala Ala Pro Ala Ala Arg Ala Ala Ala  
 1300 1305 1310  
 Leu Glu Ala Phe Leu Arg Thr Gln Val Ser Gln Val Leu Arg Thr Pro  
 1315 1320 1325  
 Glu Ile Lys Val Gly Ala Glu Ala Leu Phe Thr Arg Leu Gly Met Asp  
 1330 1335 1340  
 Ser Leu Met Ala Val Glu Leu Arg Asn Arg Ile Glu Ala Ser Leu Lys  
 1345 1350 1355 1360  
 Leu Lys Leu Ser Thr Thr Phe Leu Ser Thr Ser Pro Asn Ile Ala Leu

1365										1370					1375						
Leu	Ala	Gln	Asn	Leu	Leu	Asp	Ala	Leu	Ala	Thr	Ala	Leu	Ser	Leu	Glu						
1380								1385				1390									
Arg	Val	Ala	Ala	Glu	Asn	Leu	Arg	Ala	Gly	Val	Gln	Asn	Asp	Phe	Val						
1395								1400				1405									
Ser	Ser	Gly	Ala	Asp	Gln	Asp	Trp	Glu	Ile	Ile	Ala	Leu									
1410								1415				1420									
<p>&lt;210&gt; 3</p> <p>&lt;211&gt; 1410</p> <p>&lt;212&gt; PRT</p> <p>&lt;213&gt; Sorangium cellulosum</p>																					
<p>&lt;400&gt; 3</p>																					
Met	Thr	Ile	Asn	Gln	Leu	Leu	Asn	Glu	Leu	Glu	His	Gln	Gly	Ile	Lys						
1				5					10					15							
Leu	Ala	Ala	Asp	Gly	Glu	Arg	Leu	Gln	Ile	Gln	Ala	Pro	Lys	Asn	Ala						
				20				25				30									
Leu	Asn	Pro	Asn	Leu	Leu	Ala	Arg	Ile	Ser	Glu	His	Lys	Ser	Thr	Ile						
				35				40				45									
Leu	Thr	Met	Leu	Arg	Gln	Arg	Leu	Pro	Ala	Glu	Ser	Ile	Val	Pro	Ala						
				50				55				60									
Pro	Ala	Glu	Arg	His	Ala	Pro	Phe	Pro	Leu	Thr	Asp	Ile	Gln	Glu	Ser						
65				70				75				80									
Tyr	Trp	Leu	Gly	Arg	Thr	Gly	Ala	Phe	Thr	Val	Pro	Ser	Gly	Ile	His						
				85				90				95									
Ala	Tyr	Arg	Glu	Tyr	Asp	Cys	Thr	Asp	Leu	Asp	Val	Pro	Arg	Leu	Ser						
100				105				110													
Arg	Ala	Phe	Arg	Lys	Val	Val	Ala	Arg	His	Asp	Met	Leu	Arg	Ala	His						
115				120				125													
Thr	Leu	Pro	Asp	Met	Met	Gln	Val	Ile	Glu	Pro	Lys	Val	Asp	Ala	Asp						
130				135				140													
Ile	Glu	Ile	Ile	Asp	Leu	Arg	Gly	Leu	Asp	Arg	Ser	Thr	Arg	Glu	Ala						
145				150				155				160									
Arg	Leu	Val	Ser	Leu	Arg	Asp	Ala	Met	Ser	His	Arg	Ile	Tyr	Asp	Thr						
				165				170				175									
Glu	Arg	Pro	Pro	Leu	Tyr	His	Val	Val	Ala	Val	Arg	Leu	Asp	Glu	Arg						
				180				185				190									
Gln	Thr	Arg	Leu	Val	Leu	Ser	Ile	Asp	Leu	Ile	Asn	Val	Asp	Leu	Gly						
195				200				205													
Ser	Leu	Ser	Ile	Ile	Phe	Lys	Asp	Trp	Leu	Ser	Phe	Tyr	Glu	Asp	Pro						
210				215				220													
Glu	Thr	Ser	Leu	Pro	Val	Leu	Glu	Leu	Ser	Tyr	Arg	Asp	Tyr	Val	Leu						
225				230				235				240									
Ala	Leu	Glu	Ser	Arg	Lys	Lys	Ser	Glu	Ala	His	Gln	Arg	Ser	Met	Asp						
				245				250				255									

- 24 -

Tyr Trp Lys Arg Arg Ile Ala Glu Leu Pro Pro Pro Pro Thr Leu Pro  
 260 265 270  
 Met Lys Ala Asp Pro Ser Thr Leu Lys Glu Ile Arg Phe Arg His Thr  
 275 280 285  
 Glu Gln Trp Leu Pro Ser Asp Ser Trp Gly Arg Leu Lys Arg Arg Val  
 290 295 300  
 Gly Glu Arg Gly Leu Thr Pro Thr Gly Val Ile Leu Ala Ala Phe Ser  
 305 310 315 320  
 Glu Val Ile Gly Arg Trp Ser Ala Ser Pro Arg Phe Thr Leu Asn Ile  
 325 330 335  
 Thr Leu Phe Asn Arg Leu Pro Val His Pro Arg Val Asn Asp Ile Thr  
 340 345 350  
 Gly Asp Phe Thr Ser Met Val Leu Leu Asp Ile Asp Thr Thr Arg Asp  
 355 360 365  
 Lys Ser Phe Glu Gln Arg Ala Lys Arg Ile Gln Glu Gln Leu Trp Glu  
 370 375 380  
 Ala Met Asp His Cys Asp Val Ser Gly Ile Glu Val Gln Arg Glu Ala  
 385 390 395 400  
 Ala Arg Val Leu Gly Ile Gln Arg Gly Ala Leu Phe Pro Val Val Leu  
 405 410 415  
 Thr Ser Ala Leu Asn Gln Gln Val Val Gly Val Thr Ser Leu Gln Arg  
 420 425 430  
 Leu Gly Thr Pro Val Tyr Thr Ser Thr Gln Thr Pro Gln Leu Leu Leu  
 435 440 445  
 Asp His Gln Leu Tyr Glu His Asp Gly Asp Leu Val Leu Ala Trp Asp  
 450 455 460  
 Ile Val Asp Gly Val Phe Pro Pro Asp Leu Leu Asp Asp Met Leu Glu  
 465 470 475 480  
 Ala Tyr Val Val Phe Leu Arg Arg Leu Thr Glu Glu Pro Trp Gly Glu  
 485 490 495  
 Gln Val Arg Cys Ser Leu Pro Pro Ala Gln Leu Glu Ala Arg Ala Ser  
 500 505 510  
 Ala Asn Ala Thr Asn Ala Leu Leu Ser Glu His Thr Leu His Gly Leu  
 515 520 525  
 Phe Ala Ala Arg Val Glu Gln Leu Pro Met Gln Leu Ala Val Val Ser  
 530 535 540  
 Ala Arg Lys Thr Leu Thr Tyr Glu Glu Leu Ser Arg Arg Ser Arg Arg  
 545 550 555 560  
 Leu Gly Ala Arg Leu Arg Glu Gln Gly Ala Arg Pro Asn Thr Leu Val  
 565 570 575  
 Ala Val Val Met Glu Lys Gly Trp Glu Gln Val Val Ala Val Leu Ala  
 580 585 590  
 Val Leu Glu Ser Gly Ala Ala Tyr Val Pro Ile Asp Ala Asp Leu Pro

- 25 -

595					600					605					
Ala	Glu	Arg	Ile	His	Tyr	Leu	Leu	Asp	His	Gly	Glu	Val	Lys	Leu	Val
610						615					620				
Leu	Thr	Gln	Pro	Trp	Leu	Asp	Gly	Lys	Leu	Ser	Trp	Pro	Pro	Gly	Ile
625					630					635					640
Gln	Arg	Leu	Leu	Val	Ser	Glu	Ala	Gly	Val	Glu	Gly	Asp	Gly	Asp	Gln
				645					650					655	
Pro	Pro	Met	Met	Pro	Ile	Gln	Thr	Pro	Ser	Asp	Leu	Ala	Tyr	Val	Ile
			660					665						670	
Tyr	Thr	Ser	Gly	Ser	Thr	Gly	Leu	Pro	Lys	Gly	Val	Met	Ile	Asp	His
		675					680						685		
Arg	Gly	Ala	Val	Asn	Thr	Ile	Leu	Asp	Ile	Asn	Glu	Arg	Phe	Glu	Ile
	690					695					700				
Gly	Pro	Gly	Asp	Arg	Val	Leu	Ala	Leu	Ser	Ser	Leu	Ser	Phe	Asp	Leu
705					710					715					720
Ser	Val	Tyr	Asp	Val	Phe	Gly	Ile	Leu	Ala	Ala	Gly	Gly	Thr	Ile	Val
				725					730					735	
Val	Pro	Asp	Ala	Ser	Lys	Leu	Arg	Asp	Pro	Ala	His	Trp	Ala	Glu	Leu
			740					745						750	
Ile	Glu	Arg	Glu	Lys	Val	Thr	Val	Trp	Asn	Ser	Val	Pro	Ala	Leu	Met
	755						760					765			
Arg	Met	Leu	Val	Glu	His	Phe	Glu	Gly	Arg	Pro	Asp	Ser	Leu	Ala	Arg
	770					775					780				
Ser	Leu	Arg	Leu	Ser	Leu	Leu	Ser	Gly	Asp	Trp	Ile	Pro	Val	Gly	Leu
785					790					795					800
Pro	Gly	Glu	Leu	Gln	Ala	Ile	Arg	Pro	Gly	Val	Ser	Val	Ile	Ser	Leu
				805					810					815	
Gly	Gly	Ala	Thr	Glu	Ala	Ser	Ile	Trp	Ser	Ile	Gly	Tyr	Pro	Val	Arg
			820					825					830		
Asn	Val	Asp	Leu	Ser	Trp	Ala	Ser	Ile	Pro	Tyr	Gly	Arg	Pro	Leu	Arg
		835					840					845			
Asn	Gln	Thr	Phe	His	Val	Leu	Asp	Glu	Ala	Leu	Glu	Pro	Arg	Pro	Val
	850					855					860				
Trp	Val	Pro	Gly	Gln	Leu	Tyr	Ile	Gly	Gly	Val	Gly	Leu	Ala	Leu	Gly
865					870					875					880
Tyr	Trp	Arg	Asp	Glu	Lys	Thr	Arg	Lys	Ser	Phe	Leu	Val	His	Pro	
			885					890					895		
Glu	Thr	Gly	Glu	Arg	Leu	Tyr	Lys	Thr	Gly	Asp	Leu	Gly	Arg	Tyr	Leu
			900					905					910		
Pro	Asp	Gly	Asn	Ile	Glu	Phe	Met	Gly	Arg	Glu	Asp	Asn	Gln	Ile	Lys
		915					920					925			
Leu	Arg	Gly	Tyr	Arg	Val	Glu	Leu	Gly	Glu	Ile	Glu	Glu	Thr	Leu	Lys
	930					935					940				

- 26 -

Ser His Pro Asn Val Arg Asp Ala Val Ile Val Pro Val Gly Asn Asp  
 945 950 955 960  
 Ala Ala Asn Lys Leu Leu Leu Ala Tyr Val Val Pro Glu Gly Thr Arg  
 965 970 975  
 Arg Arg Ala Ala Glu Gln Asp Ala Ser Leu Lys Thr Glu Arg Ile Asp  
 980 985 990  
 Ala Arg Ala His Ala Ala Glu Ala Asp Gly Leu Ser Asp Gly Glu Arg  
 995 1000 1005  
 Val Gln Phe Lys Leu Ala Arg His Gly Leu Arg Arg Asp Leu Asp Gly  
 1010 1015 1020  
 Lys Pro Val Val Asp Leu Thr Gly Gln Asp Pro Arg Glu Ala Gly Leu  
 1025 1030 1035 1040  
 Asp Val Tyr Ala Arg Arg Arg Ser Val Arg Thr Phe Leu Glu Ala Pro  
 1045 1050 1055  
 Ile Pro Phe Val Glu Phe Gly Arg Phe Leu Ser Cys Leu Ser Ser Val  
 1060 1065 1070  
 Glu Pro Asp Gly Ala Thr Leu Pro Lys Phe Arg Tyr Pro Ser Ala Gly  
 1075 1080 1085  
 Ser Thr Tyr Pro Val Gln Thr Tyr Ala Tyr Val Lys Ser Gly Arg Ile  
 1090 1095 1100  
 Glu Gly Val Asp Glu Gly Phe Tyr Tyr Tyr His Pro Phe Glu His Arg  
 1105 1110 1115 1120  
 Leu Leu Lys Leu Ser Asp His Gly Ile Glu Arg Gly Ala His Val Arg  
 1125 1130 1135  
 Gln Asn Phe Asp Val Phe Asp Glu Ala Ala Phe Asn Leu Leu Phe Val  
 1140 1145 1150  
 Gly Arg Ile Asp Ala Ile Glu Ser Leu Tyr Gly Ser Ser Ser Arg Glu  
 1155 1160 1165  
 Phe Cys Leu Leu Glu Ala Gly Tyr Met Ala Gln Leu Leu Met Glu Gln  
 1170 1175 1180  
 Ala Pro Ser Cys Asn Ile Gly Val Cys Pro Val Gly Gln Phe Asn Phe  
 1185 1190 1195 1200  
 Glu Gln Val Arg Pro Val Leu Asp Leu Arg His Ser Asp Val Tyr Val  
 1205 1210 1215  
 His Gly Met Leu Gly Gly Arg Val Asp Pro Arg Gln Phe Gln Val Cys  
 1220 1225 1230  
 Thr Leu Gly Gln Asp Ser Ser Pro Arg Arg Ala Thr Thr Arg Gly Ala  
 1235 1240 1245  
 Pro Pro Gly Arg Glu Gln His Phe Ala Asp Met Leu Arg Asp Phe Leu  
 1250 1255 1260  
 Arg Thr Lys Leu Pro Glu Tyr Met Val Pro Thr Val Phe Val Glu Leu  
 1265 1270 1275 1280  
 Asp Ala Leu Pro Leu Thr Ser Asn Gly Lys Val Asp Arg Lys Ala Leu  
 1285 1290 1295

- 27 -

Arg Glu Arg Lys Asp Thr Ser Ser Pro Arg His Ser Gly His Thr Ala  
                   1300                                  1305                                  1310  
 Pro Arg Asp Ala Leu Glu Glu Ile Leu Val Ala Val Val Arg Glu Val  
                   1315                                  1320                                  1325  
 Leu Gly Leu Glu Val Val Gly Leu Gln Gln Ser Phe Val Asp Leu Gly  
                   1330                                  1335                                  1340  
 Ala Thr Ser Ile His Ile Val Arg Met Arg Ser Leu Leu Gln Lys Arg  
                   1345                                  1350                                  1355                                  1360  
 Leu Asp Arg Glu Ile Ala Ile Thr Glu Leu Phe Gln Tyr Pro Asn Leu  
                   1365                                  1370                                  1375  
 Gly Ser Leu Ala Ser Gly Leu Arg Arg Asp Ser Arg Asp Leu Asp Gln  
                   1380                                  1385                                  1390  
 Arg Pro Asn Met Gln Asp Arg Val Glu Val Arg Arg Lys Gly Arg Arg  
                   1395                                  1400                                  1405  
 Arg Ser  
                   1410

<210> 4  
 <211> 1832  
 <212> PRT  
 <213> Sorangium cellulosum

<400> 4  
 Met Glu Glu Gln Glu Ser Ser Ala Ile Ala Val Ile Gly Met Ser Gly  
   1                                  5                                  10                                  15  
 Arg Phe Pro Gly Ala Arg Asp Leu Asp Glu Phe Trp Arg Asn Leu Arg  
                   20                                  25                                  30  
 Asp Gly Thr Glu Ala Val Gln Arg Phe Ser Glu Gln Glu Leu Ala Ala  
                   35                                  40                                  45  
 Ser Gly Val Asp Pro Ala Leu Val Leu Asp Pro Ser Tyr Val Arg Ala  
                   50                                  55                                  60  
 Gly Ser Val Leu Glu Asp Val Asp Arg Phe Asp Ala Ala Phe Phe Gly  
                   65                                  70                                  75                                  80  
 Ile Ser Pro Arg Glu Ala Glu Leu Met Asp Pro Gln His Arg Ile Phe  
                   85                                  90                                  95  
 Met Glu Cys Ala Trp Glu Ala Leu Glu Asn Ala Gly Tyr Asp Pro Thr  
                   100                                  105                                  110  
 Ala Tyr Glu Gly Ser Ile Gly Val Tyr Ala Gly Ala Asn Met Ser Ser  
                   115                                  120                                  125  
 Tyr Leu Thr Ser Asn Leu His Glu His Pro Ala Met Met Arg Trp Pro  
                   130                                  135                                  140  
 Gly Trp Phe Gln Thr Leu Ile Gly Asn Asp Lys Asp Tyr Leu Ala Thr  
                   145                                  150                                  155                                  160  
 His Val Ser Tyr Arg Leu Asn Leu Arg Gly Pro Ser Ile Ser Val Gln  
                   165                                  170                                  175

- 28 -

Thr Ala Cys Ser Thr Ser Leu Val Ala Val His Leu Ala Cys Met Ser  
 180 185 190  
 Leu Leu Asp Arg Glu Cys Asp Met Ala Leu Ala Gly Gly Ile Thr Val  
 195 200 205  
 Arg Ile Pro His Arg Ala Gly Tyr Val Tyr Ala Glu Gly Gly Ile Phe  
 210 215 220  
 Ser Pro Asp Gly His Cys Arg Ala Phe Asp Ala Lys Ala Asn Gly Thr  
 225 230 235 240  
 Ile Met Gly Asn Gly Cys Gly Val Val Leu Leu Lys Pro Leu Asp Arg  
 245 250 255  
 Ala Leu Ser Asp Gly Asp Pro Val Arg Ala Val Ile Leu Gly Ser Ala  
 260 265 270  
 Thr Asn Asn Asp Gly Ala Arg Lys Ile Gly Phe Thr Ala Pro Ser Glu  
 275 280 285  
 Val Gly Gln Ala Gln Ala Ile Met Glu Ala Leu Ala Leu Ala Gly Val  
 290 295 300  
 Glu Ala Arg Ser Ile Gln Tyr Ile Glu Thr His Gly Thr Gly Thr Leu  
 305 310 315 320  
 Leu Gly Asp Ala Ile Glu Thr Ala Ala Leu Arg Arg Val Phe Gly Arg  
 325 330 335  
 Asp Ala Ser Ala Arg Arg Ser Cys Ala Ile Gly Ser Val Lys Thr Gly  
 340 345 350  
 Ile Gly His Leu Glu Ser Ala Ala Gly Ile Ala Gly Leu Ile Lys Thr  
 355 360 365  
 Val Leu Ala Leu Glu His Arg Gln Leu Pro Pro Ser Leu Asn Phe Glu  
 370 375 380  
 Ser Pro Asn Pro Ser Ile Asp Phe Ala Ser Ser Pro Phe Tyr Val Asn  
 385 390 395 400  
 Thr Ser Leu Lys Asp Trp Asn Thr Gly Ser Thr Pro Arg Arg Ala Gly  
 405 410 415  
 Val Ser Ser Phe Gly Ile Gly Gly Thr Asn Ala His Val Val Leu Glu  
 420 425 430  
 Glu Ala Pro Ala Ala Lys Leu Pro Ala Ala Ala Pro Ala Arg Ser Ala  
 435 440 445  
 Glu Leu Phe Val Val Ser Ala Lys Ser Ala Ala Ala Leu Asp Ala Ala  
 450 455 460  
 Ala Ala Arg Leu Arg Asp His Leu Gln Ala His Gln Gly Ile Ser Leu  
 465 470 475 480  
 Gly Asp Val Ala Phe Ser Leu Ala Thr Thr Arg Ser Pro Met Glu His  
 485 490 495  
 Arg Leu Ala Met Ala Ala Pro Ser Arg Glu Ala Leu Arg Glu Gly Leu  
 500 505 510  
 Asp Ala Ala Ala Arg Gly Gln Thr Pro Pro Gly Ala Val Arg Gly Arg  
 515 520 525

- 29 -

Cys Ser Pro Gly Asn Val Pro Lys Val Val Phe Val Phe Pro Gly Gln  
 530 535 540  
 Gly Ser Gln Trp Val Gly Met Gly Arg Gln Leu Leu Ala Glu Glu Pro  
 545 550 555 560  
 Val Phe His Ala Ala Leu Ser Ala Cys Asp Arg Ala Ile Gln Ala Glu  
 565 570 575  
 Ala Gly Trp Ser Leu Leu Ala Glu Leu Ala Ala Asp Glu Gly Ser Ser  
 580 585 590  
 Gln Leu Glu Arg Ile Asp Val Val Gln Pro Val Leu Phe Ala Leu Ala  
 595 600 605  
 Val Ala Phe Ala Ala Leu Trp Arg Ser Trp Gly Val Ala Pro Asp Val  
 610 615 620  
 Val Ile Gly His Ser Met Gly Glu Val Ala Ala Ala His Val Ala Gly  
 625 630 635 640  
 Ala Leu Ser Leu Glu Asp Ala Val Ala Ile Ile Cys Arg Arg Ser Arg  
 645 650 655  
 Leu Leu Arg Arg Ile Ser Gly Gln Gly Glu Met Ala Val Thr Glu Leu  
 660 665 670  
 Ser Leu Ala Glu Ala Glu Ala Ala Leu Arg Gly Tyr Glu Asp Arg Val  
 675 680 685  
 Ser Val Ala Val Ser Asn Ser Pro Arg Ser Thr Val Leu Ser Gly Glu  
 690 695 700  
 Pro Ala Ala Ile Gly Glu Val Leu Ser Ser Leu Asn Ala Lys Gly Val  
 705 710 715 720  
 Phe Cys Arg Arg Val Lys Val Asp Val Ala Ser His Ser Pro Gln Val  
 725 730 735  
 Asp Pro Leu Arg Glu Asp Leu Leu Ala Ala Leu Gly Gly Leu Arg Pro  
 740 745 750  
 Gly Ala Ala Val Pro Met Arg Ser Thr Val Thr Gly Ala Met Val  
 755 760 765  
 Ala Gly Pro Glu Leu Gly Ala Asn Tyr Trp Met Asn Asn Leu Arg Gln  
 770 775 780  
 Pro Val Arg Phe Ala Glu Val Val Gln Ala Gln Leu Gln Gly Gly His  
 785 790 795 800  
 Gly Leu Phe Val Glu Met Ser Pro His Pro Ile Leu Thr Thr Ser Val  
 805 810 815  
 Glu Glu Met Arg Arg Ala Ala Gln Arg Ala Gly Ala Ala Val Gly Ser  
 820 825 830  
 Leu Arg Arg Gly Gln Asp Glu Arg Pro Ala Met Leu Glu Ala Leu Gly  
 835 840 845  
 Thr Leu Trp Ala Gln Gly Tyr Pro Val Pro Trp Gly Arg Leu Phe Pro  
 850 855 860  
 Ala Gly Gly Arg Arg Val Pro Leu Pro Thr Tyr Pro Trp Gln Arg Glu

- 30 -

865	870	875	880
Arg Tyr Trp Ile	Glu Ala Pro Ala Lys	Ser Ala Ala Gly Asp	Arg Arg
	885	890	895
Gly Val Arg Ala	Gly Gly His Pro	Leu Leu Gly Glu Met	Gln Thr Leu
	900	905	910
Ser Thr Gln Thr	Ser Thr Arg Leu	Trp Glu Thr Thr	Leu Asp Leu Lys
	915	920	925
Arg Leu Pro Trp	Leu Gly Asp His	Arg Val Gln Gly	Ala Val Val Phe
	930	935	940
Pro Gly Ala Ala	Tyr Leu Glu Met	Ala Ile Ser Ser	Gly Ala Glu Ala
	945	950	955
Leu Gly Asp Gly	Pro Leu Gln Ile	Thr Asp Val Val	Leu Ala Glu Ala
	965	970	975
Leu Ala Phe Ala	Gly Asp Ala Ala	Val Leu Val Gln	Val Val Thr Thr
	980	985	990
Glu Gln Pro Ser	Gly Arg Leu Gln	Phe Gln Ile Ala	Ser Arg Ala Pro
	995	1000	1005
Gly Ala Gly His	Ala Ser Phe Arg	Val His Ala Arg	Gly Ala Leu Leu
	1010	1015	1020
Arg Val Glu Arg	Thr Glu Val Pro	Ala Gly Leu Thr	Leu Ser Ala Val
	1025	1030	1035
Arg Ala Arg Leu	Gln Ala Ser Ile	Pro Ala Ala Ala	Thr Tyr Ala Glu
	1045	1050	1055
Leu Thr Glu Met	Gly Leu Gln Tyr	Gly Pro Ala Phe	Gln Gly Ile Ala
	1060	1065	1070
Glu Leu Trp Arg	Gly Glu Gly Glu	Ala Leu Gly Arg	Val Arg Leu Pro
	1075	1080	1085
Asp Ala Ala Gly	Ser Ala Ala Glu	Tyr Arg Leu His	Pro Ala Leu Leu
	1090	1095	1100
Asp Ala Cys Phe	Gln Ile Val Gly	Ser Leu Phe Ala	Arg Ser Gly Glu
	1105	1110	1115
Ala Thr Pro Trp	Val Pro Val Glu	Leu Gly Ser Leu	Arg Leu Leu Gln
	1125	1130	1135
Arg Pro Ser Gly	Glu Leu Trp Cys	His Ala Arg Val	Val Asn His Gly
	1140	1145	1150
His Gln Thr Pro	Asp Arg Gln Gly	Ala Asp Phe Trp	Val Val Asp Ser
	1155	1160	1165
Ser Gly Ala Val	Val Ala Glu Val	Cys Gly Leu Val	Ala Gln Arg Leu
	1170	1175	1180
Pro Gly Gly Val	Arg Arg Arg Glu	Glu Asp Asp Trp	Phe Leu Glu Leu
	1185	1190	1195
Glu Trp Glu Pro	Ala Ala Val Gly	Thr Ala Lys Val	Asn Ala Gly Arg
	1205	1210	1215

- 31 -

Trp Leu Leu Leu Gly Gly Gly Gly Gly Leu Gly Ala Ala Leu Arg Ala  
 1220 1225 1230  
 Met Leu Glu Ala Gly Gly His Ala Val Val His Ala Ala Glu Asn Asn  
 1235 1240 1245  
 Thr Ser Ala Ala Gly Val Arg Ala Leu Leu Ala Lys Ala Phe Asp Gly  
 1250 1255 1260  
 Gln Ala Pro Thr Ala Val Val His Leu Gly Ser Leu Asp Gly Gly Gly  
 1265 1270 1275 1280  
 Glu Leu Asp Pro Gly Leu Gly Ala Gln Gly Ala Leu Asp Ala Pro Arg  
 1285 1290 1295  
 Ser Ala Asp Val Ser Pro Asp Ala Leu Asp Pro Ala Leu Val Arg Gly  
 1300 1305 1310  
 Cys Asp Ser Val Leu Trp Thr Val Gln Ala Leu Ala Gly Met Gly Phe  
 1315 1320 1325  
 Arg Asp Ala Pro Arg Leu Trp Leu Leu Thr Arg Gly Ala Gln Ala Val  
 1330 1335 1340  
 Gly Ala Gly Asp Val Ser Val Thr Gln Ala Pro Leu Leu Gly Leu Gly  
 1345 1350 1355 1360  
 Arg Val Ile Ala Met Glu His Ala Asp Leu Arg Cys Ala Arg Val Asp  
 1365 1370 1375  
 Leu Asp Pro Ala Arg Pro Glu Gly Glu Leu Ala Ala Leu Leu Ala Glu  
 1380 1385 1390  
 Leu Leu Ala Asp Asp Ala Glu Ala Glu Val Ala Leu Arg Gly Gly Glu  
 1395 1400 1405  
 Arg Cys Val Ala Arg Ile Val Arg Arg Gln Pro Glu Thr Arg Pro Arg  
 1410 1415 1420  
 Gly Arg Ile Glu Ser Cys Val Pro Thr Asp Val Thr Ile Arg Ala Asp  
 1425 1430 1435 1440  
 Ser Thr Tyr Leu Val Thr Gly Gly Leu Gly Gly Leu Gly Leu Ser Val  
 1445 1450 1455  
 Ala Gly Trp Leu Ala Glu Arg Gly Ala Gly His Leu Val Leu Val Gly  
 1460 1465 1470  
 Arg Ser Gly Ala Ala Ser Val Glu Gln Arg Ala Ala Val Ala Ala Leu  
 1475 1480 1485  
 Glu Ala Arg Gly Ala Arg Val Thr Val Ala Lys Ala Asp Val Ala Asp  
 1490 1495 1500  
 Arg Ala Gln Leu Glu Arg Ile Leu Arg Glu Val Thr Thr Ser Gly Met  
 1505 1510 1515 1520  
 Pro Leu Arg Gly Val Val His Ala Ala Gly Ile Leu Asp Asp Gly Leu  
 1525 1530 1535  
 Leu Met Gln Gln Thr Pro Ala Arg Phe Arg Lys Val Met Ala Pro Lys  
 1540 1545 1550  
 Val Gln Gly Ala Leu His Leu His Ala Leu Thr Arg Glu Ala Pro Leu  
 1555 1560 1565

- 32 -

Ser Phe Phe Val Leu Tyr Ala Ser Gly Val Gly Leu Leu Gly Ser Pro  
 1570 1575 1580  
 Gly Gln Gly Asn Tyr Ala Ala Asn Thr Phe Leu Asp Ala Leu Ala  
 1585 1590 1595 1600  
 His His Arg Arg Ala Gln Gly Leu Pro Ala Leu Ser Val Asp Trp Gly  
 1605 1610 1615  
 Leu Phe Ala Glu Val Gly Met Ala Ala Ala Gln Glu Asp Arg Gly Ala  
 1620 1625 1630  
 Arg Leu Val Ser Arg Gly Met Arg Ser Leu Thr Pro Asp Glu Gly Leu  
 1635 1640 1645  
 Ser Ala Leu Ala Arg Leu Leu Glu Ser Gly Arg Ala Gln Val Gly Val  
 1650 1655 1660  
 Met Pro Val Asn Pro Arg Leu Trp Val Glu Leu Tyr Pro Ala Ala Ala  
 1665 1670 1675 1680  
 Ser Ser Arg Met Leu Ser Arg Leu Val Thr Ala His Arg Ala Ser Ala  
 1685 1690 1695  
 Gly Gly Pro Ala Gly Asp Gly Asp Leu Leu Arg Arg Leu Ala Ala Ala  
 1700 1705 1710  
 Glu Pro Ser Ala Arg Ser Ala Leu Leu Glu Pro Leu Leu Arg Ala Gln  
 1715 1720 1725  
 Ile Ser Gln Val Leu Arg Leu Pro Glu Gly Lys Ile Glu Val Asp Ala  
 1730 1735 1740  
 Pro Leu Thr Ser Leu Gly Met Asn Ser Leu Met Gly Leu Glu Leu Arg  
 1745 1750 1755 1760  
 Asn Arg Ile Glu Ala Met Leu Gly Ile Thr Val Pro Ala Thr Leu Leu  
 1765 1770 1775  
 Trp Thr Tyr Pro Thr Val Ala Ala Leu Ser Gly His Leu Ala Arg Glu  
 1780 1785 1790  
 Ala Cys Glu Ala Ala Pro Val Glu Ser Pro His Thr Thr Ala Asp Ser  
 1795 1800 1805  
 Ala Val Glu Ile Glu Glu Met Ser Gln Asp Asp Leu Thr Gln Leu Ile  
 1810 1815 1820  
 Ala Ala Lys Phe Lys Ala Leu Thr  
 1825 1830

<210> 5  
 <211> 7257  
 <212> PRT  
 <213> Sorangium cellulosum

<400> 5  
 Met Thr Thr Arg Gly Pro Thr Ala Gln Gln Asn Pro Leu Lys Gln Ala  
 1 5 10 15  
 Ala Ile Ile Ile Gln Arg Leu Glu Glu Arg Leu Ala Gly Leu Ala Gln  
 20 25 30

- 33 -

Ala Glu Leu Glu Arg Thr Glu Pro Ile Ala Ile Val Gly Ile Gly Cys  
 35 40 45  
 Arg Phe Pro Gly Gly Ala Asp Ala Pro Glu Ala Phe Trp Glu Leu Leu  
 50 55 60  
 Asp Ala Glu Arg Asp Ala Val Gln Pro Leu Asp Met Arg Trp Ala Leu  
 65 70 75 80  
 Val Gly Val Ala Pro Val Glu Ala Val Pro His Trp Ala Gly Leu Leu  
 85 90 95  
 Thr Glu Pro Ile Asp Cys Phe Asp Ala Ala Phe Phe Gly Ile Ser Pro  
 100 105 110  
 Arg Glu Ala Arg Ser Leu Asp Pro Gln His Arg Leu Leu Leu Glu Val  
 115 120 125  
 Ala Trp Glu Gly Leu Glu Asp Ala Gly Ile Pro Pro Arg Ser Ile Asp  
 130 135 140  
 Gly Ser Arg Thr Gly Val Phe Val Gly Ala Phe Thr Ala Asp Tyr Ala  
 145 150 155 160  
 Arg Thr Val Ala Arg Leu Pro Arg Glu Glu Arg Asp Ala Tyr Ser Ala  
 165 170 175  
 Thr Gly Asn Met Leu Ser Ile Ala Ala Gly Arg Leu Ser Tyr Thr Leu  
 180 185 190  
 Gly Leu Gln Gly Pro Cys Leu Thr Val Asp Thr Ala Cys Ser Ser Ser  
 195 200 205  
 Leu Val Ala Ile His Leu Ala Cys Arg Ser Leu Arg Ala Gly Glu Ser  
 210 215 220  
 Asp Leu Ala Leu Ala Gly Gly Val Ser Ala Leu Leu Ser Pro Asp Met  
 225 230 235 240  
 Met Glu Ala Ala Ala Arg Thr Gln Ala Leu Ser Pro Asp Gly Arg Cys  
 245 250 255  
 Arg Thr Phe Asp Ala Ser Ala Asn Gly Phe Val Arg Gly Glu Gly Cys  
 260 265 270  
 Gly Leu Val Val Leu Lys Arg Leu Ser Asp Ala Gln Arg Asp Gly Asp  
 275 280 285  
 Arg Ile Trp Ala Leu Ile Arg Gly Ser Ala Ile Asn His Asp Gly Arg  
 290 295 300  
 Ser Thr Gly Leu Thr Ala Pro Asn Val Leu Ala Gln Glu Thr Val Leu  
 305 310 315 320  
 Arg Glu Ala Leu Arg Ser Ala His Val Glu Ala Gly Ala Val Asp Tyr  
 325 330 335  
 Val Glu Thr His Gly Thr Gly Thr Ser Leu Gly Asp Pro Ile Glu Val  
 340 345 350  
 Glu Ala Leu Arg Ala Thr Val Gly Pro Ala Arg Ser Asp Gly Thr Arg  
 355 360 365  
 Cys Val Leu Gly Ala Val Lys Thr Asn Ile Gly His Leu Glu Ala Ala  
 370 375 380

- 34 -

Ala Gly Val Ala Gly Leu Ile Lys Ala Ala Leu Ser Leu Thr His Glu  
 385 390 395 400  
 Arg Ile Pro Arg Asn Leu Asn Phe Arg Thr Leu Asn Pro Arg Ile Arg  
 405 410 415  
 Leu Glu Gly Ser Ala Leu Ala Leu Ala Thr Glu Pro Val Pro Trp Pro  
 420 425 430  
 Arg Thr Asp Arg Pro Arg Phe Ala Gly Val Ser Ser Phe Gly Met Ser  
 435 440 445  
 Gly Thr Asn Ala His Val Val Leu Glu Glu Ala Pro Ala Val Glu Leu  
 450 455 460  
 Trp Pro Ala Ala Pro Glu Arg Ser Ala Glu Leu Leu Val Leu Ser Gly  
 465 470 475 480  
 Lys Ser Glu Gly Ala Leu Asp Ala Gln Ala Ala Arg Leu Arg Glu His  
 485 490 495  
 Leu Asp Met His Pro Glu Leu Gly Leu Gly Asp Val Ala Phe Ser Leu  
 500 505 510  
 Ala Thr Thr Arg Ser Ala Met Ser His Arg Leu Ala Val Ala Val Thr  
 515 520 525  
 Ser Arg Glu Gly Leu Leu Ala Ala Leu Ser Ala Val Ala Gln Gly Gln  
 530 535 540  
 Thr Pro Ala Gly Ala Ala Arg Cys Ile Ala Ser Ser Ser Arg Gly Lys  
 545 550 555 560  
 Leu Ala Phe Leu Phe Thr Gly Gln Gly Ala Gln Thr Pro Gly Met Gly  
 565 570 575  
 Arg Gly Leu Cys Ala Ala Trp Pro Ala Phe Arg Glu Ala Phe Asp Arg  
 580 585 590  
 Cys Val Ala Leu Phe Asp Arg Glu Leu Asp Arg Pro Leu Arg Glu Val  
 595 600 605  
 Met Trp Ala Glu Ala Gly Ser Ala Glu Ser Leu Leu Asp Gln Thr  
 610 615 620  
 Ala Phe Thr Gln Pro Ala Leu Phe Ala Val Glu Tyr Ala Leu Thr Ala  
 625 630 635 640  
 Leu Trp Arg Ser Trp Gly Val Glu Pro Glu Leu Leu Val Gly His Ser  
 645 650 655  
 Ile Gly Glu Leu Val Ala Ala Cys Val Ala Gly Val Phe Ser Leu Glu  
 660 665 670  
 Asp Gly Val Arg Leu Val Ala Ala Arg Gly Arg Leu Met Gln Gly Leu  
 675 680 685  
 Ser Ala Gly Gly Ala Met Val Ser Leu Gly Ala Pro Glu Ala Glu Val  
 690 695 700  
 Ala Ala Ala Val Ala Pro His Ala Ala Ser Val Ser Ile Ala Ala Val  
 705 710 715 720  
 Asn Gly Pro Glu Gln Val Val Ile Ala Gly Val Glu Gln Ala Val Gln

Ala	Ile	Ala	Ala	Gly	Phe	Ala	Ala	Arg	Gly	Ala	Arg	Thr	Lys	Arg	Leu
		740						745					750		
His	Val	Ser	His	Ala	Phe	His	Ser	Pro	Leu	Met	Glu	Pro	Met	Leu	Glu
		755					760					765			
Glu	Phe	Gly	Arg	Val	Ala	Ala	Ser	Val	Thr	Tyr	Arg	Arg	Pro	Ser	Val
		770				775					780				
Ser	Leu	Val	Ser	Asn	Leu	Ser	Gly	Lys	Val	Val	Thr	Asp	Glu	Leu	Ser
		785			790					795					800
Ala	Pro	Gly	Tyr	Trp	Val	Arg	His	Val	Arg	Glu	Ala	Val	Arg	Phe	Ala
				805					810					815	
Asp	Gly	Val	Lys	Ala	Leu	His	Glu	Ala	Gly	Ala	Gly	Thr	Phe	Val	Glu
			820					825					830		
Val	Gly	Pro	Lys	Pro	Thr	Leu	Leu	Gly	Leu	Leu	Pro	Ala	Cys	Leu	Pro
		835					840					845			
Glu	Ala	Glu	Pro	Thr	Leu	Leu	Ala	Ser	Leu	Arg	Ala	Gly	Arg	Glu	Glu
		850				855					860				
Ala	Ala	Gly	Val	Leu	Glu	Ala	Leu	Gly	Arg	Leu	Trp	Ala	Ala	Gly	Gly
					870					875					880
Ser	Val	Ser	Trp	Pro	Gly	Val	Phe	Pro	Thr	Ala	Gly	Arg	Arg	Val	Pro
				885					890					895	
Leu	Pro	Thr	Tyr	Pro	Trp	Gln	Arg	Gln	Arg	Tyr	Trp	Ile	Glu	Ala	Pro
			900					905					910		
Ala	Glu	Gly	Leu	Gly	Ala	Thr	Ala	Ala	Asp	Ala	Leu	Ala	Gln	Trp	Phe
		915					920					925			
Tyr	Arg	Val	Asp	Trp	Pro	Glu	Met	Pro	Arg	Ser	Ser	Val	Asp	Ser	Arg
		930				935					940				
Arg	Ala	Arg	Ser	Gly	Gly	Trp	Leu	Val	Leu	Ala	Asp	Arg	Gly	Gly	Val
				950						955					960
Gly	Glu	Ala	Ala	Ala	Ala	Ala	Leu	Ser	Ser	Gln	Gly	Cys	Ser	Cys	Ala
				965					970					975	
Val	Leu	His	Ala	Pro	Ala	Glu	Ala	Ser	Ala	Val	Ala	Glu	Gln	Val	Thr
			980					985					990		
Gln	Ala	Leu	Gly	Gly	Arg	Asn	Asp	Trp	Gln	Gly	Val	Leu	Tyr	Leu	Trp
		995					1000					1005			
Gly	Leu	Asp	Ala	Val	Val	Glu	Ala	Gly	Ala	Ser	Ala	Glu	Glu	Val	Ala
						1015					1020				
Lys	Val	Thr	His	Leu	Ala	Ala	Ala	Pro	Val	Leu	Ala	Leu	Ile	Gln	Ala
				1030					1035						1040
Leu	Gly	Thr	Gly	Pro	Arg	Ser	Pro	Arg	Leu	Trp	Ile	Val	Thr	Arg	Gly
				1045				1050						1055	
Ala	Cys	Thr	Val	Gly	Gly	Glu	Pro	Asp	Ala	Ala	Pro	Cys	Gln	Ala	Ala
			1060					1065					1070		

- 36 -

Leu Trp Gly Met Gly Arg Val Ala Ala Leu Glu His Pro Gly Ser Trp  
 1075 1080 1085  
 Gly Gly Leu Val Asp Leu Asp Pro Glu Glu Ser Pro Thr Glu Val Glu  
 1090 1095 1100  
 Ala Leu Val Ala Glu Leu Ser Pro Asp Ala Glu Asp Gln Leu Ala  
 1105 1110 1115 1120  
 Phe Arg Gln Gly Arg Arg Arg Ala Ala Arg Leu Val Ala Ala Pro Pro  
 1125 1130 1135  
 Glu Gly Asn Ala Ala Pro Val Ser Leu Ser Ala Glu Gly Ser Tyr Leu  
 1140 1145 1150  
 Val Thr Gly Gly Leu Gly Ala Leu Gly Leu Leu Val Ala Arg Trp Leu  
 1155 1160 1165  
 Val Glu Arg Gly Ala Gly His Leu Val Leu Ile Ser Arg His Gly Leu  
 1170 1175 1180  
 Pro Asp Arg Glu Glu Trp Gly Arg Asp Gln Pro Pro Glu Val Arg Ala  
 1185 1190 1195 1200  
 Arg Ile Ala Ala Ile Glu Ala Leu Glu Ala Gln Gly Ala Arg Val Thr  
 1205 1210 1215  
 Val Ala Ala Val Asp Val Ala Asp Ala Glu Gly Met Ala Ala Leu Leu  
 1220 1225 1230  
 Ala Ala Val Glu Pro Pro Leu Arg Gly Val Val His Ala Ala Gly Leu  
 1235 1240 1245  
 Leu Asp Asp Gly Leu Leu Ala His Gln Asp Ala Gly Arg Leu Ala Arg  
 1250 1255 1260  
 Val Leu Arg Pro Lys Val Glu Gly Ala Trp Val Leu His Thr Leu Thr  
 1265 1270 1275 1280  
 Arg Glu Gln Pro Leu Asp Leu Phe Val Leu Phe Ser Ser Ala Ser Gly  
 1285 1290 1295  
 Val Phe Gly Ser Ile Gly Gln Gly Ser Tyr Ala Ala Gly Asn Ala Phe  
 1300 1305 1310  
 Leu Asp Ala Leu Ala Asp Leu Arg Arg Thr Gln Gly Leu Ala Ala Leu  
 1315 1320 1325  
 Ser Ile Ala Trp Gly Leu Trp Ala Glu Gly Gly Met Gly Ser Gln Ala  
 1330 1335 1340  
 Gln Arg Arg Glu His Glu Ala Ser Gly Ile Trp Ala Met Pro Thr Ser  
 1345 1350 1355 1360  
 Arg Ala Leu Ala Ala Met Glu Trp Leu Leu Gly Thr Arg Ala Thr Gln  
 1365 1370 1375  
 Arg Val Val Ile Gln Met Asp Trp Ala His Ala Gly Ala Ala Pro Arg  
 1380 1385 1390  
 Asp Ala Ser Arg Gly Arg Phe Trp Asp Arg Leu Val Thr Ala Thr Lys  
 1395 1400 1405  
 Glu Ala Ser Ser Ser Ala Val Pro Ala Val Glu Arg Trp Arg Asn Ala  
 1410 1415 1420

- 37 -

Ser Val Val Glu Thr Arg Ser Ala Leu Tyr Glu Leu Val Arg Gly Val  
 1425 1430 1435 1440  
 Val Ala Gly Val Met Gly Phe Thr Asp Gln Gly Thr Leu Asp Val Arg  
 1445 1450 1455  
 Arg Gly Phe Ala Glu Gln Gly Leu Asp Ser Leu Met Ala Val Glu Ile  
 1460 1465 1470  
 Arg Lys Arg Leu Gln Gly Glu Leu Gly Met Pro Leu Ser Ala Thr Leu  
 1475 1480 1485  
 Ala Phe Asp His Pro Thr Val Glu Arg Leu Val Glu Tyr Leu Leu Ser  
 1490 1495 1500  
 Gln Ala Leu Glu Leu Gln Asp Arg Thr Asp Val Arg Ser Val Arg Leu  
 1505 1510 1515 1520  
 Pro Ala Thr Glu Asp Pro Ile Ala Ile Val Gly Ala Ala Cys Arg Phe  
 1525 1530 1535  
 Pro Gly Gly Val Glu Asp Leu Glu Ser Tyr Trp Gln Leu Leu Thr Glu  
 1540 1545 1550  
 Gly Val Val Val Ser Thr Glu Val Pro Ala Asp Arg Trp Asn Gly Ala  
 1555 1560 1565  
 Asp Gly Arg Val Pro Gly Ser Gly Glu Ala Gln Arg Gln Thr Tyr Val  
 1570 1575 1580  
 Pro Arg Gly Gly Phe Leu Arg Glu Val Glu Thr Phe Asp Ala Ala Phe  
 1585 1590 1595 1600  
 Phe His Ile Ser Pro Arg Glu Ala Met Ser Leu Asp Pro Gln Gln Arg  
 1605 1610 1615  
 Leu Leu Leu Glu Val Ser Trp Glu Ala Ile Glu Arg Ala Gly Gln Asp  
 1620 1625 1630  
 Pro Ser Ala Leu Arg Glu Ser Pro Thr Gly Val Phe Val Gly Ala Gly  
 1635 1640 1645  
 Pro Asn Glu Tyr Ala Glu Arg Val Gln Glu Leu Ala Asp Glu Ala Ala  
 1650 1655 1660  
 Gly Leu Tyr Ser Gly Thr Gly Asn Met Leu Ser Val Ala Ala Gly Arg  
 1665 1670 1675 1680  
 Leu Ser Phe Phe Leu Gly Leu His Gly Pro Thr Leu Ala Val Asp Thr  
 1685 1690 1695  
 Ala Cys Ser Ser Ser Leu Val Ala Leu His Leu Gly Cys Gln Ser Leu  
 1700 1705 1710  
 Arg Arg Gly Glu Cys Asp Gln Ala Leu Val Gly Gly Val Asn Met Leu  
 1715 1720 1725  
 Leu Ser Pro Lys Thr Phe Ala Leu Leu Ser Arg Met His Ala Leu Ser  
 1730 1735 1740  
 Pro Gly Gly Arg Cys Lys Thr Phe Ser Ala Asp Ala Asp Gly Tyr Ala  
 1745 1750 1755 1760  
 Arg Ala Glu Gly Cys Ala Val Val Val Leu Lys Arg Leu Ser Asp Ala

- 38 -

1765	1770	1775
Gln Arg Asp Arg Asp Pro Ile Leu Ala Val Ile Arg Gly Thr Ala Ile 1780 1785 1790		
Asn His Asp Gly Pro Ser Ser Gly Leu Thr Val Pro Ser Gly Pro Ala 1795 1800 1805		
Gln Glu Ala Leu Leu Arg Gln Ala Leu Ala His Ala Gly Val Val Pro 1810 1815 1820		
Ala Asp Val Asp Phe Val Glu Cys His Gly Thr Gly Thr Ala Leu Gly 1825 1830 1835 1840		
Asp Pro Ile Glu Val Arg Ala Leu Ser Asp Val Tyr Gly Gln Ala Arg 1845 1850 1855		
Pro Ala Asp Arg Pro Leu Ile Leu Gly Ala Ala Lys Ala Asn Leu Gly 1860 1865 1870		
His Met Glu Pro Ala Ala Gly Leu Ala Gly Leu Leu Lys Ala Val Leu 1875 1880 1885		
Ala Leu Gly Gln Glu Gln Ile Pro Ala Gln Pro Glu Leu Gly Glu Leu 1890 1895 1900		
Asn Pro Leu Leu Pro Trp Glu Ala Leu Pro Val Ala Val Ala Arg Ala 1905 1910 1915 1920		
Ala Val Pro Trp Pro Arg Thr Asp Arg Pro Arg Phe Ala Gly Val Ser 1925 1930 1935		
Ser Phe Gly Met Ser Gly Thr Asn Ala His Val Val Leu Glu Glu Ala 1940 1945 1950		
Pro Ala Val Glu Leu Trp Pro Ala Ala Pro Glu Arg Ser Ala Glu Leu 1955 1960 1965		
Leu Val Leu Ser Gly Lys Ser Glu Gly Ala Leu Asp Ala Gln Ala Ala 1970 1975 1980		
Arg Leu Arg Glu His Leu Asp Met His Pro Glu Leu Gly Leu Gly Asp 1985 1990 1995 2000		
Val Ala Phe Ser Leu Ala Thr Thr Arg Ser Ala Met Asn His Arg Leu 2005 2010 2015		
Ala Val Ala Val Thr Ser Arg Glu Gly Leu Leu Ala Ala Leu Ser Ala 2020 2025 2030		
Val Ala Gln Gly Gln Thr Pro Pro Gly Ala Ala Arg Cys Ile Ala Ser 2035 2040 2045		
Ser Ser Arg Gly Lys Leu Ala Phe Leu Phe Thr Gly Gln Gly Ala Gln 2050 2055 2060		
Thr Pro Gly Met Gly Arg Gly Leu Cys Ala Ala Trp Pro Ala Phe Arg 2065 2070 2075 2080		
Glu Ala Phe Asp Arg Cys Val Ala Leu Phe Asp Arg Glu Leu Asp Arg 2085 2090 2095		
Pro Leu Arg Glu Val Met Trp Ala Glu Pro Gly Ser Ala Glu Ser Leu 2100 2105 2110		

- 39 -

Leu Leu Asp Gln Thr Ala Phe Thr Gln Pro Ala Leu Phe Thr Val Glu  
 2115 2120 2125  
 Tyr Ala Leu Thr Ala Leu Trp Arg Ser Trp Gly Val Glu Pro Glu Leu  
 2130 2135 2140  
 Val Ala Gly His Ser Ala Gly Glu Leu Val Ala Ala Cys Val Ala Gly  
 2145 2150 2155 2160  
 Val Phe Ser Leu Glu Asp Gly Val Arg Leu Val Ala Ala Arg Gly Arg  
 2165 2170 2175  
 Leu Met Gln Gly Leu Ser Ala Gly Gly Ala Met Val Ser Leu Gly Ala  
 2180 2185 2190  
 Pro Glu Ala Glu Val Ala Ala Ala Val Ala Pro His Ala Ala Ser Val  
 2195 2200 2205  
 Ser Ile Ala Ala Val Asn Gly Pro Glu Gln Val Val Ile Ala Gly Val  
 2210 2215 2220  
 Glu Gln Ala Val Gln Ala Ile Ala Ala Gly Phe Ala Ala Arg Gly Ala  
 2225 2230 2235 2240  
 Arg Thr Lys Arg Leu His Val Ser His Ala Ser His Ser Pro Leu Met  
 2245 2250 2255  
 Glu Pro Met Leu Glu Glu Phe Gly Arg Val Ala Ala Ser Val Thr Tyr  
 2260 2265 2270  
 Arg Arg Pro Ser Val Ser Leu Val Ser Asn Leu Ser Gly Lys Val Val  
 2275 2280 2285  
 Ala Asp Glu Leu Ser Ala Pro Gly Tyr Trp Val Arg His Val Arg Glu  
 2290 2295 2300  
 Ala Val Arg Phe Ala Asp Gly Val Lys Ala Leu His Glu Ala Gly Ala  
 2305 2310 2315 2320  
 Gly Thr Phe Val Glu Val Gly Pro Lys Pro Thr Leu Leu Gly Leu Leu  
 2325 2330 2335  
 Pro Ala Cys Leu Pro Glu Ala Glu Pro Thr Leu Leu Ala Ser Leu Arg  
 2340 2345 2350  
 Ala Gly Arg Glu Glu Ala Ala Gly Val Leu Glu Ala Leu Gly Arg Leu  
 2355 2360 2365  
 Trp Ala Ala Gly Gly Ser Val Ser Trp Pro Gly Val Phe Pro Thr Ala  
 2370 2375 2380  
 Gly Arg Arg Val Pro Leu Pro Thr Tyr Pro Trp Gln Arg Gln Arg Tyr  
 2385 2390 2395 2400  
 Trp Pro Asp Ile Glu Pro Asp Ser Arg Arg His Ala Ala Ala Asp Pro  
 2405 2410 2415  
 Thr Gln Gly Trp Phe Tyr Arg Val Asp Trp Pro Glu Ile Pro Arg Ser  
 2420 2425 2430  
 Leu Gln Lys Ser Glu Glu Ala Ser Arg Gly Ser Trp Leu Val Leu Ala  
 2435 2440 2445  
 Asp Lys Gly Gly Val Gly Glu Ala Val Ala Ala Ala Leu Ser Thr Arg  
 2450 2455 2460

- 40 -

Gly Leu Pro Cys Val Val Leu His Ala Pro Ala Glu Thr Ser Ala Thr  
 2465 2470 2475 2480  
 Ala Glu Leu Val Thr Glu Ala Ala Gly Gly Arg Ser Asp Trp Gln Val  
 2485 2490 2495  
 Val Leu Tyr Leu Trp Gly Leu Asp Ala Val Val Gly Ala Glu Ala Ser  
 2500 2505 2510  
 Ile Asp Glu Ile Gly Asp Ala Thr Arg Arg Ala Thr Ala Pro Val Leu  
 2515 2520 2525  
 Gly Leu Ala Arg Phe Leu Ser Thr Val Ser Cys Ser Pro Arg Leu Trp  
 2530 2535 2540  
 Val Val Thr Arg Gly Ala Cys Ile Val Gly Asp Glu Pro Ala Ile Ala  
 2545 2550 2555 2560  
 Pro Cys Gln Ala Ala Leu Trp Gly Met Gly Arg Val Ala Ala Leu Glu  
 2565 2570 2575  
 His Pro Gly Ala Trp Gly Gly Leu Val Asp Leu Asp Pro Arg Ala Ser  
 2580 2585 2590  
 Pro Pro Gln Ala Ser Pro Ile Asp Gly Glu Met Leu Val Thr Glu Leu  
 2595 2600 2605  
 Leu Ser Gln Glu Thr Glu Asp Gln Leu Ala Phe Arg His Gly Arg Arg  
 2610 2615 2620  
 His Ala Ala Arg Leu Val Ala Ala Pro Pro Gln Gly Gln Ala Ala Pro  
 2625 2630 2635 2640  
 Val Ser Leu Ser Ala Glu Ala Ser Tyr Leu Val Thr Gly Gly Leu Gly  
 2645 2650 2655  
 Gly Leu Gly Leu Ile Val Ala Gln Trp Leu Val Glu Leu Gly Ala Arg  
 2660 2665 2670  
 His Leu Val Leu Thr Ser Arg Arg Gly Leu Pro Asp Arg Gln Ala Trp  
 2675 2680 2685  
 Cys Glu Gln Gln Pro Pro Glu Ile Arg Ala Arg Ile Ala Ala Val Glu  
 2690 2695 2700  
 Ala Leu Glu Ala Arg Gly Ala Arg Val Thr Val Ala Ala Val Asp Val  
 2705 2710 2715 2720  
 Ala Asp Val Glu Pro Met Thr Ala Leu Val Ser Ser Val Glu Pro Pro  
 2725 2730 2735  
 Leu Arg Gly Val Val His Ala Ala Gly Val Ser Val Met Arg Pro Leu  
 2740 2745 2750  
 Ala Glu Thr Asp Glu Thr Leu Leu Glu Ser Val Leu Arg Pro Lys Val  
 2755 2760 2765  
 Ala Gly Ser Trp Leu Leu His Arg Leu Leu His Gly Arg Pro Leu Asp  
 2770 2775 2780  
 Leu Phe Val Leu Phe Ser Ser Gly Ala Ala Val Trp Gly Ser His Ser  
 2785 2790 2795 2800  
 Gln Gly Ala Tyr Ala Ala Ala Asn Ala Phe Leu Asp Gly Leu Ala His

- 41 -

2805	2810	2815
Leu Arg Arg Ser Gln Ser Leu Pro Ala Leu Ser Val Ala Trp Gly Leu 2820 2825 2830		
Trp Ala Glu Gly Gly Met Ala Asp Ala Glu Ala His Ala Arg Leu Ser 2835 2840 2845		
Asp Ile Gly Val Leu Pro Met Ser Thr Ser Ala Ala Leu Ser Ala Leu 2850 2855 2860		
Gln Arg Leu Val Glu Thr Gly Ala Ala Gln Arg Thr Val Thr Arg Met 2865 2870 2875 2880		
Asp Trp Ala Arg Phe Ala Pro Val Tyr Thr Ala Arg Gly Arg Arg Asn 2885 2890 2895		
Leu Leu Ser Ala Leu Val Ala Gly Arg Asp Ile Ile Ala Pro Ser Pro 2900 2905 2910		
Pro Ala Ala Ala Thr Arg Asn Trp Arg Gly Leu Ser Val Ala Glu Ala 2915 2920 2925		
Arg Val Ala Leu His Glu Ile Val His Gly Ala Val Ala Arg Val Leu 2930 2935 2940		
Gly Phe Leu Asp Pro Ser Ala Leu Asp Pro Gly Met Gly Phe Asn Glu 2945 2950 2955 2960		
Gln Gly Leu Asp Ser Leu Met Ala Val Glu Ile Arg Asn Leu Leu Gln 2965 2970 2975		
Ala Glu Leu Asp Val Arg Leu Ser Thr Thr Leu Ala Phe Asp His Pro 2980 2985 2990		
Thr Val Gln Arg Leu Val Glu His Leu Leu Val Asp Val Leu Lys Leu 2995 3000 3005		
Glu Asp Arg Ser Asp Thr Gln His Val Arg Ser Leu Ala Ser Asp Glu 3010 3015 3020		
Pro Ile Ala Ile Val Gly Ala Ala Cys Arg Phe Pro Gly Gly Val Glu 3025 3030 3035 3040		
Asp Leu Glu Ser Tyr Trp Gln Leu Leu Ala Glu Gly Val Val Val Ser 3045 3050 3055		
Ala Glu Val Pro Ala Asp Arg Trp Asp Ala Ala Asp Trp Tyr Asp Pro 3060 3065 3070		
Asp Pro Glu Ile Pro Gly Arg Thr Tyr Val Thr Lys Gly Ala Phe Leu 3075 3080 3085		
Arg Asp Leu Gln Arg Leu Asp Ala Thr Phe Phe Arg Ile Ser Pro Arg 3090 3095 3100		
Glu Ala Met Ser Leu Asp Pro Gln Gln Arg Leu Leu Leu Glu Val Ser 3105 3110 3115 3120		
Trp Glu Ala Leu Glu Ser Ala Gly Ile Ala Pro Asp Thr Leu Arg Asp 3125 3130 3135		
Ser Pro Thr Gly Val Phe Val Gly Ala Gly Pro Asn Glu Tyr Tyr Thr 3140 3145 3150		

- 42 -

Gln Arg Leu Arg Gly Phe Thr Asp Gly Ala Ala Gly Leu Tyr Gly Gly  
 3155 3160 3165  
 Thr Gly Asn Met Leu Ser Val Thr Ala Gly Arg Leu Ser Phe Phe Leu  
 3170 3175 3180  
 Gly Leu His Gly Pro Thr Leu Ala Met Asp Thr Ala Cys Ser Ser Ser  
 3185 3190 3195 3200  
 Leu Val Ala Leu His Leu Ala Cys Gln Ser Leu Arg Leu Gly Glu Cys  
 3205 3210 3215  
 Asp Gln Ala Leu Val Gly Gly Val Asn Val Leu Leu Ala Pro Glu Thr  
 3220 3225 3230  
 Phe Val Leu Leu Ser Arg Met Arg Ala Leu Ser Pro Asp Gly Arg Cys  
 3235 3240 3245  
 Lys Thr Phe Ser Ala Asp Ala Asp Gly Tyr Ala Arg Gly Glu Gly Cys  
 3250 3255 3260  
 Ala Val Val Val Leu Lys Arg Leu Arg Asp Ala Gln Arg Ala Gly Asp  
 3265 3270 3275 3280  
 Ser Ile Leu Ala Leu Ile Arg Gly Ser Ala Val Asn His Asp Gly Pro  
 3285 3290 3295  
 Ser Ser Gly Leu Thr Val Pro Asn Gly Pro Ala Gln Gln Ala Leu Leu  
 3300 3305 3310  
 Arg Gln Ala Leu Ser Gln Ala Gly Val Ser Pro Val Asp Val Asp Phe  
 3315 3320 3325  
 Val Glu Cys His Gly Thr Gly Thr Ala Leu Gly Asp Pro Ile Glu Val  
 3330 3335 3340  
 Gln Ala Leu Ser Glu Val Tyr Gly Pro Gly Arg Ser Gly Asp Arg Pro  
 3345 3350 3355 3360  
 Leu Val Leu Gly Ala Ala Lys Ala Asn Val Ala His Leu Glu Ala Ala  
 3365 3370 3375  
 Ser Gly Leu Ala Ser Leu Leu Lys Ala Val Leu Ala Leu Arg His Glu  
 3380 3385 3390  
 Gln Ile Pro Ala Gln Pro Glu Leu Gly Glu Leu Asn Pro His Leu Pro  
 3395 3400 3405  
 Trp Asn Thr Leu Pro Val Ala Val Pro Arg Lys Ala Val Pro Trp Gly  
 3410 3415 3420  
 Arg Gly Ala Arg Pro Arg Arg Ala Gly Val Ser Ala Phe Gly Leu Ser  
 3425 3430 3435 3440  
 Gly Thr Asn Val His Val Val Leu Glu Glu Ala Pro Glu Val Glu Pro  
 3445 3450 3455  
 Ala Pro Ala Ala Pro Ala Arg Pro Val Glu Leu Val Val Leu Ser Ala  
 3460 3465 3470  
 Lys Ser Ala Ala Ala Leu Asp Ala Ala Ala Arg Leu Ser Ala His  
 3475 3480 3485  
 Leu Ser Ala His Pro Glu Leu Ser Leu Gly Asp Val Ala Phe Ser Leu  
 3490 3495 3500

- 43 -

Ala Thr Thr Arg Ser Pro Met Glu His Arg Leu Ala Ile Ala Thr Thr  
 3505 3510 3515 3520  
 Ser Arg Glu Ala Leu Arg Gly Ala Leu Asp Ala Ala Ala Gln Gln Lys  
 3525 3530 3535  
 Thr Pro Gln Gly Ala Val Arg Gly Lys Ala Val Ser Ser Arg Gly Lys  
 3540 3545 3550  
 Leu Ala Phe Leu Phe Thr Gly Gln Gly Ala Gln Met Pro Gly Met Gly  
 3555 3560 3565  
 Arg Gly Leu Tyr Glu Thr Trp Pro Ala Phe Arg Glu Ala Phe Asp Arg  
 3570 3575 3580  
 Cys Val Ala Leu Phe Asp Arg Glu Ile Asp Gln Pro Leu Arg Glu Val  
 3585 3590 3595 3600  
 Met Trp Ala Ala Pro Gly Leu Ala Gln Ala Ala Arg Leu Asp Gln Thr  
 3605 3610 3615  
 Ala Tyr Ala Gln Pro Ala Leu Phe Ala Leu Glu Tyr Ala Leu Ala Ala  
 3620 3625 3630  
 Leu Trp Arg Ser Trp Gly Val Glu Pro His Val Leu Leu Gly His Ser  
 3635 3640 3645  
 Ile Gly Glu Leu Val Ala Ala Cys Val Ala Gly Val Phe Ser Leu Glu  
 3650 3655 3660  
 Asp Ala Val Arg Leu Val Ala Ala Arg Gly Arg Leu Met Gln Ala Leu  
 3665 3670 3675 3680  
 Pro Ala Gly Gly Ala Met Val Ala Ile Ala Ala Ser Glu Ala Glu Val  
 3685 3690 3695  
 Ala Ala Ser Val Ala Pro His Ala Ala Thr Val Ser Ile Ala Ala Val  
 3700 3705 3710  
 Asn Gly Pro Asp Ala Val Val Ile Ala Gly Ala Glu Val Gln Val Leu  
 3715 3720 3725  
 Ala Leu Gly Ala Thr Phe Ala Ala Arg Gly Ile Arg Thr Lys Arg Leu  
 3730 3735 3740  
 Ala Val Ser His Ala Phe His Ser Pro Leu Met Asp Pro Met Leu Glu  
 3745 3750 3755 3760  
 Asp Phe Gln Arg Val Ala Ala Thr Ile Ala Tyr Arg Ala Pro Asp Arg  
 3765 3770 3775  
 Pro Val Val Ser Asn Val Thr Gly His Val Ala Gly Pro Glu Ile Ala  
 3780 3785 3790  
 Thr Pro Glu Tyr Trp Val Arg His Val Arg Ser Ala Val Arg Phe Gly  
 3795 3800 3805  
 Asp Gly Ala Lys Ala Leu His Ala Ala Gly Ala Ala Thr Phe Val Glu  
 3810 3815 3820  
 Val Gly Pro Lys Pro Val Leu Leu Gly Leu Leu Pro Ala Cys Leu Gly  
 3825 3830 3835 3840  
 Glu Ala Asp Ala Val Leu Val Pro Ser Leu Arg Ala Asp Arg Ser Glu

- 44 -

3845	3850	3855
Cys Glu Val Val Leu Ala Ala Leu Gly Ala Trp Tyr Ala Trp Gly Gly		
3860	3865	3870
Ala Leu Asp Trp Lys Gly Val Phe Pro Asp Gly Ala Arg Val Ala		
3875	3880	3885
Leu Pro Met Tyr Pro Trp Gln Arg Glu Arg His Trp Met Asp Leu Thr		
3890	3895	3900
Pro Arg Ser Ala Ala Pro Ala Gly Ile Ala Gly Arg Trp Pro Leu Ala		
3905	3910	3915
Gly Val Gly Leu Cys Met Pro Gly Ala Val Leu His His Val Leu Ser		
3925	3930	3935
Ile Gly Pro Arg His Gln Pro Phe Leu Gly Asp His Leu Val Phe Gly		
3940	3945	3950
Lys Val Val Val Pro Gly Ala Phe His Val Ala Val Ile Leu Ser Ile		
3955	3960	3965
Ala Ala Glu Arg Trp Pro Glu Arg Ala Ile Glu Leu Thr Gly Val Glu		
3970	3975	3980
Phe Leu Lys Ala Ile Ala Met Glu Pro Asp Gln Glu Val Glu Leu His		
3985	3990	3995
Ala Val Leu Thr Pro Glu Ala Ala Gly Asp Gly Tyr Leu Phe Glu Leu		
4005	4010	4015
Ala Thr Leu Ala Ala Pro Glu Thr Glu Arg Arg Trp Thr Thr His Ala		
4020	4025	4030
Arg Gly Arg Val Gln Pro Thr Asp Gly Ala Pro Gly Ala Leu Pro Arg		
4035	4040	4045
Leu Glu Val Leu Glu Asp Arg Ala Ile Gln Pro Leu Asp Phe Ala Gly		
4050	4055	4060
Phe Leu Asp Arg Leu Ser Ala Val Arg Ile Gly Trp Gly Pro Leu Trp		
4065	4070	4075
Arg Trp Leu Gln Asp Gly Arg Val Gly Asp Glu Ala Ser Leu Ala Thr		
4085	4090	4095
Leu Val Pro Thr Tyr Pro Asn Ala His Asp Val Ala Pro Leu His Pro		
4100	4105	4110
Ile Leu Leu Asp Asn Gly Phe Ala Val Ser Leu Leu Ser Thr Arg Ser		
4115	4120	4125
Glu Pro Glu Asp Asp Gly Thr Pro Pro Leu Pro Phe Ala Val Glu Arg		
4130	4135	4140
Val Arg Trp Trp Arg Ala Pro Val Gly Arg Val Arg Cys Gly Gly Val		
4145	4150	4155
Pro Arg Ser Gln Ala Phe Gly Val Ser Ser Phe Val Leu Val Asp Glu		
4165	4170	4175
Thr Gly Glu Val Val Ala Glu Val Glu Gly Phe Val Cys Arg Arg Ala		
4180	4185	4190

- 45 -

Pro Arg Glu Val Phe Leu Arg Gln Glu Ser Gly Ala Ser Thr Ala Ala  
 4195 4200 4205  
 Leu Tyr Arg Leu Asp Trp Pro Glu Ala Pro Leu Pro Asp Ala Pro Ala  
 4210 4215 4220  
 Glu Arg Ile Glu Glu Ser Trp Val Val Val Ala Ala Pro Gly Ser Glu  
 4225 4230 4235 4240  
 Met Ala Ala Ala Leu Ala Thr Arg Leu Asn Arg Cys Val Leu Ala Glu  
 4245 4250 4255  
 Pro Lys Gly Leu Glu Ala Ala Leu Ala Gly Val Ser Pro Ala Gly Val  
 4260 4265 4270  
 Ile Cys Leu Trp Glu Ala Gly Ala His Glu Glu Ala Pro Ala Ala Ala  
 4275 4280 4285  
 Gln Arg Val Ala Thr Glu Gly Leu Ser Val Val Gln Ala Leu Arg Asp  
 4290 4295 4300  
 Arg Ala Val Arg Leu Trp Trp Val Thr Met Gly Ala Val Ala Val Glu  
 4305 4310 4315 4320  
 Ala Gly Glu Arg Val Gln Val Ala Thr Ala Pro Val Trp Gly Leu Gly  
 4325 4330 4335  
 Arg Thr Val Met Gln Glu Arg Pro Glu Leu Ser Cys Thr Leu Val Asp  
 4340 4345 4350  
 Leu Glu Pro Glu Ala Asp Ala Ala Arg Ser Ala Asp Val Leu Leu Arg  
 4355 4360 4365  
 Glu Leu Gly Arg Ala Asp Asp Glu Thr Gln Val Ala Phe Arg Ser Gly  
 4370 4375 4380  
 Lys Arg Arg Val Ala Arg Leu Val Lys Ala Thr Thr Pro Glu Gly Leu  
 4385 4390 4395 4400  
 Leu Val Pro Asp Ala Glu Ser Tyr Arg Leu Glu Ala Gly Gln Lys Gly  
 4405 4410 4415  
 Thr Leu Asp Gln Leu Arg Leu Ala Pro Ala Gln Arg Arg Ala Pro Gly  
 4420 4425 4430  
 Pro Gly Glu Val Glu Ile Lys Val Thr Ala Ser Gly Leu Asn Phe Arg  
 4435 4440 4445  
 Thr Val Leu Ala Val Leu Gly Met Tyr Pro Gly Asp Ala Gly Pro Met  
 4450 4455 4460  
 Gly Gly Asp Cys Ala Gly Val Ala Thr Ala Val Gly Gln Gly Val Arg  
 4465 4470 4475 4480  
 His Val Ala Val Gly Asp Ala Val Met Thr Leu Gly Thr Leu His Arg  
 4485 4490 4495  
 Phe Val Thr Val Asp Ala Arg Leu Val Val Arg Gln Pro Ala Gly Leu  
 4500 4505 4510  
 Thr Pro Ala Gln Ala Ala Thr Val Pro Val Ala Phe Leu Thr Ala Trp  
 4515 4520 4525  
 Leu Ala Leu His Asp Leu Gly Asn Leu Arg Arg Gly Glu Arg Val Leu  
 4530 4535 4540

- 46 -

Ile His Ala Ala Ala Gly Gly Val Gly Met Ala Ala Val Gln Ile Ala  
 4545 4550 4555 4560  
 Arg Trp Ile Gly Ala Glu Val Phe Ala Thr Ala Ser Pro Ser Lys Trp  
 4565 4570 4575  
 Ala Ala Val Gln Ala Met Gly Val Pro Arg Thr His Ile Ala Ser Ser  
 4580 4585 4590  
 Arg Thr Leu Glu Phe Ala Glu Thr Phe Arg Gln Val Thr Gly Gly Arg  
 4595 4600 4605  
 Gly Val Asp Val Val Leu Asn Ala Leu Ala Gly Glu Phe Val Asp Ala  
 4610 4615 4620  
 Ser Leu Ser Leu Leu Ser Thr Gly Gly Arg Phe Leu Glu Met Gly Lys  
 4625 4630 4635 4640  
 Thr Asp Ile Arg Asp Arg Ala Ala Val Ala Ala His Pro Gly Val  
 4645 4650 4655  
 Arg Tyr Arg Val Phe Asp Ile Leu Glu Leu Ala Pro Asp Arg Thr Arg  
 4660 4665 4670  
 Glu Ile Leu Glu Arg Val Val Glu Gly Phe Ala Ala Gly His Leu Arg  
 4675 4680 4685  
 Ala Leu Pro Val His Ala Phe Ala Ile Thr Lys Ala Glu Ala Ala Phe  
 4690 4695 4700  
 Arg Phe Met Ala Gln Ala Arg His Gln Gly Lys Val Val Leu Leu Pro  
 4705 4710 4715 4720  
 Ala Pro Ser Ala Ala Pro Leu Ala Pro Thr Gly Thr Val Leu Leu Thr  
 4725 4730 4735  
 Gly Gly Leu Gly Ala Leu Gly Leu His Val Ala Arg Trp Leu Ala Gln  
 4740 4745 4750  
 Gln Gly Val Pro His Met Val Leu Thr Gly Arg Arg Gly Leu Asp Thr  
 4755 4760 4765  
 Pro Gly Ala Ala Lys Ala Val Ala Glu Ile Glu Ala Leu Gly Ala Arg  
 4770 4775 4780  
 Val Thr Ile Ala Ala Ser Asp Val Ala Asp Arg Asn Ala Leu Glu Ala  
 4785 4790 4795 4800  
 Val Leu Gln Ala Ile Pro Ala Glu Trp Pro Leu Gln Gly Val Ile His  
 4805 4810 4815  
 Ala Ala Gly Ala Leu Asp Asp Gly Val Leu Asp Glu Gln Thr Thr Asp  
 4820 4825 4830  
 Arg Phe Ser Arg Val Leu Ala Pro Lys Val Thr Gly Ala Trp Asn Leu  
 4835 4840 4845  
 His Glu Leu Thr Ala Gly Asn Asp Leu Ala Phe Phe Val Leu Phe Ser  
 4850 4855 4860  
 Ser Met Ser Gly Leu Leu Gly Ser Ala Gly Gln Ser Asn Tyr Ala Ala  
 4865 4870 4875 4880  
 Ala Asn Thr Phe Leu Asp Ala Leu Ala Ala His Arg Arg Ala Glu Gly

- 47 -

4885	4890	4895
Leu Ala Ala Gln Ser Leu Ala Trp Gly Pro Trp Ser Asp Gly Gly Met 4900 4905 4910		
Ala Ala Gly Leu Ser Ala Ala Leu Gln Ala Arg Leu Ala Arg His Gly 4915 4920 4925		
Met Gly Ala Leu Ser Pro Ala Gln Gly Thr Ala Leu Leu Gly Gln Ala 4930 4935 4940		
Leu Ala Arg Pro Glu Thr Gln Leu Gly Ala Met Ser Leu Asp Val Arg 4945 4950 4955 4960		
Ala Ala Ser Gln Ala Ser Gly Ala Ala Val Pro Pro Val Trp Arg Ala 4965 4970 4975		
Leu Val Arg Ala Glu Ala Arg His Thr Ala Ala Gly Ala Gln Gly Ala 4980 4985 4990		
Leu Ala Ala Arg Leu Gly Ala Leu Pro Glu Ala Arg Arg Ala Asp Glu 4995 5000 5005		
Val Arg Lys Val Val Gln Ala Glu Ile Ala Arg Val Leu Ser Trp Ser 5010 5015 5020		
Ala Ala Ser Ala Val Pro Val Asp Arg Pro Leu Ser Asp Leu Gly Leu 5025 5030 5035 5040		
Asp Ser Leu Thr Ala Val Glu Leu Arg Asn Val Leu Gly Gln Arg Val 5045 5050 5055		
Gly Ala Thr Leu Pro Ala Thr Leu Ala Phe Asp His Pro Thr Val Asp 5060 5065 5070		
Ala Leu Thr Arg Trp Leu Leu Asp Lys Val Leu Ala Val Ala Glu Pro 5075 5080 5085		
Ser Val Ser Ser Ala Lys Ser Ser Pro Gln Val Ala Leu Asp Glu Pro 5090 5095 5100		
Ile Ala Ile Ile Gly Ile Gly Cys Arg Phe Pro Gly Gly Val Ala Asp 5105 5110 5115 5120		
Pro Glu Ser Phe Trp Arg Leu Leu Glu Glu Gly Ser Asp Ala Val Val 5125 5130 5135		
Glu Val Pro His Glu Arg Trp Asp Ile Asp Ala Phe Tyr Asp Pro Asp 5140 5145 5150		
Pro Asp Val Arg Gly Lys Met Thr Thr Arg Phe Gly Gly Phe Leu Ser 5155 5160 5165		
Asp Ile Asp Arg Phe Asp Pro Ala Phe Phe Gly Ile Ser Pro Arg Glu 5170 5175 5180		
Ala Thr Thr Met Asp Pro Gln Gln Arg Leu Leu Glu Thr Ser Trp 5185 5190 5195 5200		
Glu Ala Phe Glu Arg Ala Gly Ile Leu Pro Glu Arg Leu Met Gly Ser 5205 5210 5215		
Asp Thr Gly Val Phe Val Gly Leu Phe Tyr Gln Glu Tyr Ala Ala Leu 5220 5225 5230		

- 48 -

Ala Gly Gly Ile Glu Ala Phe Asp Gly Tyr Leu Gly Thr Gly Thr Thr  
 5235 5240 5245  
 Ala Ser Val Ala Ser Gly Arg Ile Ser Tyr Val Leu Gly Leu Lys Gly  
 5250 5255 5260  
 Pro Ser Leu Thr Val Asp Thr Ala Cys Ser Ser Ser Leu Val Ala Val  
 5265 5270 5275 5280  
 His Leu Ala Cys Gln Ala Leu Arg Arg Gly Glu Cys Ser Val Ala Leu  
 5285 5290 5295  
 Ala Gly Gly Val Ala Leu Met Leu Thr Pro Ala Thr Phe Val Glu Phe  
 5300 5305 5310  
 Ser Arg Leu Arg Gly Leu Ala Pro Asp Gly Arg Cys Lys Ser Phe Ser  
 5315 5320 5325  
 Ala Ala Ala Asp Gly Val Gly Trp Ser Glu Gly Cys Ala Met Leu Leu  
 5330 5335 5340  
 Leu Lys Pro Leu Arg Asp Ala Gln Arg Asp Gly Asp Pro Ile Leu Ala  
 5345 5350 5355 5360  
 Val Ile Arg Gly Thr Ala Val Asn Gln Asp Gly Arg Ser Asn Gly Leu  
 5365 5370 5375  
 Thr Ala Pro Asn Gly Ser Ser Gln Gln Glu Val Ile Arg Arg Ala Leu  
 5380 5385 5390  
 Glu Gln Ala Gly Leu Ala Pro Ala Asp Val Ser Tyr Val Glu Cys His  
 5395 5400 5405  
 Gly Thr Gly Thr Thr Leu Gly Asp Pro Ile Glu Val Gln Ala Leu Gly  
 5410 5415 5420  
 Ala Val Leu Ala Gln Gly Arg Pro Ser Asp Arg Pro Leu Val Ile Gly  
 5425 5430 5435 5440  
 Ser Val Lys Ser Asn Ile Gly His Thr Gln Ala Ala Ala Gly Val Ala  
 5445 5450 5455  
 Gly Val Ile Lys Val Ala Leu Ala Leu Glu Arg Gly Leu Ile Pro Arg  
 5460 5465 5470  
 Ser Leu His Phe Asp Ala Pro Asn Pro His Ile Pro Trp Ser Glu Leu  
 5475 5480 5485  
 Ala Val Gln Val Ala Ala Lys Pro Val Glu Trp Thr Arg Asn Gly Val  
 5490 5495 5500  
 Pro Arg Arg Ala Gly Val Ser Ser Phe Gly Val Ser Gly Thr Asn Ala  
 5505 5510 5515 5520  
 His Val Val Leu Glu Glu Ala Pro Ala Ala Ala Phe Ala Pro Ala Ala  
 5525 5530 5535  
 Ala Arg Ser Ala Glu Leu Phe Val Leu Ser Ala Lys Ser Ala Ala Ala  
 5540 5545 5550  
 Leu Asp Ala Gln Ala Ala Arg Leu Ser Ala His Val Val Ala His Pro  
 5555 5560 5565  
 Glu Leu Gly Leu Gly Asp Leu Ala Phe Ser Leu Ala Thr Thr Arg Ser  
 5570 5575 5580

- 49 -

Pro Met Thr Tyr Arg Leu Ala Val Ala Ala Thr Ser Arg Glu Ala Leu  
 5585 5590 5595 5600  
 Ser Ala Ala Leu Asp Thr Ala Ala Gln Gly Gln Ala Pro Pro Ala Ala  
 5605 5610 5615  
 Ala Arg Gly His Ala Ser Thr Gly Ser Ala Pro Lys Val Val Phe Val  
 5620 5625 5630  
 Phe Pro Gly Gln Gly Ser Gln Trp Leu Gly Met Gly Gln Lys Leu Leu  
 5635 5640 5645  
 Ser Glu Glu Pro Val Phe Arg Asp Ala Leu Ser Ala Cys Asp Arg Ala  
 5650 5655 5660  
 Ile Gln Ala Glu Ala Gly Trp Ser Leu Leu Ala Glu Leu Ala Ala Asp  
 5665 5670 5675 5680  
 Glu Thr Thr Ser Gln Leu Gly Arg Ile Asp Val Val Gln Pro Ala Leu  
 5685 5690 5695  
 Phe Ala Ile Glu Val Ala Leu Ser Ala Leu Trp Arg Ser Trp Gly Val  
 5700 5705 5710  
 Glu Pro Asp Ala Val Val Gly His Ser Met Gly Glu Val Ala Ala Ala  
 5715 5720 5725  
 His Val Ala Gly Ala Leu Ser Leu Glu Asp Ala Val Ala Ile Ile Cys  
 5730 5735 5740  
 Arg Arg Ser Leu Leu Leu Arg Arg Ile Ser Gly Gln Gly Glu Met Ala  
 5745 5750 5755 5760  
 Val Val Glu Leu Ser Leu Ala Glu Ala Glu Ala Ala Leu Leu Gly Tyr  
 5765 5770 5775  
 Glu Asp Arg Leu Ser Val Ala Val Ser Asn Ser Pro Arg Ser Thr Val  
 5780 5785 5790  
 Leu Ala Gly Glu Pro Ala Ala Leu Ala Glu Val Leu Ala Ile Leu Ala  
 5795 5800 5805  
 Ala Lys Gly Val Phe Cys Arg Arg Val Lys Val Asp Val Ala Ser His  
 5810 5815 5820  
 Ser Pro Gln Ile Asp Pro Leu Arg Asp Glu Leu Leu Ala Ala Leu Gly  
 5825 5830 5835 5840  
 Glu Leu Glu Pro Arg Gln Ala Thr Val Ser Met Arg Ser Thr Val Thr  
 5845 5850 5855  
 Ser Thr Ile Met Ala Gly Pro Glu Leu Val Ala Ser Tyr Trp Ala Asp  
 5860 5865 5870  
 Asn Val Arg Gln Pro Val Arg Phe Ala Glu Ala Val Gln Ser Leu Met  
 5875 5880 5885  
 Glu Asp Gly His Gly Leu Phe Val Glu Met Ser Pro His Pro Ile Leu  
 5890 5895 5900  
 Thr Thr Ser Val Glu Glu Ile Arg Arg Ala Thr Lys Arg Glu Gly Val  
 5905 5910 5915 5920  
 Ala Val Gly Ser Leu Arg Arg Gly Gln Asp Glu Arg Leu Ser Met Leu

- 50 -

5925										5930										5935											
Glu	Ala	Leu	Gly	Ala	Leu	Trp	Val	His	Gly	Gln	Ala	Val	Gly	Trp	Glu																
5940										5945										5950											
Arg	Leu	Phe	Ser	Ala	Gly	Gly	Ala	Gly	Leu	Arg	Arg	Val	Pro	Leu	Pro																
5955										5960										5965											
Thr	Tyr	Pro	Trp	Gln	Arg	Glu	Arg	Tyr	Trp	Val	Asp	Ala	Pro	Thr	Gly																
5970										5975										5980											
Gly	Ala	Ala	Gly	Gly	Ser	Arg	Phe	Ala	His	Ala	Gly	Ser	His	Pro	Leu																
5985										5990										5995											
Leu	Gly	Glu	Met	Gln	Thr	Leu	Ser	Thr	Gln	Arg	Ser	Thr	Arg	Val	Trp																
6005										6010										6015											
Glu	Thr	Thr	Leu	Asp	Leu	Lys	Arg	Leu	Pro	Trp	Leu	Gly	Asp	His	Arg																
6020										6025										6030											
Val	Gln	Gly	Ala	Val	Val	Phe	Pro	Gly	Ala	Ala	Tyr	Leu	Glu	Met	Ala																
6035										6040										6045											
Leu	Ser	Ser	Gly	Ala	Glu	Ala	Leu	Gly	Asp	Gly	Pro	Leu	Gln	Val	Ser																
6050										6055										6060											
Asp	Val	Val	Leu	Ala	Glu	Ala	Leu	Ala	Phe	Ala	Asp	Asp	Thr	Pro	Ala																
6065										6070										6075											
Ala	Val	Gln	Val	Met	Ala	Thr	Glu	Glu	Arg	Pro	Gly	Arg	Leu	Gln	Phe																
6085										6090										6095											
His	Val	Ala	Ser	Arg	Val	Pro	Gly	His	Gly	Gly	Ala	Ala	Phe	Arg	Ser																
6100										6105										6110											
His	Ala	Arg	Gly	Val	Leu	Arg	Gln	Ile	Glu	Arg	Ala	Glu	Val	Pro	Ala																
6115										6120										6125											
Arg	Leu	Asp	Leu	Ala	Ala	Leu	Arg	Ala	Arg	Leu	Gln	Ala	Ser	Ala	Pro																
6130										6135										6140											
Ala	Ala	Ala	Thr	Tyr	Ala	Ala	Leu	Ala	Glu	Met	Gly	Leu	Glu	Tyr	Gly																
6145										6150										6155											
Pro	Ala	Phe	Gln	Gly	Leu	Val	Glu	Leu	Trp	Arg	Gly	Glu	Gly	Glu	Ala																
6165										6170										6175											
Leu	Gly	Arg	Val	Arg	Leu	Pro	Glu	Ala	Ala	Gly	Ser	Pro	Ala	Ala	Cys																
6180										6185										6190											
Arg	Leu	His	Pro	Ala	Leu	Leu	Asp	Ala	Cys	Phe	His	Val	Ser	Ser	Ala																
6195										6200										6205											
Phe	Ala	Asp	Arg	Gly	Glu	Ala	Thr	Pro	Trp	Val	Pro	Val	Glu	Ile	Gly																
6210										6215										6220											
Ser	Leu	Arg	Trp	Phe	Gln	Arg	Pro	Ser	Gly	Glu	Leu	Trp	Cys	His	Ala																
6225										6230										6235											
Arg	Ser	Val	Ser	His	Gly	Lys	Pro	Thr	Pro	Asp	Arg	Arg	Ser	Thr	Asp																
6245										6250										6255											
Phe	Trp	Val	Val	Asp	Ser	Thr	Gly	Ala	Ile	Val	Ala	Glu	Ile	Ser	Gly																
6260										6265										6270											

- 51 -

Leu Val Ala Gln Arg Leu Ala Gly Gly Val Arg Arg Arg Glu Glu Asp  
 6275 6280 6285  
 Asp Trp Phe Met Glu Pro Ala Trp Glu Pro Thr Ala Val Pro Gly Ser  
 6290 6295 6300  
 Glu Val Met Ala Gly Arg Trp Leu Leu Ile Gly Ser Gly Gly Gly Leu  
 6305 6310 6315 6320  
 Gly Ala Ala Leu His Ser Ala Leu Thr Glu Ala Gly His Ser Val Val  
 6325 6330 6335  
 His Ala Thr Gly Arg Gly Thr Ser Ala Ala Gly Leu Gln Ala Leu Leu  
 6340 6345 6350  
 Thr Ala Ser Phe Asp Gly Gln Ala Pro Thr Ser Val Val His Leu Gly  
 6355 6360 6365  
 Ser Leu Asp Glu Arg Gly Val Leu Asp Ala Asp Ala Pro Phe Asp Ala  
 6370 6375 6380  
 Asp Ala Leu Glu Glu Ser Leu Val Arg Gly Cys Asp Ser Val Leu Trp  
 6385 6390 6395 6400  
 Thr Val Gln Ala Val Ala Gly Ala Gly Phe Arg Asp Pro Pro Arg Leu  
 6405 6410 6415  
 Trp Leu Val Thr Arg Gly Ala Gln Ala Ile Gly Ala Gly Asp Val Ser  
 6420 6425 6430  
 Val Ala Gln Ala Pro Leu Leu Gly Leu Gly Arg Val Ile Ala Leu Glu  
 6435 6440 6445  
 His Ala Glu Leu Arg Cys Ala Arg Ile Asp Leu Asp Pro Ala Arg Arg  
 6450 6455 6460  
 Asp Gly Glu Val Asp Glu Leu Leu Ala Glu Leu Leu Ala Asp Asp Ala  
 6465 6470 6475 6480  
 Glu Glu Glu Val Ala Phe Arg Gly Gly Glu Arg Arg Val Ala Arg Leu  
 6485 6490 6495  
 Val Arg Arg Leu Pro Glu Thr Asp Cys Arg Glu Lys Ile Glu Pro Ala  
 6500 6505 6510  
 Glu Gly Arg Pro Phe Arg Leu Glu Ile Asp Gly Ser Gly Val Leu Asp  
 6515 6520 6525  
 Asp Leu Val Leu Arg Ala Thr Glu Arg Arg Pro Pro Gly Pro Gly Glu  
 6530 6535 6540  
 Val Glu Ile Ala Val Glu Ala Ala Gly Leu Asn Phe Leu Asp Val Met  
 6545 6550 6555 6560  
 Arg Ala Met Gly Ile Tyr Pro Gly Pro Gly Asp Gly Pro Val Ala Leu  
 6565 6570 6575  
 Gly Ala Glu Cys Ser Gly Arg Ile Val Ala Met Gly Glu Gly Val Glu  
 6580 6585 6590  
 Ser Leu Arg Ile Gly Gln Asp Val Val Ala Val Ala Pro Phe Ser Phe  
 6595 6600 6605  
 Gly Thr His Val Thr Ile Asp Ala Arg Met Leu Ala Pro Arg Pro Ala  
 6610 6615 6620

- 52 -

Ala Leu Thr Ala Ala Gln Ala Ala Ala Leu Pro Val Ala Phe Met Thr  
 6625 6630 6635 6640  
 Ala Trp Tyr Gly Leu Val His Leu Gly Arg Leu Arg Ala Gly Glu Arg  
 6645 6650 6655  
 Val Leu Ile His Ser Ala Thr Gly Gly Thr Gly Leu Ala Ala Val Gln  
 6660 6665 6670  
 Ile Ala Arg His Leu Gly Ala Glu Ile Phe Ala Thr Ala Gly Thr Pro  
 6675 6680 6685  
 Glu Lys Arg Ala Trp Leu Arg Glu Gln Gly Ile Ala His Val Met Asp  
 6690 6695 6700  
 Ser Arg Ser Leu Asp Phe Ala Glu Gln Val Leu Ala Ala Thr Lys Gly  
 6705 6710 6715 6720  
 Glu Gly Val Asp Val Val Leu Asn Ser Leu Ser Gly Ala Ala Ile Asp  
 6725 6730 6735  
 Ala Ser Leu Ser Thr Leu Val Pro Asp Gly Arg Phe Ile Glu Leu Gly  
 6740 6745 6750  
 Lys Thr Asp Ile Tyr Ala Asp Arg Ser Leu Gly Leu Ala His Phe Arg  
 6755 6760 6765  
 Lys Ser Leu Ser Tyr Ser Ala Val Asp Leu Ala Gly Leu Ala Val Arg  
 6770 6775 6780  
 Arg Pro Glu Arg Val Ala Ala Leu Leu Ala Glu Val Val Asp Leu Leu  
 6785 6790 6795 6800  
 Ala Arg Gly Ala Leu Gln Pro Leu Pro Val Glu Ile Phe Pro Leu Ser  
 6805 6810 6815  
 Arg Ala Ala Asp Ala Phe Arg Lys Met Ala Gln Ala Gln His Leu Gly  
 6820 6825 6830  
 Lys Leu Val Leu Ala Leu Glu Asp Pro Asp Val Arg Ile Arg Val Pro  
 6835 6840 6845  
 Gly Glu Ser Gly Val Ala Ile Arg Ala Asp Gly Ala Tyr Leu Val Thr  
 6850 6855 6860  
 Gly Gly Leu Gly Gly Leu Gly Leu Ser Val Ala Gly Trp Leu Ala Glu  
 6865 6870 6875 6880  
 Gln Gly Ala Gly His Leu Val Leu Val Gly Arg Ser Gly Ala Val Ser  
 6885 6890 6895  
 Ala Glu Gln Gln Thr Ala Val Ala Ala Leu Glu Ala His Gly Ala Arg  
 6900 6905 6910  
 Val Thr Val Ala Arg Ala Asp Val Ala Asp Arg Ala Gln Met Glu Arg  
 6915 6920 6925  
 Ile Leu Arg Glu Val Thr Ala Ser Gly Met Pro Leu Arg Gly Val Val  
 6930 6935 6940  
 His Ala Ala Gly Ile Leu Asp Asp Gly Leu Leu Met Gln Gln Thr Pro  
 6945 6950 6955 6960  
 Ala Arg Phe Arg Ala Val Met Ala Pro Lys Val Arg Gly Ala Leu His

- 53 -

6965	6970	6975
Leu His Ala Leu Thr Arg Glu Ala Pro Leu Ser Phe Phe Val Leu Tyr 6980	6985	6990
Ala Ser Gly Ala Gly Leu Leu Gly Ser Pro Gly Gln Gly Asn Tyr Ala 6995	7000	7005
Ala Ala Asn Thr Phe Leu Asp Ala Leu Ala His His Arg Arg Ala Gln 7010	7015	7020
Gly Leu Pro Ala Leu Ser Ile Asp Trp Gly Leu Phe Ala Asp Val Gly 7025	7030	7035
Leu Ala Ala Gly Gln Gln Asn Arg Gly Ala Arg Leu Val Thr Arg Gly 7045	7050	7055
Thr Arg Ser Leu Thr Pro Asp Glu Gly Leu Trp Ala Leu Glu Arg Leu 7060	7065	7070
Leu Asp Gly Asp Arg Thr Gln Ala Gly Val Met Pro Phe Asp Val Arg 7075	7080	7085
Gln Trp Val Glu Phe Tyr Pro Ala Ala Ala Ser Ser Arg Arg Leu Ser 7090	7095	7100
Arg Leu Met Thr Ala Arg Arg Val Ala Ser Gly Arg Leu Ala Gly Asp 7105	7110	7115
Arg Asp Leu Leu Glu Arg Leu Ala Thr Ala Glu Ala Gly Ala Arg Ala 7125	7130	7135
Gly Met Leu Gln Glu Val Val Arg Ala Gln Val Ser Gln Val Leu Arg 7140	7145	7150
Leu Ser Glu Gly Lys Leu Asp Val Asp Ala Pro Leu Thr Ser Leu Gly 7155	7160	7165
Met Asp Ser Leu Met Gly Leu Glu Leu Arg Asn Arg Ile Glu Ala Val 7170	7175	7180
Leu Gly Ile Thr Met Pro Ala Thr Leu Leu Trp Thr Tyr Pro Thr Val 7185	7190	7195
Ala Ala Leu Ser Ala His Leu Ala Ser His Val Val Ser Thr Gly Asp 7205	7210	7215
Gly Glu Ser Ala Arg Pro Pro Asp Thr Gly Ser Val Ala Pro Thr Thr 7220	7225	7230
His Glu Val Ala Ser Leu Asp Glu Asp Gly Leu Phe Ala Leu Ile Asp 7235	7240	7245
Glu Ser Leu Ala Arg Ala Gly Lys Arg 7250	7255	
<210> 6		
<211> 3798		
<212> PRT		
<213> Sorangium cellulosum		
<400> 6		
Val Thr Asp Arg Glu Gly Gln Leu Leu Glu Arg Leu Arg Glu Val Thr 1	5	10
		15

- 54 -

Leu Ala Leu Arg Lys Thr Leu Asn Glu Arg Asp Thr Leu Glu Leu Glu  
                   20                                  25                                  30  
 Lys Thr Glu Pro Ile Ala Ile Val Gly Ile Gly Cys Arg Phe Pro Gly  
                   35                                  40                                  45  
 Gly Ala Gly Thr Pro Glu Ala Phe Trp Glu Leu Leu Asp Asp Gly Arg  
                   50                                  55                                  60  
 Asp Ala Ile Arg Pro Leu Glu Glu Arg Trp Ala Leu Val Gly Val Asp  
                   65                                  70                                  75                                  80  
 Pro Gly Asp Asp Val Pro Arg Trp Ala Gly Leu Leu Thr Glu Ala Ile  
                   85                                  90                                  95  
 Asp Gly Phe Asp Ala Ala Phe Phe Gly Ile Ala Pro Arg Glu Ala Arg  
                   100                                  105                                  110  
 Ser Leu Asp Pro Gln His Arg Leu Leu Glu Val Ala Trp Glu Gly  
                   115                                  120                                  125  
 Phe Glu Asp Ala Gly Ile Pro Pro Arg Ser Leu Val Gly Ser Arg Thr  
                   130                                  135                                  140  
 Gly Val Phe Val Gly Val Cys Ala Thr Glu Tyr Leu His Ala Ala Val  
                   145                                  150                                  155                                  160  
 Ala His Gln Pro Arg Glu Glu Arg Asp Ala Tyr Ser Thr Thr Gly Asn  
                   165                                  170                                  175  
 Met Leu Ser Ile Ala Ala Gly Arg Leu Ser Tyr Thr Leu Gly Leu Gln  
                   180                                  185                                  190  
 Gly Pro Cys Leu Thr Val Asp Thr Ala Cys Ser Ser Ser Leu Val Ala  
                   195                                  200                                  205  
 Ile His Leu Ala Cys Arg Ser Leu Arg Ala Arg Glu Ser Asp Leu Ala  
                   210                                  215                                  220  
 Leu Ala Gly Gly Val Asn Met Leu Leu Ser Pro Asp Thr Met Arg Ala  
                   225                                  230                                  235                                  240  
 Leu Ala Arg Thr Gln Ala Leu Ser Pro Asn Gly Arg Cys Gln Thr Phe  
                   245                                  250                                  255  
 Asp Ala Ser Ala Asn Gly Phe Val Arg Gly Glu Gly Cys Gly Leu Ile  
                   260                                  265                                  270  
 Val Leu Lys Arg Leu Ser Asp Ala Arg Arg Asp Gly Asp Arg Ile Trp  
                   275                                  280                                  285  
 Ala Leu Ile Arg Gly Ser Ala Ile Asn Gln Asp Gly Arg Ser Thr Gly  
                   290                                  295                                  300  
 Leu Thr Ala Pro Asn Val Leu Ala Gln Gly Ala Leu Leu Arg Glu Ala  
                   305                                  310                                  315                                  320  
 Leu Arg Asn Ala Gly Val Glu Ala Glu Ala Ile Gly Tyr Ile Glu Thr  
                   325                                  330                                  335  
 His Gly Ala Ala Thr Ser Leu Gly Asp Pro Ile Glu Ile Glu Ala Leu  
                   340                                  345                                  350  
 Arg Ala Val Val Gly Pro Ala Arg Ala Asp Gly Ala Arg Cys Val Leu

- 55 -

355					360					365					
Gly	Ala	Val	Lys	Thr	Asn	Leu	Gly	His	Leu	Glu	Gly	Ala	Ala	Gly	Val
370					375					380					
Ala	Gly	Leu	Ile	Lys	Ala	Thr	Leu	Ser	Leu	His	His	Glu	Arg	Ile	Pro
385					390					395					400
Arg	Asn	Leu	Asn	Phe	Arg	Thr	Leu	Asn	Pro	Arg	Ile	Arg	Ile	Glu	Gly
				405					410					415	
Thr	Ala	Leu	Ala	Leu	Ala	Thr	Glu	Pro	Val	Pro	Trp	Pro	Arg	Thr	Gly
				420					425					430	
Arg	Thr	Arg	Phe	Ala	Gly	Val	Ser	Ser	Phe	Gly	Met	Ser	Gly	Thr	Asn
				435					440					445	
Ala	His	Val	Val	Leu	Glu	Glu	Ala	Pro	Ala	Val	Glu	Pro	Glu	Ala	Ala
				450					455					460	
Ala	Pro	Glu	Arg	Ala	Ala	Glu	Leu	Phe	Val	Leu	Ser	Ala	Lys	Ser	Ala
465					470					475					480
Ala	Ala	Leu	Asp	Ala	Gln	Ala	Ala	Arg	Leu	Arg	Asp	His	Leu	Glu	Lys
				485					490					495	
His	Val	Glu	Leu	Gly	Leu	Gly	Asp	Val	Ala	Phe	Ser	Leu	Ala	Thr	Thr
				500					505					510	
Arg	Ser	Ala	Met	Glu	His	Arg	Leu	Ala	Val	Ala	Ala	Ser	Ser	Arg	Glu
				515					520					525	
Ala	Leu	Arg	Gly	Ala	Leu	Ser	Ala	Ala	Ala	Gln	Gly	His	Thr	Pro	Pro
				530					535					540	
Gly	Ala	Val	Arg	Gly	Arg	Ala	Ser	Gly	Gly	Ser	Ala	Pro	Lys	Val	Val
545					550					555					560
Phe	Val	Phe	Pro	Gly	Gln	Gly	Ser	Gln	Trp	Val	Gly	Met	Gly	Arg	Lys
				565					570					575	
Leu	Met	Ala	Glu	Glu	Pro	Val	Phe	Arg	Ala	Ala	Leu	Glu	Gly	Cys	Asp
				580					585					590	
Arg	Ala	Ile	Glu	Ala	Glu	Ala	Gly	Trp	Ser	Leu	Leu	Gly	Glu	Leu	Ser
				595					600					605	
Ala	Asp	Glu	Ala	Ala	Ser	Gln	Leu	Gly	Arg	Ile	Asp	Val	Val	Gln	Pro
				610					615					620	
Val	Leu	Phe	Ala	Met	Glu	Val	Ala	Leu	Ser	Ala	Leu	Trp	Arg	Ser	Trp
625					630					635					640
Gly	Val	Glu	Pro	Glu	Ala	Val	Val	Gly	His	Ser	Met	Gly	Glu	Val	Ala
				645					650					655	
Ala	Ala	His	Val	Ala	Gly	Ala	Leu	Ser	Leu	Glu	Asp	Ala	Val	Ala	Ile
				660					665					670	
Ile	Cys	Arg	Arg	Ser	Arg	Leu	Leu	Arg	Arg	Ile	Ser	Gly	Gln	Gly	Glu
				675					680					685	
Met	Ala	Leu	Val	Glu	Leu	Ser	Leu	Glu	Glu	Ala	Glu	Ala	Ala	Leu	Arg
				690					695					700	

- 56 -

Gly His Glu Gly Arg Leu Ser Val Ala Val Ser Asn Ser Pro Arg Ser  
 705 710 715 720  
 Thr Val Leu Ala Gly Glu Pro Ala Ala Leu Ser Glu Val Leu Ala Ala  
 725 730 735  
 Leu Thr Ala Lys Gly Val Phe Trp Arg Gln Val Lys Val Asp Val Ala  
 740 745 750  
 Ser His Ser Pro Gln Val Asp Pro Leu Arg Glu Glu Leu Ile Ala Ala  
 755 760 765  
 Leu Gly Ala Ile Arg Pro Arg Ala Ala Ala Val Pro Met Arg Ser Thr  
 770 775 780  
 Val Thr Gly Gly Val Ile Ala Gly Pro Glu Leu Gly Ala Ser Tyr Trp  
 785 790 795 800  
 Ala Asp Asn Leu Arg Gln Pro Val Arg Phe Ala Ala Ala Ala Gln Ala  
 805 810 815  
 Leu Leu Glu Gly Gly Pro Ala Leu Phe Ile Glu Met Ser Pro His Pro  
 820 825 830  
 Ile Leu Val Pro Pro Leu Asp Glu Ile Gln Thr Ala Ala Glu Gln Gly  
 835 840 845  
 Gly Ala Ala Val Gly Ser Leu Arg Arg Gly Gln Asp Glu Arg Ala Thr  
 850 855 860  
 Leu Leu Glu Ala Leu Gly Thr Leu Trp Ala Ser Gly Tyr Pro Val Ser  
 865 870 875 880  
 Trp Ala Arg Leu Phe Pro Ala Gly Gly Arg Arg Val Pro Leu Pro Thr  
 885 890 895  
 Tyr Pro Trp Gln His Glu Arg Cys Trp Ile Glu Val Glu Pro Asp Ala  
 900 905 910  
 Arg Arg Leu Ala Ala Ala Asp Pro Thr Lys Asp Trp Phe Tyr Arg Thr  
 915 920 925  
 Asp Trp Pro Glu Val Pro Arg Ala Ala Pro Lys Ser Glu Thr Ala His  
 930 935 940  
 Gly Ser Trp Leu Leu Leu Ala Asp Arg Gly Gly Val Gly Glu Ala Val  
 945 950 955 960  
 Ala Ala Ala Leu Ser Thr Arg Gly Leu Ser Cys Thr Val Leu His Ala  
 965 970 975  
 Ser Ala Asp Ala Ser Thr Val Ala Glu Gln Val Ser Glu Ala Ala Ser  
 980 985 990  
 Arg Arg Asn Asp Trp Gln Gly Val Leu Tyr Leu Trp Gly Leu Asp Ala  
 995 1000 1005  
 Val Val Asp Ala Gly Ala Ser Ala Asp Glu Val Ser Glu Ala Thr Arg  
 1010 1015 1020  
 Arg Ala Thr Ala Pro Val Leu Gly Leu Val Arg Phe Leu Ser Ala Ala  
 1025 1030 1035 1040  
 Pro His Pro Pro Arg Phe Trp Val Val Thr Arg Gly Ala Cys Thr Val  
 1045 1050 1055

- 57 -

Gly Gly Glu Pro Glu Ala Ser Leu Cys Gln Ala Ala Leu Trp Gly Leu  
 1060 1065 1070  
 Ala Arg Val Ala Ala Leu Glu His Pro Ala Ala Trp Gly Gly Leu Val  
 1075 1080 1085  
 Asp Leu Asp Pro Gln Lys Ser Pro Thr Glu Ile Glu Pro Leu Val Ala  
 1090 1095 1100  
 Glu Leu Leu Ser Pro Asp Ala Glu Asp Gln Leu Ala Phe Arg Ser Gly  
 1105 1110 1115 1120  
 Arg Arg His Ala Ala Arg Leu Val Ala Ala Pro Pro Glu Gly Asp Val  
 1125 1130 1135  
 Ala Pro Ile Ser Leu Ser Ala Glu Gly Ser Tyr Leu Val Thr Gly Gly  
 1140 1145 1150  
 Leu Gly Gly Leu Gly Leu Leu Val Ala Arg Trp Leu Val Glu Arg Gly  
 1155 1160 1165  
 Ala Arg His Leu Val Leu Thr Ser Arg His Gly Leu Pro Glu Arg Gln  
 1170 1175 1180  
 Ala Ser Gly Gly Glu Gln Pro Pro Glu Ala Arg Ala Arg Ile Ala Ala  
 1185 1190 1195 1200  
 Val Glu Gly Leu Glu Ala Gln Gly Ala Arg Val Thr Val Ala Ala Val  
 1205 1210 1215  
 Asp Val Ala Glu Ala Asp Pro Met Thr Ala Leu Leu Ala Ala Ile Glu  
 1220 1225 1230  
 Pro Pro Leu Arg Gly Val Val His Ala Ala Gly Val Phe Pro Val Arg  
 1235 1240 1245  
 His Leu Ala Glu Thr Asp Glu Ala Leu Leu Glu Ser Val Leu Arg Pro  
 1250 1255 1260  
 Lys Val Ala Gly Ser Trp Leu Leu His Arg Leu Leu Arg Asp Arg Pro  
 1265 1270 1275 1280  
 Leu Asp Leu Phe Val Leu Phe Ser Ser Gly Ala Ala Val Trp Gly Gly  
 1285 1290 1295  
 Lys Gly Gln Gly Ala Tyr Ala Ala Ala Asn Ala Phe Leu Asp Gly Leu  
 1300 1305 1310  
 Ala His His Arg Arg Ala His Ser Leu Pro Ala Leu Ser Leu Ala Trp  
 1315 1320 1325  
 Gly Leu Trp Ala Glu Gly Gly Met Val Asp Ala Lys Ala His Ala Arg  
 1330 1335 1340  
 Leu Ser Asp Ile Gly Val Leu Pro Met Ala Thr Gly Pro Ala Leu Ser  
 1345 1350 1355 1360  
 Ala Leu Glu Arg Leu Val Asn Thr Ser Ala Val Gln Arg Ser Val Thr  
 1365 1370 1375  
 Arg Met Asp Trp Ala Arg Phe Ala Pro Val Tyr Ala Ala Arg Gly Arg  
 1380 1385 1390  
 Arg Asn Leu Leu Ser Ala Leu Val Ala Glu Asp Glu Arg Ala Ala Ser

- 58 -

1395	1400	1405
Pro Pro Val Pro Thr Ala Asn Arg Ile Trp Arg Gly Leu Ser Val Ala 1410 1415 1420		
Glu Ser Arg Ser Ala Leu Tyr Glu Leu Val Arg Gly Ile Val Ala Arg 1425 1430 1435 1440		
Val Leu Gly Phe Ser Asp Pro Gly Ala Leu Asp Val Gly Arg Gly Phe 1445 1450 1455		
Ala Glu Gln Gly Leu Asp Ser Leu Met Ala Leu Glu Ile Arg Asn Arg 1460 1465 1470		
Leu Gln Arg Glu Leu Gly Glu Arg Leu Ser Ala Thr Leu Ala Phe Asp 1475 1480 1485		
His Pro Thr Val Glu Arg Leu Val Ala His Leu Leu Thr Asp Val Leu 1490 1495 1500		
Lys Leu Glu Asp Arg Ser Asp Thr Arg His Ile Arg Ser Val Ala Ala 1505 1510 1515 1520		
Asp Asp Asp Ile Ala Ile Val Gly Ala Ala Cys Arg Phe Pro Gly Gly 1525 1530 1535		
Asp Glu Gly Leu Glu Thr Tyr Trp Arg His Leu Ala Glu Gly Met Val 1540 1545 1550		
Val Ser Thr Glu Val Pro Ala Asp Arg Trp Arg Ala Ala Asp Trp Tyr 1555 1560 1565		
Asp Pro Asp Pro Glu Val Pro Gly Arg Thr Tyr Val Ala Lys Gly Ala 1570 1575 1580		
Phe Leu Arg Asp Val Arg Ser Leu Asp Ala Ala Phe Phe Ala Ile Ser 1585 1590 1595 1600		
Pro Arg Glu Ala Met Ser Leu Asp Pro Gln Gln Arg Leu Leu Leu Glu 1605 1610 1615		
Val Ser Trp Glu Ala Ile Glu Arg Ala Gly Gln Asp Pro Met Ala Leu 1620 1625 1630		
Arg Glu Ser Ala Thr Gly Val Phe Val Gly Met Ile Gly Ser Glu His 1635 1640 1645		
Ala Glu Arg Val Gln Gly Leu Asp Asp Asp Ala Ala Leu Leu Tyr Gly 1650 1655 1660		
Thr Thr Gly Asn Leu Leu Ser Val Ala Ala Gly Arg Leu Ser Phe Phe 1665 1670 1675 1680		
Leu Gly Leu His Gly Pro Thr Met Thr Val Asp Thr Ala Cys Ser Ser 1685 1690 1695		
Ser Leu Val Ala Leu His Leu Ala Cys Gln Ser Leu Arg Leu Gly Glu 1700 1705 1710		
Cys Asp Gln Ala Leu Ala Gly Gly Ser Ser Val Leu Leu Ser Pro Arg 1715 1720 1725		
Ser Phe Val Ala Ala Ser Arg Met Arg Leu Leu Ser Pro Asp Gly Arg 1730 1735 1740		

- 59 -

Cys Lys Thr Phe Ser Ala Ala Ala Asp Gly Phe Ala Arg Ala Glu Gly  
 1745 1750 1755 1760  
 Cys Ala Val Val Val Leu Lys Arg Leu Arg Asp Ala Gln Arg Asp Arg  
 1765 1770 1775  
 Asp Pro Ile Leu Ala Val Val Arg Ser Thr Ala Ile Asn His Asp Gly  
 1780 1785 1790  
 Pro Ser Ser Gly Leu Thr Val Pro Ser Gly Pro Ala Gln Gln Ala Leu  
 1795 1800 1805  
 Leu Arg Gln Ala Leu Ala Gln Ala Gly Val Ala Pro Ala Glu Val Asp  
 1810 1815 1820  
 Phe Val Glu Cys His Gly Thr Gly Thr Ala Leu Gly Asp Pro Ile Glu  
 1825 1830 1835 1840  
 Val Gln Ala Leu Gly Ala Val Tyr Gly Arg Gly Arg Pro Ala Glu Arg  
 1845 1850 1855  
 Pro Leu Trp Leu Gly Ala Val Lys Ala Asn Leu Gly His Leu Glu Ala  
 1860 1865 1870  
 Ala Ala Gly Leu Ala Gly Val Leu Lys Val Leu Leu Ala Leu Glu His  
 1875 1880 1885  
 Glu Gln Ile Pro Ala Gln Pro Glu Leu Asp Glu Leu Asn Pro His Ile  
 1890 1895 1900  
 Pro Trp Ala Glu Leu Pro Val Ala Val Val Arg Arg Ala Val Pro Trp  
 1905 1910 1915 1920  
 Pro Arg Gly Ala Arg Pro Arg Arg Ala Gly Val Ser Ala Phe Gly Leu  
 1925 1930 1935  
 Ser Gly Thr Asn Ala His Val Val Leu Glu Glu Ala Pro Ala Val Glu  
 1940 1945 1950  
 Pro Val Ala Ala Ala Pro Glu Arg Ala Ala Glu Leu Phe Val Leu Ser  
 1955 1960 1965  
 Ala Lys Ser Ala Ala Ala Leu Asp Ala Gln Ala Ala Arg Leu Arg Asp  
 1970 1975 1980  
 His Leu Glu Lys His Val Glu Leu Gly Leu Gly Asp Val Ala Phe Ser  
 1985 1990 1995 2000  
 Leu Ala Thr Thr Arg Ser Ala Met Glu His Arg Leu Ala Val Ala Ala  
 2005 2010 2015  
 Ser Ser Arg Glu Ala Leu Arg Gly Ala Leu Ser Ala Ala Ala Gln Gly  
 2020 2025 2030  
 His Thr Pro Pro Gly Ala Val Arg Gly Arg Ala Ser Gly Gly Ser Ala  
 2035 2040 2045  
 Pro Lys Val Val Phe Val Phe Pro Gly Gln Gly Ser Gln Trp Val Gly  
 2050 2055 2060  
 Met Gly Arg Lys Leu Met Ala Glu Glu Pro Val Phe Arg Ala Ala Leu  
 2065 2070 2075 2080  
 Glu Gly Cys Asp Arg Ala Ile Glu Ala Glu Ala Gly Trp Ser Leu Leu  
 2085 2090 2095

- 60 -

Gly Glu Leu Ser Ala Asp Glu Ala Ala Ser Gln Leu Gly Arg Ile Asp  
2100 2105 2110

Val Val Gln Pro Val Leu Phe Ala Met Glu Val Ala Leu Ser Ala Leu  
2115 2120 2125

Trp Arg Ser Trp Gly Val Glu Pro Glu Ala Val Val Gly His Ser Met  
2130 2135 2140

Gly Glu Val Ala Ala Ala His Val Ala Gly Ala Leu Ser Leu Glu Asp  
2145 2150 2155 2160

Ala Val Ala Ile Ile Cys Arg Arg Ser Arg Leu Leu Arg Arg Ile Ser  
2165 2170 2175

Gly Gln Gly Glu Met Ala Leu Val Glu Leu Ser Leu Glu Glu Ala Glu  
2180 2185 2190

Ala Ala Leu Arg Gly His Glu Gly Arg Leu Ser Val Ala Val Ser Asn  
2195 2200 2205

Ser Pro Arg Ser Thr Val Leu Ala Gly Glu Pro Ala Ala Leu Ser Glu  
2210 2215 2220

Val Leu Ala Ala Leu Thr Ala Lys Gly Val Phe Trp Arg Gln Val Lys  
2225 2230 2235 2240

Val Asp Val Ala Ser His Ser Pro Gln Val Asp Pro Leu Arg Glu Glu  
2245 2250 2255

Leu Ile Ala Ala Leu Gly Ala Ile Arg Pro Arg Ala Ala Ala Val Pro  
2260 2265 2270

Met Arg Ser Thr Val Thr Gly Gly Val Ile Ala Gly Pro Glu Leu Gly  
2275 2280 2285

Ala Ser Tyr Trp Ala Asp Asn Leu Arg Gln Pro Val Arg Phe Ala Ala  
2290 2295 2300

Ala Ala Gln Ala Leu Leu Glu Gly Gly Pro Ala Leu Phe Ile Glu Met  
2305 2310 2315 2320

Ser Pro His Pro Ile Leu Val Pro Pro Leu Asp Glu Ile Gln Thr Ala  
2325 2330 2335

Ala Glu Gln Gly Gly Ala Ala Val Gly Ser Leu Arg Arg Gly Gln Asp  
2340 2345 2350

Glu Arg Ala Thr Leu Leu Glu Ala Leu Gly Thr Leu Trp Ala Ser Gly  
2355 2360 2365

Tyr Pro Val Ser Trp Ala Arg Leu Phe Pro Ala Gly Gly Arg Arg Val  
2370 2375 2380

Pro Leu Pro Thr Tyr Pro Trp Gln His Glu Arg Tyr Trp Ile Glu Asp  
2385 2390 2395 2400

Ser Val His Gly Ser Lys Pro Ser Leu Arg Leu Arg Gln Leu Arg Asn  
2405 2410 2415

Gly Ala Thr Asp His Pro Leu Leu Gly Ala Pro Leu Leu Val Ser Ala  
2420 2425 2430

Arg Pro Gly Ala His Leu Trp Glu Gln Ala Leu Ser Asp Glu Arg Leu

- 61 -

2435	2440	2445
Ser Tyr Leu Ser Glu His Arg Val His Gly Glu Ala Val Leu Pro Ser		
2450	2455	2460
Ala Ala Tyr Val Glu Met Ala Leu Ala Ala Gly Val Asp Leu Tyr Gly		
2465	2470	2475 2480
Thr Ala Thr Leu Val Leu Glu Gln Leu Ala Leu Glu Arg Ala Leu Ala		
	2485	2490 2495
Val Pro Ser Glu Gly Gly Arg Ile Val Gln Val Ala Leu Ser Glu Glu		
	2500	2505 2510
Gly Pro Gly Arg Ala Ser Phe Gln Val Ser Ser Arg Glu Glu Ala Gly		
	2515	2520 2525
Arg Ser Trp Val Arg His Ala Thr Gly His Val Cys Ser Gly Gln Ser		
	2530	2535 2540
Ser Ala Val Gly Ala Leu Lys Glu Ala Pro Trp Glu Ile Gln Arg Arg		
2545	2550	2555 2560
Cys Pro Ser Val Leu Ser Ser Glu Ala Leu Tyr Pro Leu Leu Asn Glu		
	2565	2570 2575
His Ala Leu Asp Tyr Gly Pro Cys Phe Gln Gly Val Glu Gln Val Trp		
	2580	2585 2590
Leu Gly Thr Gly Glu Val Leu Gly Arg Val Arg Leu Pro Gly Asp Met		
	2595	2600 2605
Ala Ser Ser Ser Gly Ala Tyr Arg Ile His Pro Ala Leu Leu Asp Ala		
	2610	2615 2620
Cys Phe Gln Val Leu Thr Ala Leu Leu Thr Thr Pro Glu Ser Ile Glu		
2625	2630	2635 2640
Ile Arg Arg Arg Leu Thr Asp Leu His Glu Pro Asp Leu Pro Arg Ser		
	2645	2650 2655
Arg Ala Pro Val Asn Gln Ala Val Ser Asp Thr Trp Leu Trp Asp Ala		
	2660	2665 2670
Ala Leu Asp Gly Gly Arg Arg Gln Ser Ala Ser Val Pro Val Asp Leu		
	2675	2680 2685
Val Leu Gly Ser Phe His Ala Lys Trp Glu Val Met Glu Arg Leu Ala		
	2690	2695 2700
Gln Ala Tyr Ile Ile Gly Thr Leu Arg Ile Trp Asn Val Phe Cys Ala		
2705	2710	2715 2720
Ala Gly Glu Arg His Thr Ile Asp Glu Leu Leu Val Arg Leu Gln Ile		
	2725	2730 2735
Ser Val Val Tyr Arg Lys Val Ile Lys Arg Trp Met Glu His Leu Val		
	2740	2745 2750
Ala Ile Gly Ile Leu Val Gly Asp Gly Glu His Phe Val Ser Ser Gln		
	2755	2760 2765
Pro Leu Pro Glu Pro Asp Leu Ala Ala Val Leu Glu Glu Ala Gly Arg		
	2770	2775 2780

- 62 -

Val Phe Ala Asp Leu Pro Val Leu Phe Glu Trp Cys Lys Phe Ala Gly  
2785 2790 2795 2800

Glu Arg Leu Ala Asp Val Leu Thr Gly Lys Thr Leu Ala Leu Glu Ile  
2805 2810 2815

Leu Phe Pro Gly Gly Ser Phe Asp Met Ala Glu Arg Ile Tyr Arg Asp  
2820 2825 2830

Ser Pro Ile Ala Arg Tyr Ser Asn Gly Ile Val Arg Gly Val Val Glu  
2835 2840 2845

Ser Ala Ala Arg Val Val Ala Pro Ser Gly Met Phe Ser Ile Leu Glu  
2850 2855 2860

Ile Gly Ala Gly Thr Gly Ala Thr Thr Ala Ala Val Leu Pro Val Leu  
2865 2870 2875 2880

Leu Pro Asp Arg Thr Glu Tyr His Phe Thr Asp Val Ser Pro Leu Phe  
2885 2890 2895

Leu Ala Arg Ala Glu Gln Arg Phe Arg Asp Tyr Pro Phe Leu Lys Tyr  
2900 2905 2910

Gly Ile Leu Asp Val Asp Gln Glu Pro Ala Gly Gln Gly Tyr Ala His  
2915 2920 2925

Gln Arg Phe Asp Val Ile Val Ala Ala Asn Val Ile His Ala Thr Arg  
2930 2935 2940

Asp Ile Arg Ala Thr Ala Lys Arg Leu Leu Ser Leu Leu Ala Pro Gly  
2945 2950 2955 2960

Gly Leu Leu Val Leu Val Glu Gly Thr Gly His Pro Ile Trp Phe Asp  
2965 2970 2975

Ile Thr Thr Gly Leu Ile Glu Gly Trp Gln Lys Tyr Glu Asp Leu  
2980 2985 2990

Arg Ile Asp His Pro Leu Leu Pro Ala Arg Thr Trp Cys Asp Val Leu  
2995 3000 3005

Arg Arg Val Gly Phe Ala Asp Ala Val Ser Leu Pro Gly Asp Gly Ser  
3010 3015 3020

Pro Ala Gly Ile Leu Gly Gln His Val Ile Leu Ser Arg Ala Pro Gly  
3025 3030 3035 3040

Ile Ala Gly Ala Ala Cys Asp Ser Ser Gly Glu Ser Ala Thr Glu Ser  
3045 3050 3055

Pro Ala Ala Arg Ala Val Arg Gln Glu Trp Ala Asp Gly Ser Ala Asp  
3060 3065 3070

Val Val His Arg Met Ala Leu Glu Arg Met Tyr Phe His Arg Arg Pro  
3075 3080 3085

Gly Arg Gln Val Trp Val His Gly Arg Leu Arg Thr Gly Gly Gly Ala  
3090 3095 3100

Phe Thr Lys Ala Leu Ala Gly Asp Leu Leu Phe Glu Asp Thr Gly  
3105 3110 3115 3120

Gln Val Val Ala Glu Val Gln Gly Leu Arg Leu Pro Gln Leu Glu Ala  
3125 3130 3135

- 63 -

Ser Ala Phe Ala Pro Arg Asp Pro Arg Glu Glu Trp Leu Tyr Ala Leu  
 3140 3145 3150  
 Glu Trp Gln Arg Lys Asp Pro Ile Pro Glu Ala Pro Ala Ala Ser  
 3155 3160 3165  
 Ser Ser Ser Ala Gly Ala Trp Leu Val Leu Met Asp Gln Gly Gly Thr  
 3170 3175 3180  
 Gly Ala Ala Leu Val Ser Leu Leu Glu Gly Arg Gly Glu Ala Cys Val  
 3185 3190 3195 3200  
 Arg Val Ile Ala Gly Thr Ala Tyr Ala Cys Leu Ala Pro Gly Leu Tyr  
 3205 3210 3215  
 Gln Val Asp Pro Ala Gln Pro Asp Gly Phe His Thr Leu Leu Arg Asp  
 3220 3225 3230  
 Ala Phe Gly Glu Asp Arg Ile Cys Arg Ala Val Val His Met Trp Ser  
 3235 3240 3245  
 Leu Asp Ala Thr Ala Ala Gly Glu Arg Ala Thr Ala Glu Ser Leu Gln  
 3250 3255 3260  
 Ala Asp Gln Leu Leu Gly Ser Leu Ser Ala Leu Ser Leu Val Gln Ala  
 3265 3270 3275 3280  
 Leu Val Arg Arg Arg Trp Arg Asn Met Pro Arg Leu Trp Leu Leu Thr  
 3285 3290 3295  
 Arg Ala Val His Ala Val Gly Ala Glu Asp Ala Ala Ala Ser Val Ala  
 3300 3305 3310  
 Gln Ala Pro Val Trp Gly Leu Gly Arg Thr Leu Ala Leu Glu His Pro  
 3315 3320 3325  
 Glu Leu Arg Cys Thr Leu Val Asp Val Asn Pro Ala Pro Ser Pro Glu  
 3330 3335 3340  
 Asp Ala Ala Ala Leu Ala Val Glu Leu Gly Ala Ser Asp Arg Glu Asp  
 3345 3350 3355 3360  
 Gln Val Ala Leu Arg Ser Asp Gly Arg Tyr Val Ala Arg Leu Val Arg  
 3365 3370 3375  
 Ser Ser Phe Ser Gly Lys Pro Ala Thr Asp Cys Gly Ile Arg Ala Asp  
 3380 3385 3390  
 Gly Ser Tyr Val Ile Thr Asp Gly Met Gly Arg Val Gly Leu Ser Val  
 3395 3400 3405  
 Ala Gln Trp Met Val Met Gln Gly Ala Arg His Val Val Leu Val Asp  
 3410 3415 3420  
 Arg Gly Gly Ala Ser Glu Ala Ser Arg Asp Ala Leu Arg Ser Met Ala  
 3425 3430 3435 3440  
 Glu Ala Gly Ala Glu Val Gln Ile Val Glu Ala Asp Val Ala Arg Arg  
 3445 3450 3455  
 Asp Asp Val Ala Arg Leu Leu Ser Lys Ile Glu Pro Ser Met Pro Pro  
 3460 3465 3470  
 Leu Arg Gly Ile Val Tyr Val Asp Gly Thr Phe Gln Gly Asp Ser Ser

- 64 -

3475	3480	3485
Met Leu Glu Leu Asp Ala Arg Arg Phe Lys Glu Trp Met Tyr Pro Lys 3490	3495	3500
Val Leu Gly Ala Trp Asn Leu His Ala Leu Thr Arg Asp Arg Ser Leu 3505	3510	3515 3520
Asp Phe Phe Val Leu Tyr Ser Ser Gly Thr Ser Leu Leu Gly Leu Pro 3525	3530	3535
Gly Gln Gly Ser Arg Ala Ala Gly Asp Ala Phe Leu Asp Ala Ile Ala 3540	3545	3550
His His Arg Cys Lys Val Gly Leu Thr Ala Met Ser Ile Asn Trp Gly 3555	3560	3565
Leu Leu Ser Glu Ala Ser Ser Pro Ala Thr Pro Asn Asp Gly Gly Ala 3570	3575	3580
Arg Leu Glu Tyr Arg Gly Met Glu Gly Leu Thr Leu Glu Gln Gly Ala 3585	3590	3595 3600
Ala Ala Leu Gly Arg Leu Leu Ala Arg Pro Arg Ala Gln Val Gly Val 3605	3610	3615
Met Arg Leu Asn Leu Arg Gln Trp Leu Glu Phe Tyr Pro Asn Ala Ala 3620	3625	3630
Arg Leu Ala Leu Trp Ala Glu Leu Leu Lys Glu Arg Asp Arg Ala Asp 3635	3640	3645
Arg Gly Ala Ser Asn Ala Ser Asn Leu Arg Glu Ala Leu Gln Ser Ala 3650	3655	3660
Arg Pro Glu Asp Arg Gln Leu Ile Leu Glu Lys His Leu Ser Glu Leu 3665	3670	3675 3680
Leu Gly Arg Gly Leu Arg Leu Pro Pro Glu Arg Ile Glu Arg His Val 3685	3690	3695
Pro Phe Ser Asn Leu Gly Met Asp Ser Leu Ile Gly Leu Glu Leu Arg 3700	3705	3710
Asn Arg Ile Glu Ala Ala Leu Gly Ile Thr Val Pro Ala Thr Leu Leu 3715	3720	3725
Trp Thr Tyr Pro Asn Val Ala Ala Leu Ser Gly Ser Leu Leu Asp Ile 3730	3735	3740
Leu Phe Pro Asn Ala Gly Ala Thr His Ala Pro Ala Thr Glu Arg Glu 3745	3750	3755 3760
Lys Ser Phe Glu Asn Asp Ala Ala Asp Leu Glu Ala Leu Arg Gly Met 3765	3770	3775
Thr Asp Glu Gln Lys Asp Ala Leu Leu Ala Glu Lys Leu Ala Gln Leu 3780	3785	3790
Ala Gln Ile Val Gly Glu 3795		

&lt;210&gt; 7

&lt;211&gt; 2439

- 65 -

&lt;212&gt; PRT

&lt;213&gt; Sorangium cellulosum

&lt;400&gt; 7

```

Met Ala Thr Thr Asn Ala Gly Lys Leu Glu His Ala Leu Leu Leu Met
 1           5           10           15

Asp Lys Leu Ala Lys Lys Asn Ala Ser Leu Glu Gln Glu Arg Thr Glu
      20           25           30

Pro Ile Ala Ile Val Gly Ile Gly Cys Arg Phe Pro Gly Gly Ala Asp
      35           40           45

Thr Pro Glu Ala Phe Trp Glu Leu Leu Asp Ser Gly Arg Asp Ala Val
      50           55           60

Gln Pro Leu Asp Arg Arg Trp Ala Leu Val Gly Val His Pro Ser Glu
      65           70           75           80

Glu Val Pro Arg Trp Ala Gly Leu Leu Thr Glu Ala Val Asp Gly Phe
      85           90           95

Asp Ala Ala Phe Phe Gly Thr Ser Pro Arg Glu Ala Arg Ser Leu Asp
      100          105          110

Pro Gln Gln Arg Leu Leu Leu Glu Val Thr Trp Glu Gly Leu Glu Asp
      115          120          125

Ala Gly Ile Ala Pro Gln Ser Leu Asp Gly Ser Arg Thr Gly Val Phe
      130          135          140

Leu Gly Ala Cys Ser Ser Asp Tyr Ser His Thr Val Ala Gln Gln Arg
      145          150          155          160

Arg Glu Glu Gln Asp Ala Tyr Asp Ile Thr Gly Asn Thr Leu Ser Val
      165          170          175

Ala Ala Gly Arg Leu Ser Tyr Thr Leu Gly Leu Gln Gly Pro Cys Leu
      180          185          190

Thr Val Asp Thr Ala Cys Ser Ser Ser Leu Val Ala Ile His Leu Ala
      195          200          205

Cys Arg Ser Leu Arg Ala Arg Glu Ser Asp Leu Ala Leu Ala Gly Gly
      210          215          220

Val Asn Met Leu Leu Ser Ser Lys Thr Met Ile Met Leu Gly Arg Ile
      225          230          235          240

Gln Ala Leu Ser Pro Asp Gly His Cys Arg Thr Phe Asp Ala Ser Ala
      245          250          255

Asn Gly Phe Val Arg Gly Glu Gly Cys Gly Met Val Val Leu Lys Arg
      260          265          270

Leu Ser Asp Ala Gln Arg His Gly Asp Arg Ile Trp Ala Leu Ile Arg
      275          280          285

Gly Ser Ala Met Asn Gln Asp Gly Arg Ser Thr Gly Leu Met Ala Pro
      290          295          300

Asn Val Leu Ala Gln Glu Ala Leu Leu Arg Glu Ala Leu Gln Ser Ala
      305          310          315          320

Arg Val Asp Ala Gly Ala Ile Gly Tyr Val Glu Thr His Gly Thr Gly

```

- 66 -

325										330					335				
Thr	Ser	Leu	Gly	Asp	Pro	Ile	Glu	Val	Glu	Ala	Leu	Arg	Ala	Val	Leu				
			340						345					350					
Gly	Pro	Ala	Arg	Ala	Asp	Gly	Ser	Arg	Cys	Val	Leu	Gly	Ala	Val	Lys				
		355					360					365							
Thr	Asn	Leu	Gly	His	Leu	Glu	Gly	Ala	Ala	Gly	Val	Ala	Gly	Leu	Ile				
	370					375						380							
Lys	Ala	Ala	Leu	Ala	Leu	His	His	Glu	Leu	Ile	Pro	Arg	Asn	Leu	His				
385					390					395				400					
Phe	His	Thr	Leu	Asn	Pro	Arg	Ile	Arg	Ile	Glu	Gly	Thr	Ala	Leu	Ala				
			405						410					415					
Leu	Ala	Thr	Glu	Pro	Val	Pro	Trp	Pro	Arg	Ala	Gly	Arg	Pro	Arg	Phe				
			420					425					430						
Ala	Gly	Val	Ser	Ala	Phe	Gly	Leu	Ser	Gly	Thr	Asn	Val	His	Val	Val				
	435					440						445							
Leu	Glu	Glu	Ala	Pro	Ala	Thr	Val	Leu	Ala	Pro	Ala	Thr	Pro	Gly	Arg				
	450					455						460							
Ser	Ala	Glu	Leu	Leu	Val	Leu	Ser	Ala	Lys	Ser	Ala	Ala	Ala	Leu	Asp				
465					470					475				480					
Ala	Gln	Ala	Ala	Arg	Leu	Ser	Ala	His	Ile	Ala	Ala	Tyr	Pro	Glu	Gln				
				485					490					495					
Gly	Leu	Gly	Asp	Val	Ala	Phe	Ser	Leu	Val	Ser	Thr	Arg	Ser	Pro	Met				
			500					505					510						
Glu	His	Arg	Leu	Ala	Val	Ala	Ala	Thr	Ser	Arg	Glu	Ala	Leu	Arg	Ser				
	515							520					525						
Ala	Leu	Glu	Val	Ala	Ala	Gln	Gly	Gln	Thr	Pro	Ala	Gly	Ala	Ala	Arg				
	530					535						540							
Gly	Arg	Ala	Ala	Ser	Ser	Pro	Gly	Lys	Leu	Ala	Phe	Leu	Phe	Ala	Gly				
545				550					555					560					
Gln	Gly	Ala	Gln	Val	Pro	Gly	Met	Gly	Arg	Gly	Leu	Trp	Glu	Ala	Trp				
			565					570					575						
Pro	Ala	Phe	Arg	Glu	Thr	Phe	Asp	Arg	Cys	Val	Thr	Leu	Phe	Asp	Arg				
			580					585					590						
Glu	Leu	His	Gln	Pro	Leu	Cys	Glu	Val	Met	Trp	Ala	Glu	Pro	Gly	Ser				
	595						600					605							
Ser	Arg	Ser	Ser	Leu	Leu	Asp	Gln	Thr	Ala	Phe	Thr	Gln	Pro	Ala	Leu				
	610					615						620							
Phe	Ala	Leu	Glu	Tyr	Ala	Leu	Ala	Ala	Leu	Phe	Arg	Ser	Trp	Gly	Val				
625				630						635				640					
Glu	Pro	Glu	Leu	Val	Ala	Gly	His	Ser	Leu	Gly	Glu	Leu	Val	Ala	Ala				
			645					650					655						
Cys	Val	Ala	Gly	Val	Phe	Ser	Leu	Glu	Asp	Ala	Val	Arg	Leu	Val	Val				
			660					665					670						

Ala Arg Gly Arg Leu Met Gln Ala Leu Pro Ala Gly Gly Ala Met Val  
 675 680 685  
 Ser Ile Ala Ala Pro Glu Ala Asp Val Ala Ala Ala Val Ala Pro His  
 690 695 700  
 Ala Ala Leu Val Ser Ile Ala Ala Val Asn Gly Pro Glu Gln Val Val  
 705 710 715 720  
 Ile Ala Gly Ala Glu Lys Phe Val Gln Gln Ile Ala Ala Ala Phe Ala  
 725 730 735  
 Ala Arg Gly Ala Arg Thr Lys Pro Leu His Val Ser His Ala Phe His  
 740 745 750  
 Ser Pro Leu Met Asp Pro Met Leu Glu Ala Phe Arg Arg Val Thr Glu  
 755 760 765  
 Ser Val Thr Tyr Arg Arg Pro Ser Ile Ala Leu Val Ser Asn Leu Ser  
 770 775 780  
 Gly Lys Pro Cys Thr Asp Glu Val Ser Ala Pro Gly Tyr Trp Val Arg  
 785 790 795 800  
 His Ala Arg Glu Ala Val Arg Phe Ala Asp Gly Val Lys Ala Leu His  
 805 810 815  
 Ala Ala Gly Ala Gly Leu Phe Val Glu Val Gly Pro Lys Pro Thr Leu  
 820 825 830  
 Leu Gly Leu Val Pro Ala Cys Leu Pro Asp Ala Arg Pro Val Leu Leu  
 835 840 845  
 Pro Ala Ser Arg Ala Gly Arg Asp Glu Ala Ala Ser Ala Leu Glu Ala  
 850 855 860  
 Leu Gly Gly Phe Trp Val Val Gly Gly Ser Val Thr Trp Ser Gly Val  
 865 870 875 880  
 Phe Pro Ser Gly Gly Arg Arg Val Pro Leu Pro Thr Tyr Pro Trp Gln  
 885 890 895  
 Arg Glu Arg Tyr Trp Ile Glu Ala Pro Val Asp Arg Glu Ala Asp Gly  
 900 905 910  
 Thr Gly Arg Ala Arg Ala Gly Gly His Pro Leu Leu Gly Glu Val Phe  
 915 920 925  
 Ser Val Ser Thr His Ala Gly Leu Arg Leu Trp Glu Thr Thr Leu Asp  
 930 935 940  
 Arg Lys Arg Leu Pro Trp Leu Gly Glu His Arg Ala Gln Gly Glu Val  
 945 950 955 960  
 Val Phe Pro Gly Ala Gly Tyr Leu Glu Met Ala Leu Ser Ser Gly Ala  
 965 970 975  
 Glu Ile Leu Gly Asp Gly Pro Ile Gln Val Thr Asp Val Val Leu Ile  
 980 985 990  
 Glu Thr Leu Thr Phe Ala Gly Asp Thr Ala Val Pro Val Gln Val Val  
 995 1000 1005  
 Thr Thr Glu Glu Arg Pro Gly Arg Leu Arg Phe Gln Val Ala Ser Arg  
 1010 1015 1020

- 68 -

Glu Pro Gly Glu Arg Arg Ala Pro Phe Arg Ile His Ala Arg Gly Val  
 1025 1030 1035 1040  
 Leu Arg Arg Ile Gly Arg Val Glu Thr Pro Ala Arg Ser Asn Leu Ala  
 1045 1050 1055  
 Ala Leu Arg Ala Arg Leu His Ala Ala Val Pro Ala Ala Ala Ile Tyr  
 1060 1065 1070  
 Gly Ala Leu Ala Glu Met Gly Leu Gln Tyr Gly Pro Ala Leu Arg Gly  
 1075 1080 1085  
 Leu Ala Glu Leu Trp Arg Gly Glu Gly Glu Ala Leu Gly Arg Val Arg  
 1090 1095 1100  
 Leu Pro Glu Ala Ala Gly Ser Ala Thr Ala Tyr Gln Leu His Pro Val  
 1105 1110 1115 1120  
 Leu Leu Asp Ala Cys Val Gln Met Ile Val Gly Ala Phe Ala Asp Arg  
 1125 1130 1135  
 Asp Glu Ala Thr Pro Trp Ala Pro Val Glu Val Gly Ser Val Arg Leu  
 1140 1145 1150  
 Phe Gln Arg Ser Pro Gly Glu Leu Trp Cys His Ala Arg Val Val Ser  
 1155 1160 1165  
 Asp Gly Gln Gln Ala Ser Ser Arg Trp Ser Ala Asp Phe Glu Leu Met  
 1170 1175 1180  
 Asp Gly Thr Gly Ala Val Val Ala Glu Ile Ser Arg Leu Val Val Glu  
 1185 1190 1195 1200  
 Arg Leu Ala Ser Gly Val Arg Arg Arg Asp Ala Asp Asp Trp Phe Leu  
 1205 1210 1215  
 Glu Leu Asp Trp Glu Pro Ala Ala Leu Gly Gly Pro Lys Ile Thr Ala  
 1220 1225 1230  
 Gly Arg Trp Leu Leu Leu Gly Glu Gly Gly Gly Leu Gly Arg Ser Leu  
 1235 1240 1245  
 Cys Ser Ala Leu Lys Ala Ala Gly His Val Val Val His Ala Ala Gly  
 1250 1255 1260  
 Asp Asp Thr Ser Thr Ala Gly Met Arg Ala Leu Leu Ala Asn Ala Phe  
 1265 1270 1275 1280  
 Asp Gly Gln Ala Pro Thr Ala Val Val His Leu Ser Ser Leu Asp Gly  
 1285 1290 1295  
 Gly Gly Gln Leu Gly Pro Gly Leu Gly Ala Gln Gly Ala Leu Asp Ala  
 1300 1305 1310  
 Pro Arg Ser Pro Asp Val Asp Ala Asp Ala Leu Glu Ser Ala Leu Met  
 1315 1320 1325  
 Arg Gly Cys Asp Ser Val Leu Ser Leu Val Gln Ala Leu Val Gly Met  
 1330 1335 1340  
 Asp Leu Arg Asn Ala Pro Arg Leu Trp Leu Leu Thr Arg Gly Ala Gln  
 1345 1350 1355 1360  
 Ala Ala Ala Ala Gly Asp Val Ser Val Val Gln Ala Pro Leu Leu Gly

- 69 -

1365	1370	1375
Leu Gly Arg Thr Ile Ala Leu Glu His Ala Glu Leu Arg Cys Ile Ser 1380	1385	1390
Val Asp Leu Asp Pro Ala Glu Pro Glu Gly Glu Ala Asp Ala Leu Leu 1395	1400	1405
Ala Glu Leu Leu Ala Asp Asp Ala Glu Glu Glu Val Ala Leu Arg Gly 1410	1415	1420
Gly Asp Arg Leu Val Ala Arg Leu Val His Arg Leu Pro Asp Ala Gln 1425	1430	1435
Arg Arg Glu Lys Val Glu Pro Ala Gly Asp Arg Pro Phe Arg Leu Glu 1445	1450	1455
Ile Asp Glu Pro Gly Ala Leu Asp Gln Leu Val Leu Arg Ala Thr Gly 1460	1465	1470
Arg Arg Ala Pro Gly Pro Gly Glu Val Glu Ile Ser Val Glu Ala Ala 1475	1480	1485
Gly Leu Asp Ser Ile Asp Ile Gln Leu Ala Leu Gly Val Ala Pro Asn 1490	1495	1500
Asp Leu Pro Gly Glu Glu Ile Glu Pro Leu Val Leu Gly Ser Glu Cys 1505	1510	1515
Ala Gly Arg Ile Val Ala Val Gly Glu Gly Val Asn Gly Leu Val Val 1525	1530	1535
Gly Gln Pro Val Ile Ala Leu Ala Ala Gly Val Phe Ala Thr His Val 1540	1545	1550
Thr Thr Ser Ala Thr Leu Val Leu Pro Arg Pro Leu Gly Leu Ser Ala 1555	1560	1565
Thr Glu Ala Ala Ala Met Pro Leu Ala Tyr Leu Thr Ala Trp Tyr Ala 1570	1575	1580
Leu Asp Lys Val Ala His Leu Gln Ala Gly Glu Arg Val Leu Ile His 1585	1590	1595
Ala Glu Ala Gly Gly Val Gly Leu Cys Ala Val Arg Trp Ala Gln Arg 1605	1610	1615
Val Gly Ala Glu Val Tyr Ala Thr Ala Asp Thr Pro Glu Asn Arg Ala 1620	1625	1630
Tyr Leu Glu Ser Leu Gly Val Arg Tyr Val Ser Asp Ser Arg Ser Gly 1635	1640	1645
Arg Phe Val Thr Asp Val His Ala Trp Thr Asp Gly Glu Gly Val Asp 1650	1655	1660
Val Val Leu Asp Ser Leu Ser Gly Glu Arg Ile Asp Lys Ser Leu Met 1665	1670	1675
Val Leu Arg Ala Cys Gly Arg Leu Val Lys Leu Gly Arg Arg Asp Asp 1685	1690	1695
Cys Ala Asp Thr Gln Pro Gly Leu Pro Pro Leu Leu Arg Asn Phe Ser 1700	1705	1710

- 70 -

Phe Ser Gln Val Asp Leu Arg Gly Met Met Leu Asp Gln Pro Ala Arg  
 1715 1720 1725  
 Ile Arg Ala Leu Leu Asp Glu Leu Phe Gly Leu Val Ala Ala Gly Ala  
 1730 1735 1740  
 Ile Ser Pro Leu Gly Ser Gly Leu Arg Val Gly Gly Ser Leu Thr Pro  
 1745 1750 1755 1760  
 Pro Pro Val Glu Thr Phe Pro Ile Ser Arg Ala Ala Glu Ala Phe Arg  
 1765 1770 1775  
 Arg Met Ala Gln Gly Gln His Leu Gly Lys Leu Val Leu Thr Leu Asp  
 1780 1785 1790  
 Asp Pro Glu Val Arg Ile Arg Ala Pro Ala Glu Ser Ser Val Ala Val  
 1795 1800 1805  
 Arg Ala Asp Gly Thr Tyr Leu Val Thr Gly Gly Leu Gly Gly Leu Gly  
 1810 1815 1820  
 Leu Arg Val Ala Gly Trp Leu Ala Glu Arg Gly Ala Gly Gln Leu Val  
 1825 1830 1835 1840  
 Leu Val Gly Arg Ser Gly Ala Ala Ser Ala Glu Gln Arg Ala Ala Val  
 1845 1850 1855  
 Ala Ala Leu Glu Ala His Gly Ala Arg Val Thr Val Ala Lys Ala Asp  
 1860 1865 1870  
 Val Ala Asp Arg Ser Gln Ile Glu Arg Val Leu Arg Glu Val Thr Ala  
 1875 1880 1885  
 Ser Gly Met Pro Leu Arg Gly Val Val His Ala Ala Gly Leu Val Asp  
 1890 1895 1900  
 Asp Gly Leu Leu Met Gln Gln Thr Pro Ala Arg Phe Arg Thr Val Met  
 1905 1910 1915 1920  
 Gly Pro Lys Val Gln Gly Ala Leu His Leu His Thr Leu Thr Arg Glu  
 1925 1930 1935  
 Ala Pro Leu Ser Phe Phe Val Leu Tyr Ala Ser Ala Ala Gly Leu Phe  
 1940 1945 1950  
 Gly Ser Pro Gly Gln Gly Asn Tyr Ala Ala Ala Asn Ala Phe Leu Asp  
 1955 1960 1965  
 Ala Leu Ser His His Arg Arg Ala Gln Gly Leu Pro Ala Leu Ser Ile  
 1970 1975 1980  
 Asp Trp Gly Met Phe Thr Glu Val Gly Met Ala Val Ala Gln Glu Asn  
 1985 1990 1995 2000  
 Arg Gly Ala Arg Gln Ile Ser Arg Gly Met Arg Gly Ile Thr Pro Asp  
 2005 2010 2015  
 Glu Gly Leu Ser Ala Leu Ala Arg Leu Leu Glu Gly Asp Arg Val Gln  
 2020 2025 2030  
 Thr Gly Val Ile Pro Ile Thr Pro Arg Gln Trp Val Glu Phe Tyr Pro  
 2035 2040 2045  
 Ala Thr Ala Ala Ser Arg Arg Leu Ser Arg Leu Val Thr Thr Gln Arg  
 2050 2055 2060

- 71 -

Ala Val Ala Asp Arg Thr Ala Gly Asp Arg Asp Leu Leu Glu Gln Leu  
 2065 2070 2075 2080  
 Ala Ser Ala Glu Pro Ser Ala Arg Ala Gly Leu Leu Gln Asp Val Val  
 2085 2090 2095  
 Arg Val Gln Val Ser His Val Leu Arg Leu Pro Glu Asp Lys Ile Glu  
 2100 2105 2110  
 Val Asp Ala Pro Leu Ser Ser Met Gly Met Asp Ser Leu Met Ser Leu  
 2115 2120 2125  
 Glu Leu Arg Asn Arg Ile Glu Ala Ala Leu Gly Val Ala Ala Pro Ala  
 2130 2135 2140  
 Ala Leu Gly Trp Thr Tyr Pro Thr Val Ala Ala Ile Thr Arg Trp Leu  
 2145 2150 2155 2160  
 Leu Asp Asp Ala Leu Val Val Arg Leu Gly Gly Gly Ser Asp Thr Asp  
 2165 2170 2175  
 Glu Ser Thr Ala Ser Ala Gly Ser Phe Val His Val Leu Arg Phe Arg  
 2180 2185 2190  
 Pro Val Val Lys Pro Arg Ala Arg Leu Phe Cys Phe His Gly Ser Gly  
 2195 2200 2205  
 Gly Ser Pro Glu Gly Phe Arg Ser Trp Ser Glu Lys Ser Glu Trp Ser  
 2210 2215 2220  
 Asp Leu Glu Ile Val Ala Met Trp His Asp Arg Ser Leu Ala Ser Glu  
 2225 2230 2235 2240  
 Asp Ala Pro Gly Lys Lys Tyr Val Gln Glu Ala Ala Ser Leu Ile Gln  
 2245 2250 2255  
 His Tyr Ala Asp Ala Pro Phe Ala Leu Val Gly Phe Ser Leu Gly Val  
 2260 2265 2270  
 Arg Phe Val Met Gly Thr Ala Val Glu Leu Ala Ser Arg Ser Gly Ala  
 2275 2280 2285  
 Pro Ala Pro Leu Ala Val Phe Thr Leu Gly Gly Ser Leu Ile Ser Ser  
 2290 2295 2300  
 Ser Glu Ile Thr Pro Glu Met Glu Thr Asp Ile Ile Ala Lys Leu Phe  
 2305 2310 2315 2320  
 Phe Arg Asn Ala Ala Gly Phe Val Arg Ser Thr Gln Gln Val Gln Ala  
 2325 2330 2335  
 Asp Ala Arg Ala Asp Lys Val Ile Thr Asp Thr Met Val Ala Pro Ala  
 2340 2345 2350  
 Pro Gly Asp Ser Lys Glu Pro Pro Val Lys Ile Ala Val Pro Ile Val  
 2355 2360 2365  
 Ala Ile Ala Gly Ser Asp Asp Val Ile Val Pro Pro Ser Asp Val Gln  
 2370 2375 2380  
 Asp Leu Gln Ser Arg Thr Thr Glu Arg Phe Tyr Met His Leu Leu Pro  
 2385 2390 2395 2400  
 Gly Asp His Glu Phe Leu Val Asp Arg Gly Arg Glu Ile Met His Ile

- 72 -

2405	2410	2415
Val Asp Ser His Leu Asn Pro Leu Leu Ala Ala Arg Thr Thr Ser Ser		
2420	2425	2430
Gly Pro Ala Phe Glu Ala Lys		
2435		
<210> 8		
<211> 419		
<212> PRT		
<213> Sorangium cellulosum		
<400> 8		
Met Thr Gln Glu Gln Ala Asn Gln Ser Glu Thr Lys Pro Ala Phe Asp		
1	5	10 15
Phe Lys Pro Phe Ala Pro Gly Tyr Ala Glu Asp Pro Phe Pro Ala Ile		
20	25	30
Glu Arg Leu Arg Glu Ala Thr Pro Ile Phe Tyr Trp Asp Glu Gly Arg		
35	40	45
Ser Trp Val Leu Thr Arg Tyr His Asp Val Ser Ala Val Phe Arg Asp		
50	55	60
Glu Arg Phe Ala Val Ser Arg Glu Glu Trp Glu Ser Ser Ala Glu Tyr		
65	70	75 80
Ser Ser Ala Ile Pro Glu Leu Ser Asp Met Lys Lys Tyr Gly Leu Phe		
85	90	95
Gly Leu Pro Pro Glu Asp His Ala Arg Val Arg Lys Leu Val Asn Pro		
100	105	110
Ser Phe Thr Ser Arg Ala Ile Asp Leu Leu Arg Ala Glu Ile Gln Arg		
115	120	125
Thr Val Asp Gln Leu Leu Asp Ala Arg Ser Gly Gln Glu Glu Phe Asp		
130	135	140
Val Val Arg Asp Tyr Ala Glu Gly Ile Pro Met Arg Ala Ile Ser Ala		
145	150	155 160
Leu Leu Lys Val Pro Ala Glu Cys Asp Glu Lys Phe Arg Arg Phe Gly		
165	170	175
Ser Ala Thr Ala Arg Ala Leu Gly Val Gly Leu Val Pro Gln Val Asp		
180	185	190
Glu Glu Thr Lys Thr Leu Val Ala Ser Val Thr Glu Gly Leu Ala Leu		
195	200	205
Leu His Asp Val Leu Asp Glu Arg Arg Arg Asn Pro Leu Glu Asn Asp		
210	215	220
Val Leu Thr Met Leu Leu Gln Ala Glu Ala Asp Gly Ser Arg Leu Ser		
225	230	235 240
Thr Lys Glu Leu Val Ala Leu Val Gly Ala Ile Ile Ala Ala Gly Thr		
245	250	255
Asp Thr Thr Ile Tyr Leu Ile Ala Phe Ala Val Leu Asn Leu Leu Arg		
260	265	270

- 73 -

Ser Pro Glu Ala Leu Glu Leu Val Lys Ala Glu Pro Gly Leu Met Arg  
 275 280 285  
 Asn Ala Leu Asp Glu Val Leu Arg Phe Asp Asn Ile Leu Arg Ile Gly  
 290 295 300  
 Thr Val Arg Phe Ala Arg Gln Asp Leu Glu Tyr Cys Gly Ala Ser Ile  
 305 310 315 320  
 Lys Lys Gly Glu Met Val Phe Leu Leu Ile Pro Ser Ala Leu Arg Asp  
 325 330 335  
 Gly Thr Val Phe Ser Arg Pro Asp Val Phe Asp Val Arg Arg Asp Thr  
 340 345 350  
 Gly Ala Ser Leu Ala Tyr Gly Arg Gly Pro His Val Cys Pro Gly Val  
 355 360 365  
 Ser Leu Ala Arg Leu Glu Ala Glu Ile Ala Val Gly Thr Ile Phe Arg  
 370 375 380  
 Arg Phe Pro Glu Met Lys Leu Lys Glu Thr Pro Val Phe Gly Tyr His  
 385 390 395 400  
 Pro Ala Phe Arg Asn Ile Glu Ser Leu Asn Val Ile Leu Lys Pro Ser  
 405 410 415  
 Lys Ala Gly

<210> 9  
 <211> 607  
 <212> PRT  
 <213> Sorangium cellulosum

<400> 9  
 Ala Ser Leu Asp Ala Leu Phe Ala Arg Ala Thr Ser Ala Arg Val Leu  
 1 5 10 15  
 Asp Asp Gly His Gly Arg Ala Thr Glu Arg His Val Leu Ala Glu Ala  
 20 25 30  
 Arg Gly Ile Glu Asp Leu Arg Ala Leu Arg Glu His Leu Arg Ile Gln  
 35 40 45  
 Glu Gly Gly Pro Ser Phe His Cys Met Cys Leu Gly Asp Leu Thr Val  
 50 55 60  
 Glu Leu Leu Ala His Asp Gln Pro Leu Ala Ser Ile Ser Phe His His  
 65 70 75 80  
 Ala Arg Ser Leu Arg His Pro Asp Trp Thr Ser Asp Ala Met Leu Val  
 85 90 95  
 Asp Gly Pro Ala Leu Val Arg Trp Leu Ala Ala Arg Gly Ala Pro Gly  
 100 105 110  
 Pro Leu Arg Glu Tyr Glu Glu Glu Arg Glu Arg Ala Arg Thr Ala Gln  
 115 120 125  
 Glu Ala Arg Arg Leu Trp Leu Ala Ala Ala Pro Pro Cys Phe Ala Pro  
 130 135 140

- 74 -

Asp Leu Pro Arg Phe Glu Asp Asp Ala Asn Gly Leu Pro Leu Gly Pro  
 145 150 155 160  
 Met Ser Pro Glu Val Ala Glu Ala Glu Arg Arg Leu Arg Ala Ser Tyr  
 165 170 175  
 Ala Thr Pro Glu Leu Ala Cys Ala Ala Leu Leu Ala Trp Leu Gly Thr  
 180 185 190  
 Gly Ala Gly Pro Trp Ser Gly Tyr Pro Ala Tyr Glu Met Leu Pro Glu  
 195 200 205  
 Asn Leu Leu Leu Gly Phe Gly Leu Pro Thr Ala Ile Ala Ala Ala Ser  
 210 215 220  
 Ala Pro Gly Thr Ser Glu Ala Ala Leu Arg Gly Ala Ala Arg Leu Phe  
 225 230 235 240  
 Ala Ser Trp Glu Val Val Ser Ser Lys Lys Ser Gln Leu Gly Asn Ile  
 245 250 255  
 Pro Glu Ala Leu Trp Glu Arg Leu Arg Thr Ile Val Arg Ala Met Gly  
 260 265 270  
 Asn Ala Asp Asn Leu Ser Arg Phe Glu Arg Ala Glu Ala Ile Ala Ala  
 275 280 285  
 Glu Val Arg Arg Leu Arg Ala Gln Pro Ala Pro Phe Ala Ala Gly Ala  
 290 295 300  
 Gly Leu Ala Val Ala Gly Val Ser Ser Ser Gly Arg Leu Ser Gly Leu  
 305 310 315 320  
 Val Thr Asp Gly Asp Ala Leu Tyr Ser Gly Asp Gly Asn Asp Ile Val  
 325 330 335  
 Met Phe Gln Pro Gly Arg Ile Ser Pro Val Val Leu Leu Ala Gly Thr  
 340 345 350  
 Asp Pro Phe Phe Glu Leu Ala Pro Pro Leu Ser Gln Met Leu Phe Val  
 355 360 365  
 Ala His Ala Asn Ala Gly Thr Ile Ser Lys Val Leu Thr Glu Gly Ser  
 370 375 380  
 Pro Leu Ile Val Met Ala Arg Asn Gln Ala Arg Pro Met Ser Leu Val  
 385 390 395 400  
 His Ala Arg Gly Phe Met Ala Trp Val Asn Gln Ala Met Val Pro Asp  
 405 410 415  
 Pro Glu Arg Gly Ala Pro Phe Val Val Gln Arg Ser Thr Ile Met Glu  
 420 425 430  
 Phe Glu His Pro Thr Pro Arg Cys Leu His Glu Pro Ala Gly Ser Ala  
 435 440 445  
 Phe Ser Leu Ala Cys Asp Glu Glu His Leu Tyr Trp Cys Glu Leu Ser  
 450 455 460  
 Ala Gly Arg Leu Glu Leu Trp Arg His Pro His His Arg Pro Gly Ala  
 465 470 475 480  
 Pro Ser Arg Phe Ala Tyr Leu Gly Glu His Pro Ile Ala Ala Thr Trp  
 485 490 495

- 75 -

Tyr Pro Ser Leu Thr Leu Asn Ala Thr His Val Leu Trp Ala Asp Pro  
 500 505 510  
 Asp Arg Arg Ala Ile Leu Gly Val Asp Lys Arg Thr Gly Val Glu Pro  
 515 520 525  
 Ile Val Leu Ala Glu Thr Arg His Pro Pro Ala His Val Val Ser Glu  
 530 535 540  
 Asp Arg Asp Ile Phe Ala Leu Thr Gly Gln Pro Asp Ser Arg Asp Trp  
 545 550 555 560  
 His Val Glu His Ile Arg Ser Gly Ala Ser Thr Val Val Ala Asp Tyr  
 565 570 575  
 Gln Arg Gln Leu Trp Asp Arg Pro Asp Met Val Leu Asn Arg Arg Gly  
 580 585 590  
 Leu Phe Phe Thr Thr Asn Asp Arg Ile Leu Thr Leu Ala Arg Ser  
 595 600 605

<210> 10  
 <211> 423  
 <212> PRT  
 <213> Sorangium cellulosum

<400> 10  
 Met Gly Ala Leu Ile Ser Val Ala Ala Pro Gly Cys Ala Leu Gly Gly  
 1 5 10 15  
 Ala Glu Glu Glu Gly Gln Pro Gly Gln Asp Ala Gly Ala Gly Ala Leu  
 20 25 30  
 Ala Pro Ala Arg Glu Val Met Ala Ala Glu Val Ala Ala Gly Gln Met  
 35 40 45  
 Pro Gly Ala Val Trp Leu Val Ala Arg Gly Asp Asp Val His Val Asp  
 50 55 60  
 Ala Val Gly Val Thr Glu Leu Gly Gly Ser Ala Pro Met Arg Arg Asp  
 65 70 75 80  
 Thr Ile Phe Arg Ile Ala Ser Met Thr Lys Ala Val Thr Ala Thr Ala  
 85 90 95  
 Val Met Met Leu Val Glu Glu Gly Lys Leu Asp Leu Asp Ser Pro Val  
 100 105 110  
 Asp Arg Trp Leu Pro Glu Leu Ala Asn Arg Lys Val Leu Ala Arg Ile  
 115 120 125  
 Asp Gly Pro Ile Asp Glu Thr Val Pro Ala Glu Arg Pro Ile Thr Val  
 130 135 140  
 Arg Asp Leu Met Thr Phe Thr Met Gly Phe Gly Ile Ser Phe Asp Ala  
 145 150 155 160  
 Ser Ser Pro Ile Gln Arg Ala Ile Asp Glu Leu Gly Leu Val Asn Ala  
 165 170 175  
 Gln Pro Val Pro Met Thr Pro His Gly Pro Asp Glu Trp Ile Arg Arg  
 180 185 190

- 76 -

Leu Gly Thr Leu Pro Leu Met His Gln Pro Gly Ala Gln Trp Met Tyr  
 195 200 205  
 Asn Thr Gly Ser Leu Val Gln Gly Val Leu Val Gly Arg Ala Ala Asp  
 210 215 220  
 Gln Gly Phe Asp Ala Phe Val Arg Glu Arg Ile Leu Ala Pro Leu Gly  
 225 230 235 240  
 Met Arg Asp Thr Asp Phe His Val Pro Ala Asp Lys Leu Ala Arg Phe  
 245 250 255  
 Ala Gly Cys Gly Tyr Phe Thr Asp Glu Gln Thr Gly Glu Lys Thr Arg  
 260 265 270  
 Met Asp Arg Asp Gly Ala Glu Ser Ala Tyr Ala Ser Pro Pro Ala Phe  
 275 280 285  
 Pro Ser Gly Ala Ala Gly Leu Val Ser Thr Val Asp Asp Tyr Leu Leu  
 290 295 300  
 Phe Ala Arg Met Leu Met Asn Gly Gly Val His Glu Gly Arg Arg Leu  
 305 310 315 320  
 Leu Ser Ala Ala Ser Val Arg Glu Met Thr Ala Asp His Leu Thr Pro  
 325 330 335  
 Ala Gln Lys Ala Ala Ser Ser Phe Phe Pro Gly Phe Phe Glu Thr His  
 340 345 350  
 Gly Trp Gly Tyr Gly Met Ala Val Thr Ala Pro Asp Ala Val Ser  
 355 360 365  
 Glu Val Pro Gly Arg Tyr Gly Trp Asp Gly Gly Phe Gly Thr Ser Trp  
 370 375 380  
 Ile Asn Asp Pro Gly Arg Glu Leu Ile Gly Ile Val Met Thr Gln Ser  
 385 390 395 400  
 Ala Gly Phe Leu Phe Ser Gly Ala Leu Glu Arg Phe Trp Arg Ser Val  
 405 410 415  
 Tyr Val Ala Thr Glu Ser Ala  
 420

&lt;210&gt; 11

&lt;211&gt; 713

&lt;212&gt; PRT

&lt;213&gt; Sorangium cellulosum

&lt;400&gt; 11

Met His Gly Leu Thr Glu Arg Gln Val Leu Leu Ser Leu Val Thr Leu  
 1 5 10 15  
 Ala Leu Ile Leu Val Thr Ala Arg Ala Ser Gly Glu Leu Ala Arg Arg  
 20 25 30  
 Leu Arg Gln Pro Glu Val Leu Gly Glu Leu Phe Gly Gly Val Val Leu  
 35 40 45  
 Gly Pro Ser Val Val Gly Ala Leu Ala Pro Gly Phe His Arg Ala Leu  
 50 55 60  
 Phe Gln Glu Pro Ala Val Gly Val Val Leu Ser Gly Ile Ser Trp Ile

- 77 -

65		70		75		80
Gly Ala Leu Leu Leu Leu Leu Met Ala Gly Ile Glu Val Asp Val Gly						
	85			90		95
Ile Leu Arg Lys Glu Ala Arg Pro Gly Ala Leu Ser Ala Leu Gly Ala						
	100			105		110
Ile Ala Pro Pro Leu Ala Ala Gly Ala Ala Phe Ser Ala Leu Val Leu						
	115			120		125
Asp Arg Pro Leu Pro Ser Gly Leu Phe Leu Gly Ile Val Leu Ser Val						
	130			135		140
Thr Ala Val Ser Val Ile Ala Lys Val Leu Ile Glu Arg Glu Ser Met						
	145			150		155
Arg Arg Ser Tyr Ala Gln Val Thr Leu Ala Ala Gly Val Val Ser Glu						
	165			170		175
Val Ala Ala Trp Val Leu Val Ala Met Thr Ser Ser Ser Tyr Gly Ala						
	180			185		190
Ser Pro Ala Leu Ala Val Ala Arg Ser Ala Leu Leu Ala Ser Gly Phe						
	195			200		205
Leu Leu Phe Met Val Leu Val Gly Arg Arg Leu Thr His Leu Ala Met						
	210			215		220
Arg Trp Val Ala Asp Ala Thr Arg Val Ser Lys Gly Gln Val Ser Leu						
	225			230		235
Val Leu Val Leu Thr Phe Leu Ala Ala Ala Leu Thr Gln Arg Leu Gly						
	245			250		255
Leu His Pro Leu Leu Gly Ala Phe Ala Leu Gly Val Leu Leu Asn Ser						
	260			265		270
Ala Pro Arg Thr Asn Arg Pro Leu Leu Asp Gly Val Gln Thr Leu Val						
	275			280		285
Ala Gly Leu Phe Ala Pro Val Phe Phe Val Leu Ala Gly Met Arg Val						
	290			295		300
Asp Val Ser Gln Leu Arg Thr Pro Ala Ala Trp Gly Thr Val Ala Leu						
	305			310		315
Leu Leu Ala Thr Ala Thr Ala Ala Lys Val Val Pro Ala Ala Leu Gly						
	325			330		335
Ala Arg Leu Gly Gly Leu Arg Gly Ser Glu Ala Ala Leu Val Ala Val						
	340			345		350
Gly Leu Asn Met Lys Gly Gly Thr Asp Leu Ile Val Ala Ile Val Gly						
	355			360		365
Val Glu Leu Gly Leu Leu Ser Asn Glu Ala Tyr Thr Met Tyr Ala Val						
	370			375		380
Val Ala Leu Val Thr Val Thr Ala Ser Pro Ala Leu Leu Ile Trp Leu						
	385			390		395
Glu Lys Arg Ala Pro Pro Thr Gln Glu Glu Ser Ala Arg Leu Glu Arg						
	405			410		415

- 78 -

Glu Glu Ala Ala Arg Arg Ala Tyr Ile Pro Gly Val Glu Arg Ile Leu  
 420 425 430  
 Val Pro Ile Val Ala His Ala Leu Pro Gly Phe Ala Thr Asp Ile Val  
 435 440 445  
 Glu Ser Ile Val Ala Ser Lys Arg Lys Leu Gly Glu Thr Val Asp Ile  
 450 455 460  
 Thr Glu Leu Ser Val Glu Gln Gln Ala Pro Gly Pro Ser Arg Ala Ala  
 465 470 475 480  
 Gly Glu Ala Ser Arg Gly Leu Ala Arg Leu Gly Ala Arg Leu Arg Val  
 485 490 495  
 Gly Ile Trp Arg Gln Arg Arg Glu Leu Arg Gly Ser Ile Gln Ala Ile  
 500 505 510  
 Leu Arg Ala Ser Arg Asp His Asp Leu Leu Val Ile Gly Ala Arg Ser  
 515 520 525  
 Pro Ala Arg Ala Arg Gly Met Ser Phe Gly Arg Leu Gln Asp Ala Ile  
 530 535 540  
 Val Gln Arg Ala Glu Ser Asn Val Leu Val Val Val Gly Asp Pro Pro  
 545 550 555 560  
 Ala Ala Glu Arg Ala Ser Ala Arg Arg Ile Leu Val Pro Ile Ile Gly  
 565 570 575  
 Leu Glu Tyr Ser Phe Ala Ala Ala Asp Leu Ala Ala His Val Ala Leu  
 580 585 590  
 Ala Trp Asp Ala Glu Leu Val Leu Leu Ser Ser Ala Gln Thr Asp Pro  
 595 600 605  
 Gly Ala Val Val Trp Arg Asp Arg Glu Pro Ser Arg Val Arg Ala Val  
 610 615 620  
 Ala Arg Ser Val Val Asp Glu Ala Val Phe Arg Gly Arg Arg Leu Gly  
 625 630 635 640  
 Val Arg Val Ser Ser Arg Val His Val Gly Ala His Pro Ser Asp Glu  
 645 650 655  
 Ile Thr Arg Glu Leu Ala Arg Ala Pro Tyr Asp Leu Leu Val Leu Gly  
 660 665 670  
 Cys Tyr Asp His Gly Pro Leu Gly Arg Leu Tyr Leu Gly Ser Thr Val  
 675 680 685  
 Glu Ser Val Val Val Arg Ser Arg Val Pro Val Ala Leu Leu Val Ala  
 690 695 700  
 His Gly Gly Thr Arg Glu Gln Val Arg  
 705 710

&lt;210&gt; 12

&lt;211&gt; 126

&lt;212&gt; PRT

&lt;213&gt; Sorangium cellulosum

&lt;400&gt; 12

Met Asp Lys Pro Ile Gly Arg Thr Arg Cys Ala Ile Ala Glu Gly Tyr

- 79 -

1	5	10	15
Ile Pro Gly Gly Ser Asn Gly Pro Glu Pro Gln Met Thr Ser His Glu	20	25	30
Thr Ala Cys Leu Leu Asn Ala Ser Asp Arg Asp Ala Gln Val Ala Ile	35	40	45
Thr Val Tyr Phe Ser Asp Arg Asp Pro Ala Gly Pro Tyr Arg Val Thr	50	55	60
Val Pro Ala Arg Arg Thr Arg His Val Arg Phe Asn Asp Leu Thr Glu	65	70	75
Pro Glu Pro Ile Pro Arg Asp Thr Asp Tyr Ala Ser Val Ile Glu Ser	85	90	95
Asp Ala Pro Ile Val Val Gln His Thr Arg Leu Asp Ser Arg Gln Ala	100	105	110
Glu Asn Ala Leu Leu Ser Thr Ile Ala Tyr Thr Asp Arg Glu	115	120	125

<210> 13  
 <211> 149  
 <212> PRT  
 <213> Sorangium cellulosum

<400> 13  
 Met Lys His Val Asp Thr Gly Arg Arg Phe Gly Arg Arg Ile Gly His  
 1 5 10 15  
 Thr Leu Gly Leu Leu Ala Ser Met Ala Leu Ala Gly Cys Gly Gly Pro  
 20 25 30  
 Ser Glu Lys Thr Val Gln Gly Thr Arg Leu Ala Pro Gly Ala Asp Ala  
 35 40 45  
 Arg Val Thr Ala Asp Val Asp Pro Asp Ala Ala Thr Thr Arg Leu Ala  
 50 55 60  
 Val Asp Val Val His Leu Ser Pro Pro Glu Arg Leu Glu Ala Gly Ser  
 65 70 75 80  
 Glu Arg Phe Val Val Trp Gln Arg Pro Ser Pro Glu Ser Pro Trp Arg  
 85 90 95  
 Arg Val Gly Val Leu Asp Tyr Asn Ala Asp Ser Arg Arg Gly Lys Leu  
 100 105 110  
 Ala Glu Thr Thr Val Pro Tyr Ala Asn Phe Glu Leu Leu Ile Thr Ala  
 115 120 125  
 Glu Lys Gln Ser Ser Pro Gln Ser Pro Ser Ser Ala Ala Val Ile Gly  
 130 135 140  
 Pro Thr Ser Val Gly  
 145

<210> 14  
 <211> 184  
 <212> PRT  
 <213> Sorangium cellulosum

- 80 -

&lt;400&gt; 14

Val Thr Ser Glu Glu Val Pro Gly Ala Ala Leu Gly Ala Gln Ser Ser  
 1 5 10 15  
 Leu Val Arg Ala Gln His Ala Ala Arg His Val Arg Pro Cys Thr Arg  
 20 25 30  
 Ala Glu Glu Pro Pro Ala Leu Met His Gly Leu Thr Glu Arg Gln Val  
 35 40 45  
 Leu Leu Ser Leu Val Ala Leu Ala Leu Val Leu Leu Thr Ala Arg Ala  
 50 55 60  
 Phe Gly Glu Leu Ala Arg Arg Leu Arg Gln Pro Glu Val Leu Gly Glu  
 65 70 75 80  
 Leu Phe Gly Gly Val Val Leu Gly Pro Ser Val Val Gly Ala Leu Ala  
 85 90 95  
 Pro Gly Phe His Arg Val Leu Phe Gln Asp Pro Ala Val Gly Val Val  
 100 105 110  
 Leu Ser Gly Ile Ser Trp Ile Gly Ala Leu Val Leu Leu Met Ala  
 115 120 125  
 Gly Ile Glu Val Asp Val Ser Ile Leu Arg Lys Glu Ala Arg Pro Gly  
 130 135 140  
 Ala Leu Ser Ala Leu Gly Ala Ile Ala Pro Pro Leu Arg Thr Pro Gly  
 145 150 155 160  
 Pro Leu Val Gln Arg Met Gln Gly Ala Phe Thr Trp Asp Leu Asp Val  
 165 170 175  
 Ser Pro Arg Arg Ser Ala Gln Ala  
 180

&lt;210&gt; 15

&lt;211&gt; 145

&lt;212&gt; PRT

&lt;213&gt; Sorangium cellulosum

&lt;400&gt; 15

Val Asn Ala Pro Cys Met Arg Cys Thr Ser Gly Pro Gly Val Arg Ser  
 1 5 10 15  
 Gly Gly Ala Ile Ala Pro Ser Ala Glu Ser Ala Pro Gly Arg Ala Ser  
 20 25 30  
 Leu Arg Arg Met Leu Thr Ser Thr Ser Ile Pro Ala Met Ser Ser Arg  
 35 40 45  
 Thr Ser Ala Pro Ile Gln Glu Met Pro Glu Ser Thr Thr Pro Thr Ala  
 50 55 60  
 Gly Ser Trp Lys Arg Thr Arg Trp Asn Pro Gly Ala Ser Ala Pro Thr  
 65 70 75 80  
 Thr Asp Gly Pro Ser Thr Thr Pro Pro Lys Ser Ser Pro Ser Thr Ser  
 85 90 95  
 Gly Trp Arg Ser Arg Arg Ala Ser Ser Pro Lys Ala Arg Ala Val Arg  
 100 105 110

- 81 -

Arg Thr Ser Ala Arg Ala Thr Ser Glu Ser Arg Thr Cys Arg Ser Val  
115 120 125

Arg Pro Cys Ile Arg Ala Gly Gly Ser Ser Ala Arg Val Gln Gly Arg  
130 135 140

Thr  
145

<210> 16  
<211> 185  
<212> PRT  
<213> Sorangium cellulosum

<400> 16  
Val Leu Ala Pro Pro Ala Asp Ile Arg Pro Pro Ala Ala Ala Gln Leu  
1 5 10 15

Glu Pro Asp Ser Pro Asp Asp Glu Ala Asp Glu Ala Asp Glu Ala Leu  
20 25 30

Arg Pro Phe Arg Asp Ala Ile Ala Ala Tyr Ser Glu Ala Val Arg Trp  
35 40 45

Ala Glu Ala Ala Gln Arg Pro Arg Leu Glu Ser Leu Val Arg Leu Ala  
50 55 60

Ile Val Arg Leu Gly Lys Ala Leu Asp Lys Val Pro Phe Ala His Thr  
65 70 75 80

Thr Ala Gly Val Ser Gln Ile Ala Gly Arg Leu Gln Asn Asp Ala Val  
85 90 95

Trp Phe Asp Val Ala Ala Arg Tyr Ala Ser Phe Arg Ala Ala Thr Glu  
100 105 110

His Ala Leu Arg Asp Ala Ala Ser Ala Met Glu Ala Leu Ala Ala Gly  
115 120 125

Pro Tyr Arg Gly Ser Ser Arg Val Ser Ala Ala Val Gly Glu Phe Arg  
130 135 140

Gly Glu Ala Ala Arg Leu His Pro Ala Asp Arg Val Pro Ala Ser Asp  
145 150 155 160

Gln Gln Ile Leu Thr Ala Leu Arg Ala Ala Glu Arg Ala Leu Ile Ala  
165 170 175

Leu Tyr Thr Ala Phe Ala Arg Glu Glu  
180 185

<210> 17  
<211> 146  
<212> PRT  
<213> Sorangium cellulosum

<400> 17  
Met Ala Asp Ala Ala Ser Arg Ser Ala Cys Ser Val Ala Ala Arg Lys  
1 5 10 15

Leu Ala Tyr Arg Ala Ala Thr Ser Asn Gln Thr Ala Ser Phe Trp Ser  
20 25 30

```
<210> 18
<211> 288
<212> PRT
<213> Sorangium cellulosum
```

<400>	18
Val Thr Val Ser Ser Met Pro Arg Ser Trp Ser Ser Arg Val Arg Thr	
1 5 10 15	
Val Val Thr Ala Leu Gly Cys Ala Arg Arg Leu Ser Gly Ser Ile Ser	
20 25 30	
Arg Leu Arg Arg His Pro Glu Ala Gly Arg Ala Pro Arg Ser Arg Leu	
35 40 45	
Arg Ala Trp Arg Arg Leu Pro Gln His Ile Ser Ser Pro Trp Arg His	
50 55 60	
Leu Pro Pro Gly Ala Arg Val Gly Thr Ser Cys Pro Ala Asp Arg Arg	
65 70 75 80	
Ile Leu Pro Ser His Arg Thr Ala Asp Leu Gly Thr Ser Gly Gly Thr	
85 90 95	
Leu Val Ala Arg Met Ser Gly His Val Ala Arg Asn Pro His Ala Ala	
100 105 110	
Val Leu Val Gly Asp Gly Ser Ala Arg Gly Arg Arg Arg Leu Ser Asn	
115 120 125	
Arg Arg Ala Glu Arg Arg Val Ser Asp Val Thr Cys Arg Glu Gly Gly	
130 135 140	
Glu Ala Met Gln Lys Ile Ala Gly Lys Leu Val Val Gly Leu Ile Ser	
145 150 155 160	
Val Ser Gly Met Ser Leu Leu Ala Ala Cys Gly Gly Glu Lys Arg Ser	
165 170 175	

- 83 -

Gly Gly Glu Ala Gln Thr Pro Gly Gly Ala Gln Gly Glu Ala Pro Val  
 180 185 190  
 Pro Val Gly Ser Ala Val Asp Ser Ile Val Ala Ala Arg Cys Asp Arg  
 195 200 205  
 Glu Ala Arg Cys Asn Asn Ile Gly Gln Asp Arg Glu Tyr Ser Ser Lys  
 210 215 220  
 Asp Ala Cys Ser Asn Lys Ile Arg Ser Glu Trp Arg Asp Glu Leu Thr  
 225 230 235 240  
 Phe Gly Glu Cys Pro Gly Gly Ile Asp Ala Lys Gln Leu Asn Glu Cys  
 245 250 255  
 Leu Glu Gly Ile Arg Asn Glu Gly Cys Gly Asn Pro Phe Asp Thr Leu  
 260 265 270  
 Gly Arg Val Val Ala Cys Arg Ser Ser Asp Leu Cys Arg Asp Ala Arg  
 275 280 285

<210> 19  
 <211> 288  
 <212> PRT  
 <213> Sorangium cellulosum

<400> 19  
 Val Thr Val Ser Ser Met Pro Arg Ser Trp Ser Ser Arg Val Arg Thr  
 1 5 10 15  
 Val Val Thr Ala Leu Gly Cys Ala Arg Arg Leu Ser Gly Ser Ile Ser  
 20 25 30  
 Arg Leu Arg Arg His Pro Glu Ala Gly Arg Ala Pro Arg Ser Arg Leu  
 35 40 45  
 Arg Ala Trp Arg Arg Leu Pro Gln His Ile Ser Ser Pro Trp Arg His  
 50 55 60  
 Leu Pro Pro Gly Ala Arg Val Gly Thr Ser Cys Pro Ala Asp Arg Arg  
 65 70 75 80  
 Ile Leu Pro Ser His Arg Thr Ala Asp Leu Gly Thr Ser Gly Gly Thr  
 85 90 95  
 Leu Val Ala Arg Met Ser Gly His Val Ala Arg Asn Pro His Ala Ala  
 100 105 110  
 Val Leu Val Gly Asp Gly Ser Ala Arg Gly Arg Arg Arg Leu Ser Asn  
 115 120 125  
 Arg Arg Ala Glu Arg Arg Val Ser Asp Val Thr Cys Arg Glu Gly Gly  
 130 135 140  
 Glu Ala Met Gln Lys Ile Ala Gly Lys Leu Val Val Gly Leu Ile Ser  
 145 150 155 160  
 Val Ser Gly Met Ser Leu Leu Ala Ala Cys Gly Gly Glu Lys Arg Ser  
 165 170 175  
 Gly Gly Glu Ala Gln Thr Pro Gly Gly Ala Gln Gly Glu Ala Pro Val

- 84 -

	180		185		190
Pro Val Gly Ser Ala Val Asp Ser Ile Val Ala Ala Arg Cys Asp Arg					
	195		200		205
Glu Ala Arg Cys Asn Asn Ile Gly Gln Asp Arg Glu Tyr Ser Ser Lys					
	210		215		220
Asp Ala Cys Ser Asn Lys Ile Arg Ser Glu Trp Arg Asp Glu Leu Thr					
	225		230		235
Phe Gly Glu Cys Pro Gly Gly Ile Asp Ala Lys Gln Leu Asn Glu Cys					
		245		250	255
Leu Glu Gly Ile Arg Asn Glu Gly Cys Gly Asn Pro Phe Asp Thr Leu					
	260		265		270
Gly Arg Val Val Ala Cys Arg Ser Ser Asp Leu Cys Arg Asp Ala Arg					
	275		280		285

<210> 20  
 <211> 155  
 <212> PRT  
 <213> Sorangium cellulosum

<400> 20  
 Met Asp Pro Arg Ala Arg Arg Glu Lys Arg Pro Ser Leu Leu Asp Ser  
 1 5 10 15  
 Arg Gly Arg Gln Pro Lys Arg Ser Gln Gln Gly Gly His Met Glu Lys  
 20 25 30  
 Pro Ile Gly Arg Thr Arg Trp Ala Ile Ala Glu Gly Tyr Ile Pro Gly  
 35 40 45  
 Arg Ser Asn Gly Pro Glu Pro Gln Met Thr Ser His Glu Thr Ala Cys  
 50 55 60  
 Leu Leu Asn Ala Ser Asp Arg Asp Ala Gln Val Ala Ile Thr Val Tyr  
 65 70 75 80  
 Phe Ser Asp Arg Asp Pro Ala Gly Pro Tyr Arg Val Thr Val Pro Ala  
 85 90 95  
 Arg Arg Thr Arg His Val Arg Phe Asn Asp Leu Thr Glu Pro Glu Pro  
 100 105 110  
 Ile Pro Arg Asp Thr Asp Tyr Ala Ser Val Ile Glu Ser Asp Val Pro  
 115 120 125  
 Ile Val Val Gln His Thr Arg Leu Asp Ser Arg Gln Ala Glu Asn Ala  
 130 135 140  
 Leu Ile Ser Thr Ile Ala Tyr Thr Asp Arg Glu  
 145 150 155

<210> 21  
 <211> 156  
 <212> PRT  
 <213> Sorangium cellulosum

- 85 -

&lt;400&gt; 21

Val Arg Arg Ser Arg Trp Gln Met Lys His Val Asp Thr Gly Arg Arg  
 1 5 10 15  
 Val Gly Arg Arg Ile Gly Leu Thr Leu Gly Leu Leu Ala Ser Met Ala  
 20 25 30  
 Leu Ala Gly Cys Gly Gly Pro Ser Glu Lys Ile Val Gln Gly Thr Arg  
 35 40 45  
 Leu Ala Pro Gly Ala Asp Ala His Val Ala Ala Asp Val Asp Pro Asp  
 50 55 60  
 Ala Ala Thr Thr Arg Leu Ala Val Asp Val Val His Leu Ser Pro Pro  
 65 70 75 80  
 Glu Arg Ile Glu Ala Gly Ser Glu Arg Phe Val Val Trp Gln Arg Pro  
 85 90 95  
 Ser Ser Glu Ser Pro Trp Gln Arg Val Gly Val Leu Asp Tyr Asn Ala  
 100 105 110  
 Ala Ser Arg Arg Gly Lys Leu Ala Glu Thr Thr Val Pro His Ala Asn  
 115 120 125  
 Phe Glu Leu Leu Ile Thr Val Glu Lys Gln Ser Ser Pro Gln Ser Pro  
 130 135 140  
 Ser Ser Ala Ala Val Ile Gly Pro Thr Ser Val Gly  
 145 150 155

&lt;210&gt; 22

&lt;211&gt; 305

&lt;212&gt; PRT

&lt;213&gt; Sorangium cellulosum

&lt;400&gt; 22

Met Glu Lys Glu Ser Arg Ile Ala Ile Tyr Gly Ala Ile Ala Ala Asn  
 1 5 10 15  
 Val Ala Ile Ala Ala Val Lys Phe Ile Ala Ala Ala Val Thr Gly Ser  
 20 25 30  
 Ser Ala Met Leu Ser Glu Gly Val His Ser Leu Val Asp Thr Ala Asp  
 35 40 45  
 Gly Leu Leu Leu Leu Leu Gly Lys His Arg Ser Ala Arg Pro Pro Asp  
 50 55 60  
 Ala Glu His Pro Phe Gly His Gly Lys Glu Leu Tyr Phe Trp Thr Leu  
 65 70 75 80  
 Ile Val Ala Ile Met Ile Phe Ala Ala Gly Gly Gly Val Ser Ile Tyr  
 85 90 95  
 Glu Gly Ile Leu His Leu Leu His Pro Arg Gln Ile Glu Asp Pro Thr  
 100 105 110  
 Trp Asn Tyr Val Val Leu Gly Ala Ala Ala Val Phe Glu Gly Thr Ser  
 115 120 125  
 Leu Ile Ile Ser Ile His Glu Phe Lys Lys Lys Asp Gly Gln Gly Tyr  
 130 135 140

- 86 -

Leu Ala Ala Met Arg Ser Ser Lys Asp Pro Thr Thr Phe Thr Ile Val  
 145 150 155 160  
 Leu Glu Asp Ser Ala Ala Leu Ala Gly Leu Thr Ile Ala Phe Leu Gly  
 165 170 175  
 Val Trp Leu Gly His Arg Leu Gly Asn Pro Tyr Leu Asp Gly Ala Ala  
 180 185 190  
 Ser Ile Gly Ile Gly Leu Val Leu Ala Ala Val Ala Val Phe Leu Ala  
 195 200 205  
 Ser Gln Ser Arg Gly Leu Leu Val Gly Glu Ser Ala Asp Arg Glu Leu  
 210 215 220  
 Leu Ala Ala Ile Arg Ala Leu Ala Ser Ala Asp Pro Gly Val Ser Ala  
 225 230 235 240  
 Val Gly Arg Pro Leu Thr Met His Phe Gly Pro His Glu Val Leu Val  
 245 250 255  
 Val Leu Arg Ile Glu Phe Asp Ala Ala Leu Thr Ala Ser Gly Val Ala  
 260 265 270  
 Glu Ala Ile Glu Arg Ile Glu Thr Arg Ile Arg Ser Glu Arg Pro Asp  
 275 280 285  
 Val Lys His Ile Tyr Val Glu Ala Arg Ser Leu His Gln Arg Ala Arg  
 290 295 300  
 Ala  
 305

<210> 23  
 <211> 135  
 <212> PRT  
 <213> Sorangium cellulosum

<400> 23  
 Val Gln Thr Ser Ser Phe Asp Ala Arg Tyr Ala Gly Cys Lys Ser Ser  
 1 5 10 15  
 Arg Arg Ile Ala Arg Ser Gly Ser Ala Gly Ala Arg Ala Gly Arg Ala  
 20 25 30  
 His Glu Gly Ala Ala Ser Ala Gly Phe Glu Gly Gly Asp Val Met Arg  
 35 40 45  
 Lys Ala Arg Ala His Gly Ala Met Leu Gly Gly Arg Asp Asp Gly Trp  
 50 55 60  
 Arg Arg Gly Leu Pro Gly Ala Gly Ala Leu Arg Ala Ala Leu Gln Arg  
 65 70 75 80  
 Gly Arg Ser Arg Asp Leu Ala Arg Arg Arg Leu Ile Ala Ser Val Ser  
 85 90 95  
 Leu Ala Gly Gly Ala Ser Met Ala Val Val Ser Leu Phe Gln Leu Gly  
 100 105 110  
 Ile Ile Glu Arg Leu Pro Asp Pro Pro Leu Pro Gly Phe Asp Ser Ala  
 115 120 125

- 87 -

Lys Val Thr Ser Ser Asp Ile  
130 135

&lt;210&gt; 24

&lt;211&gt; 19

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence: universal  
reverse primer

&lt;400&gt; 24

ggaaacagct atgaccatg

19

&lt;210&gt; 25

&lt;211&gt; 17

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence: universal  
forward primer

&lt;400&gt; 25

gtaaaacgac ggccagt

17

&lt;210&gt; 26

&lt;211&gt; 28

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence: PCR primer  
NH24 end "B"

&lt;400&gt; 26

gtgactggcg cctggaatct gcatgagc

28

&lt;210&gt; 27

&lt;211&gt; 28

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence: PCR primer NH2  
end "A"

&lt;400&gt; 27

agcgggagct tgctagacat tctgtttc

28

&lt;210&gt; 28

&lt;211&gt; 24

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence: PCR primer NH2  
end "B"

&lt;400&gt; 28

gacgcgcctc gggcagcgcc ccaa

24

&lt;210&gt; 29

- 88 -

<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer  
pEPO15-NH6 end "B"

<400> 29  
caccgaagcg tcgatctggt ccatc

25

<210> 30  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer  
pEPO15H2.7 end "A"

<400> 30  
cggtcagatc gacgacgggc ttcc

25